Rows - Grid System

Rows are in .container or .container-fluid

Columns

.col-xs-	Always	Full
.col-sm-	>768	750 wide
.col-md-	>992	970 wide
.col-lg-	>1200	1170 wide

Resets, Offsets, Pushes, Pulls

.clearfix

.col-xs-offset- (*sm, md, lg*)

Nest using a .row inside a col

.col-xs-push- (*sm, md, lg*)

.col-xs-pull- (*sm, md, lg*)

.visible-xs (*sm, md, lg*)

.hidden-xs (*sm, md, lg*)

.visible-print

.hidden-print

Grid Variables

@grid-columns:	12
@grid-gutter-width:	30px
@grid-float-breakpoint:	768px

Using Grid Mixin CSS

```
.wrapper {.make-row();}
.content-main {.make-lg-column(8);}
.content-secondary {
.make-lg-column(3);
.make-lg-column-offset(1);
}
```

Using Grid Mixin HTML

```
<div class="wrapper">
<div class="content-main">...</div>
<div class="content-secondary">...</div>
</div>
```

Typography

.h1	.h2	.h3
.h4	.h5	.h6
.small	<small>	.lead

@font-size-base | @line-height-base

Align

.text-left	.text-right
.text-center	.text-justify

Text Helpers

.text-muted	.text-primary
.text-success	.text-info
.text-warning	.text-danger
.bg-primary	.bg-success
.bg-info	.bg-warning
.bg-danger	
.text-hide	**.sr-only**

Lists

.list-unstyled	.list-inline

Descriptions

<dl> <dt>...</dt> <dd>...</dd> </dl>

.dl-horizontal

Images

.img-responsive (max-width:100%, height:auto)

.img-rounded

.img-circle

.img-thumbnail (double border)

Forms

NEED TO DO

Buttons

```
<button type="button" class="btn btn-defau-
lt">Default</button>
<a href="#" class="btn btn-primary btn-lg
active" role="button">Primary link</a>
```

Button Classes

.btn-default	.btn-primary
.btn-success	.btn-info
.btn-warning	.btn-danger
.btn-link *(to look like a link)*	
.btn-lg	.btn-sm
.btn-xs	.btn-block
.active (A tag)	.disabled (A tag)
disabled="disabled"	

Labels

.label	.label-default

primary, success, info, warning, danger

New

Badge

42

Alerts

.alert .alert-success

success, info, warning, or danger

.alert-dismissable

```
<button type="button" class="close" data-d-
ismiss="alert" aria-hidden="true">&times;</-
button>
```

...

By **John Mason** (masonjo)

cheatography.com/masonjo/

www.e-rehab.com

Tables

.table	.table-striped
.table-bordered	.table-hover
.table-condensed	
.table-responsive	

Wrap .table in .table-responsive
<div class='table-responsive'>
...table
</div>

Rows or Cells

.active	.success	.info
.warning	.danger	

Tags

Tags (cont)

Clear Floats

.clearfix

Center Block (*mixin also*)

.center-block (display:block, margin auto) | .center-block();

Show (*mixin also*)

.show | *.show();*

Hide (*mixin also*)

.hide | *.hide();*

Glyphicons

abbr

<abbr title="attribute">attr</abbr>

address

<address> Twitter, Inc.
 795 Folsom Ave, Suite 600
 San Francisco, CA 94107
 <abbr title="Phone">P:</abbr> (123) 456-7890 </address>

blockquote

<blockquote> <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer</p> </blockquote>

blockquote **footer**

<footer>Someone famous in <cite title="-Source Title">Source Title</cite></footer>

blockquote right justify

.blockquote-reverse

code

<code><section></code>

kbd Keyboard Entry

<kbd>cd</kbd>

.pre-scrollable

Max Height 350px box, with y-axis scrollbar. Used with **pre** tag

close button

<button type="button" class="close" aria-hidden="true">×</button>

Caret

Floats

.pull-left .pull-right

Float Mixin

.element { .pull-left(); }

By **John Mason** (masonjo)
cheatography.com/masonjo/
www.e-rehab.com