


Critical thinking in experimental physics: Features of physics lab curricula that promote higher-order thinking

COLE WALSH, CORNELL DISCIPLINE-BASED EDUCATION
RESEARCH LAB




What are we teaching in physics labs?

- Recent work has found:
 - no impact of lab instruction on student exam grades or conceptual understanding
 - highly structured labs negatively impact students' perception of experimental physics
 - labs designed to reinforce concepts taught in lecture negatively impact students' perception of experimental physics




AAPT guidelines for lab instruction

Critical Thinking (CT)



Are we teaching
CT in physics labs?



Can we measure
students' CT skills?

The Physics Lab Inventory of Critical Thinking (PLIC)

- Critical thinking = ways in which one uses data and evidence to make decisions about what to trust and what to do.
- Developed from:
 - Student interviews,
 - Feedback from expert physicists,
 - And over 10 000 students from more than 40 schools who took open- and closed-response versions of the assessment

Summary

Group 1:

Method: 10 trials of 5 oscillations for 2 different masses and compared k values:

With 30 g mass: $k = 4.0857 \pm 0.08067$ N/m

With 50 g mass: $k = 4.1872 \pm 0.06745$ N/m

Group 2:

Method: 2 trials of 5 oscillations for 10 different masses and compared the data to a model equation:

With intercept set to 0: $k = 4.0535 \pm 0.07005$ N/m

With intercept not fixed at 0: $k = 4.6274 \pm 0.1587$ N/m

Click [here](#) to see the intro again, [here](#) to see Group 1's lab book, [here](#) to see Group 2's initial lab book notes, and [here](#) to see Group 2's second set of lab book notes.

Which group do you think did a better job of testing the model?

- ☐ Group 1
- ☐ Group 2
- ☐ Both the same

What features were most important for comparing the two groups?

Please select no more than 3 options.

- | | |
|--|--|
| <input type="checkbox"/> The number of bounces of the spring per trial | <input type="checkbox"/> How they accounted for human error |
| <input type="checkbox"/> The number of repeated trials for each mass | <input type="checkbox"/> How close the results are to what the model predicts |
| <input type="checkbox"/> The number of masses tested | <input type="checkbox"/> The size of the uncertainty (or variability between data) |
| <input type="checkbox"/> How they tested other possible variables | <input type="checkbox"/> Their analysis and calculations |
| <input type="checkbox"/> How they controlled variables | <input type="checkbox"/> How clear, organized, or detailed their lab notes are |
| <input type="checkbox"/> The equipment they used (i.e. stopwatches) | <input type="checkbox"/> Other (Please describe) |

PLIC Example Page

Summary

Group 1:

Method: 10 trials of 5 oscillations for 2 different masses and compared k values:

With 30 g mass: $k = 4.0857 \pm 0.08067 \text{ N/m}$

With 50 g mass: $k = 4.1872 \pm 0.06745 \text{ N/m}$

Group 2:

Method: 2 trials of 5 oscillations for 10 different masses and compared the data to a model equation:

With intercept set to 0: $k = 4.0535 \pm 0.07005 \text{ N/m}$

With intercept not fixed at 0: $k = 4.6274 \pm 0.1587 \text{ N/m}$

Click [here](#) to see the intro again, [here](#) to see Group 1's lab book, [here](#) to see Group 2's initial lab book notes, and [here](#) to see Group 2's second set of lab book notes.

Which group do you think did a better job of testing the model?

- ☐ Group 1
- ☐ Group 2
- ☐ Both the same

What features were most important for comparing the two groups?

Please select no more than 3 options.

- | | |
|--|--|
| <input type="checkbox"/> The number of bounces of the spring per trial | <input type="checkbox"/> How they accounted for human error |
| <input type="checkbox"/> The number of repeated trials for each mass | <input type="checkbox"/> How close the results are to what the model predicts |
| <input type="checkbox"/> The number of masses tested | <input type="checkbox"/> The size of the uncertainty (or variability between data) |
| <input type="checkbox"/> How they tested other possible variables | <input type="checkbox"/> Their analysis and calculations |
| <input type="checkbox"/> How they controlled variables | <input type="checkbox"/> How clear, organized, or detailed their lab notes are |
| <input type="checkbox"/> The equipment they used (i.e. stopwatches) | <input type="checkbox"/> Other (Please describe) |

Two hypothetical groups

PLIC Example Page

Summary

Group 1:

Method: 10 trials of 5 oscillations for 2 different masses and compared k values:

With 30 g mass: $k = 4.0857 \pm 0.08067$ N/m

With 50 g mass: $k = 4.1872 \pm 0.06745$ N/m

Group 2:

Method: 2 trials of 5 oscillations for 10 different masses and compared the data to a model equation:

With intercept set to 0: $k = 4.0535 \pm 0.07005$ N/m

With intercept not fixed at 0: $k = 4.6274 \pm 0.1587$ N/m

Click [here](#) to see the intro again, [here](#) to see Group 1's lab book, [here](#) to see Group 2's initial lab book notes, and [here](#) to see Group 2's second set of lab book notes.

Which group do you think did a better job of testing the model?

- ☐ Group 1
- ☐ Group 2
- ☐ Both the same

What features were most important for comparing the two groups?

Please select no more than 3 options.

- | | |
|--|--|
| <input type="checkbox"/> The number of bounces of the spring per trial | <input type="checkbox"/> How they accounted for human error |
| <input type="checkbox"/> The number of repeated trials for each mass | <input type="checkbox"/> How close the results are to what the model predicts |
| <input type="checkbox"/> The number of masses tested | <input type="checkbox"/> The size of the uncertainty (or variability between data) |
| <input type="checkbox"/> How they tested other possible variables | <input type="checkbox"/> Their analysis and calculations |
| <input type="checkbox"/> How they controlled variables | <input type="checkbox"/> How clear, organized, or detailed their lab notes are |
| <input type="checkbox"/> The equipment they used (i.e. stopwatches) | <input type="checkbox"/> Other (Please describe) |

Use multiple choice and
Likert-items to focus
students' thinking

PLIC Example Page

Summary

Group 1:

Method: 10 trials of 5 oscillations for 2 different masses and compared k values:

With 30 g mass: $k = 4.0857 \pm 0.08067$ N/m

With 50 g mass: $k = 4.1872 \pm 0.06745$ N/m

Group 2:

Method: 2 trials of 5 oscillations for 10 different masses and compared the data to a model equation:

With intercept set to 0: $k = 4.0535 \pm 0.07005$ N/m

With intercept not fixed at 0: $k = 4.6274 \pm 0.1587$ N/m

Click [here](#) to see the intro again, [here](#) to see Group 1's lab book, [here](#) to see Group 2's initial lab book notes, and [here](#) to see Group 2's second set of lab book notes.

Which group do you think did a better job of testing the model?

- ☐ Group 1
- ☐ Group 2
- ☐ Both the same

What features were most important for comparing the two groups?

Please select no more than 3 options.

- | | |
|--|--|
| <input type="checkbox"/> The number of bounces of the spring per trial | <input type="checkbox"/> How they accounted for human error |
| <input type="checkbox"/> The number of repeated trials for each mass | <input type="checkbox"/> How close the results are to what the model predicts |
| <input type="checkbox"/> The number of masses tested | <input type="checkbox"/> The size of the uncertainty (or variability between data) |
| <input type="checkbox"/> How they tested other possible variables | <input type="checkbox"/> Their analysis and calculations |
| <input type="checkbox"/> How they controlled variables | <input type="checkbox"/> How clear, organized, or detailed their lab notes are |
| <input type="checkbox"/> The equipment they used (i.e. stopwatches) | <input type="checkbox"/> Other (Please describe) |

PLIC Example Page

Interested in students'
answers to multiple
response questions

Overview of assessment

Page 1, Group 1

- 1.How well does data fit model?
- 2.How good was their method?
- 3.What should they do next?

Page 2, Group 2

- 4.How well does data fit model?
- 5.How good was their method?
- 6.What should they do next?

Page 3, Group 2

- 7.How well does data fit model?
- 8.Which fit should Group 2 use?
- 9.What should they do next?

Page 4, compare groups

- 10.What features were most important for comparing the two groups?

Summary

Group 1:

Method: 10 trials of 5 oscillations for 2 different masses and compared k values:

With 30 g mass: $k = 4.0857 \pm 0.08067$ N/m

With 50 g mass: $k = 4.1872 \pm 0.06745$ N/m

Group 2:

Method: 2 trials of 5 oscillations for 10 different masses and compared the data to a model equation:

With intercept set to 0: $k = 4.0535 \pm 0.07005$ N/m

With intercept not fixed at 0: $k = 4.6274 \pm 0.1587$ N/m

Click [here](#) to see the intro again, [here](#) to see Group 1's lab book, [here](#) to see Group 2's initial lab book notes, and [here](#) to see Group 2's second set of lab book notes.

Which group do you think did a better job of testing the model?

- ☐ Group 1
- ☐ Group 2
- ☐ Both the same

What features were most important for comparing the two groups?

Please select no more than 3 options.

- | | |
|--|--|
| <input type="checkbox"/> The number of bounces of the spring per trial | <input type="checkbox"/> How they accounted for human error |
| <input type="checkbox"/> The number of repeated trials for each mass | <input type="checkbox"/> How close the results are to what the model predicts |
| <input type="checkbox"/> The number of masses tested | <input type="checkbox"/> The size of the uncertainty (or variability between data) |
| <input type="checkbox"/> How they tested other possible variables | <input type="checkbox"/> Their analysis and calculations |
| <input type="checkbox"/> How they controlled variables | <input type="checkbox"/> How clear, organized, or detailed their lab notes are |
| <input type="checkbox"/> The equipment they used (i.e. stopwatches) | <input type="checkbox"/> Other (Please describe) |

Page 4


Q10

Critical Thinking

- Critical thinking = ways in which one uses data and evidence to make decisions about what to trust and what to do.
- In the context of experimental physics:
 - comparing, evaluating, and interpreting models and data,
 - evaluating methods,
 - and deciding how to proceed in an investigation.
- Students receive a score between 0 and 1 for each question based on agreement with average expert
 - Total scores range from 0 to 10




Are we teaching
CT in physics labs?




Previous work
on students'
perceptions
of
experimental
physics

Data used in this study


- 4,174 students
- 22 schools
- 50 unique classes
 - 16 classes had labs designed to reinforce concepts from lectures
 - 21 had labs designed to teach lab skills
 - 13 had labs designed to do a combination of both



Students
trained in labs
designed to
teach lab skills
improve more
on the PLIC.




Does everybody
benefit from skills-
based labs?



Both men and women see roughly the same benefit from skills-based labs


*38 students who identified with other genders were included in the analyses, but results are not presented in this graph as the error bars are too large to make any meaningful interpretations




Students from traditionally represented (Majority) and underrepresented races/ethnicities (URM) also see comparable benefit from skills-based labs

Is it the purpose of the lab though?


- We asked instructors many other questions before administering the PLIC including:
 - How often do students...
 - verify known principles through experimental tests?
 - discover known physical principles through experimentation?
 - explore questions to which the answer is unknown to the student?



Is it the
purpose
of the lab
though?



Is it the
purpose
of the lab
though?



Is it the
purpose
of the lab
though?

Conclusions and future work

- Labs designed to develop lab skills (or have students explore questions with unknown answers) improved students' performance on the PLIC the most
- Effect was constant across students of different genders/races/ethnicities
- Gains were small
 - Consistent with other tests of general CT ability
 - Only looked at one aspect of labs
- Future:
 - Examine effect of giving students agency on performance
 - Look at correlation with particular lab activities

Thank You!



Acknowledgements

- ❖ Heather Lewandowski
- ❖ John Aiken
- ❖ CDER Lab
- ❖ National Science Foundation
(Grant No. 1611482)