```
import { StatusBar } from 'expo-status-bar';
import { SafeAreaProvider } from 'react-native-safe-area-context';
import AppNavigator from './src/navigation/AppNavigator';
export default function App() {
  return (
    <SafeAreaProvider>
      <StatusBar style="light" />
      <AppNavigator />
    </SafeAreaProvider>
  );
}
{
  "expo": {
    "name": "蜂巢",
    "slug": "beehive-app",
    "version": "1.0.0",
    "orientation": "portrait",
    "icon": "./assets/icon.png",
    "userInterfaceStyle": "light",
    "splash": {
      "image": "./assets/splash-icon.png",
      "resizeMode": "contain",
      "backgroundColor": "#ffffff"
    },
    "ios": {
      "supportsTablet": true
    },
    "android": {
      "package": "com.yangyang.beestudio",
      "adaptiveIcon": {
        "backgroundColor": "#E6F4FE",
        "foregroundImage": "./assets/android-icon-foreground.png",
        "backgroundImage": "./assets/android-icon-background.png",
        "monochromeImage": "./assets/android-icon-monochrome.png"
      },
      "predictiveBackGestureEnabled": false
    },
    "web": {
      "favicon": "./assets/favicon.png"
    }
  }
}
export const Colors = {
    ink: '#111111',           // --ink
    inkLight: '#1A1A1A',      // --ink-light
    inkLighter: '#222222',    // --ink-lighter
    inkBorder: '#333333',     // --ink-border
    gold: '#D4AF37',          // --gold
    goldLight: '#F3E5AB',     // --gold-light
    textPrimary: '#F5F5F5',   // --text-primary
```

```
    textSecondary: '#A3A3A3', // --text-secondary
    textMuted: '#737373',     // --text-muted
    error: '#EF4444',         // text-red-500
    success: '#22C55E',       // text-green-500
};
export const SharedStyles = {
    container: {
        flex: 1,
        backgroundColor: Colors.ink,
    },
    card: {
        backgroundColor: Colors.inkLight,
        borderRadius: 12,
        borderWidth: 1,
        borderColor: Colors.inkBorder,
    },
    title: {
        color: Colors.textPrimary,
        fontSize: 18,
        fontWeight: '700' as const,
    },
    subtitle: {
        color: Colors.textSecondary,
        fontSize: 14,
    },
    tag: {
        paddingHorizontal: 8,
        paddingVertical: 4,
        backgroundColor: 'rgba(212, 175, 55, 0.15)', // Gold with opacity
        color: Colors.gold,
        borderRadius: 4,
        fontSize: 10,
        overflow: 'hidden' as const,
    },
};
import { supabase } from './supabase';
import { Project } from '../types/database';
export async function getProjects(): Promise<Project[]> {
    try {
        const { data, error } = await supabase
            .from('projects')
            .select('*, profiles(username, avatar_url)')
            .order('created_at', { ascending: false });
        if (error) {
            console.error('Error fetching projects:', error);
            return [];
        }
        return data as any[];
    } catch (error) {
        console.error('Error in getProjects:', error);
```

```
        return [];
    }
}
export async function getProjectById(id: string): Promise<Project | null> {
    try {
        const { data, error } = await supabase
            .from('projects')
            .select('*, profiles(username, avatar_url)')
            .eq('id', id)
            .single();
        if (error) {
            console.error('Error fetching project detail:', error);
            return null;
        }
        return data as any;
    } catch (error) {
        console.error('Error in getProjectById:', error);
        return null;
    }
}
export type Region = 'cn' | 'global';
const VALID_REGIONS: Region[] = ['cn', 'global'];
export function getRegion(): Region {
    const raw = process.env.EXPO_PUBLIC_REGION;
    if (!raw || !VALID_REGIONS.includes(raw as Region)) {
        if (__DEV__) {
            console.warn(`[Region] EXPO_PUBLIC_REGION="${raw}" 无效，默认使用 "cn"`);
        }
        return 'cn';
    }
    return raw as Region;
}
export function isCN(): boolean {
    return getRegion() === 'cn';
}
export function isGlobal(): boolean {
    return getRegion() === 'global';
}
import 'react-native-url-polyfill/auto';
import AsyncStorage from '@react-native-async-storage/async-storage';
import { createClient } from '@supabase/supabase-js';
const supabaseUrl = process.env.EXPO_PUBLIC_SUPABASE_URL || '';
const supabaseAnonKey = process.env.EXPO_PUBLIC_SUPABASE_ANON_KEY || '';
export const supabase = createClient(supabaseUrl, supabaseAnonKey, {
    auth: {
        storage: AsyncStorage,
        autoRefreshToken: true,
        persistSession: true,
        detectSessionInUrl: false,
    },
```

```
});
import React from 'react';
import { createBottomTabNavigator } from '@react-navigation/bottom-tabs';
import { createNativeStackNavigator } from '@react-navigation/native-stack';
import { NavigationContainer, DarkTheme } from '@react-navigation/native';
import { Home, Compass, PlusCircle, Inbox, User } from 'lucide-react-native';
import { Colors } from '../constants/Colors';
import ProjectListScreen from '../screens/ProjectListScreen';
import HomeScreen from '../screens/HomeScreen';
import ProjectDetailScreen from '../screens/ProjectDetailScreen';
import CreateScreen from '../screens/CreateScreen';
import ProfileScreen from '../screens/ProfileScreen';
const Tab = createBottomTabNavigator();
const Stack = createNativeStackNavigator();
function TabNavigator() {
    return (
        <Tab.Navigator
            screenOptions={({ route }) => ({
                tabBarIcon: ({ color, size, focused }) => {
                    if (route.name === 'Home') return <Home color={color} size={24} />;
                    if (route.name === 'Tasks') return <Inbox color={color} size={24} />;
                    if (route.name === 'Create') return <PlusCircle color={color}
size={28} strokeWidth={focused ? 2.5 : 2} />;
                    if (route.name === 'Profile') return <User color={color} size={24} />;
                },
                tabBarActiveTintColor: Colors.textPrimary,
                tabBarInactiveTintColor: Colors.textMuted,
                headerStyle: { backgroundColor: Colors.ink },
                headerTintColor: Colors.textPrimary,
                tabBarStyle: {
                    backgroundColor: Colors.ink,
                    borderTopColor: Colors.inkBorder,
                    height: 60,
                    paddingBottom: 8,
                    paddingTop: 8,
                },
                headerTitleStyle: { fontWeight: 'bold', fontSize: 16 }
            })}
        >
            <Tab.Screen name="Home" component={ProjectListScreen} options={{ title: '首页
' }} />
            <Tab.Screen name="Tasks" component={HomeScreen} options={{ title: '任务' }} />
            <Tab.Screen
                name="Create"
                component={CreateScreen}
                options={{
                    title: '创作',
                    tabBarLabelStyle: { marginTop: 4 }
                }}
            />
            <Tab.Screen name="Profile" component={ProfileScreen} options={{ title: '我的
' }} />
        </Tab.Navigator>
```

```
    );
}
export default function AppNavigator() {
    return (
        <NavigationContainer theme={DarkTheme}>
            <Stack.Navigator screenOptions={{
                headerStyle: { backgroundColor: Colors.ink },
                headerTintColor: Colors.textPrimary,
                headerTitleStyle: { fontWeight: 'bold' }
            }}>
                <Stack.Screen
                    name="MainTabs"
                    component={TabNavigator}
                    options={{ headerShown: false }}
                />
                <Stack.Screen
                    name="ProjectDetail"
                    component={ProjectDetailScreen}
                    options={{ title: '详情' }}
                />
            </Stack.Navigator>
        </NavigationContainer>
    );
}
import React from 'react';
import { View, Text, StyleSheet, TextInput, TouchableOpacity, ScrollView,
KeyboardAvoidingView, Platform } from 'react-native';
import { Upload, X, ChevronRight } from 'lucide-react-native';
import { Colors, SharedStyles } from '../constants/Colors';
export default function CreateScreen() {
    return (
        <KeyboardAvoidingView
            style={SharedStyles.container}
            behavior={Platform.OS === 'ios' ? 'padding' : 'height'}
            keyboardVerticalOffset={90}
        >
            <ScrollView contentContainerStyle={styles.scrollContent}
showsVerticalScrollIndicator={false}>
                <View style={styles.header}>
                    <Text style={styles.headerTitle}>发起新建</Text>
                    <Text style={styles.headerSubtitle}>发布项目或任务包，招募共创伙伴
</Text>
                </View>
                {/* 类型伪切换 */}
                <View style={styles.typeSelector}>
                    <TouchableOpacity style={[styles.typeBtn, styles.typeBtnActive]}>
                        <Text style={styles.typeBtnTextActive}>新建项目</Text>
                    </TouchableOpacity>
                    <TouchableOpacity style={styles.typeBtn}>
                        <Text style={styles.typeBtnText}>发布悬赏</Text>
                    </TouchableOpacity>
                </View>
                {/* 封面上传控件 */}
```

```
                <View style={styles.section}>
                    <Text style={styles.label}>封面图片</Text>
                    <TouchableOpacity style={styles.uploadArea}>
                        <Upload color={Colors.textMuted} size={32} />
                        <Text style={styles.uploadText}>点击上传图片</Text>
                    </TouchableOpacity>
                </View>
                {/* 标题输入 */}
                <View style={styles.section}>
                    <Text style={styles.label}>标题</Text>
                    <TextInput
                        style={styles.input}
                        placeholder="请输入明确的标题名称"
                        placeholderTextColor={Colors.inkBorder}
                    />
                </View>
                {/* 分类选择器 - 模拟 */}
                <View style={styles.section}>
                    <Text style={styles.label}>所属分类</Text>
                    <TouchableOpacity style={styles.dropdownBtn}>
                        <Text style={styles.dropdownText}>请选择分类</Text>
                        <ChevronRight color={Colors.textMuted} size={20} />
                    </TouchableOpacity>
                </View>
                {/* 描述输入 */}
                <View style={styles.section}>
                    <Text style={styles.label}>正文描述</Text>
                    <TextInput
                        style={[styles.input, styles.textArea]}
                        placeholder="详细描述当前内容的具体需求、要求以及预期产出物等..."
                        placeholderTextColor={Colors.inkBorder}
                        multiline
                        textAlignVertical="top"
                    />
                </View>
            </ScrollView>
            <View style={styles.bottomBar}>
                <TouchableOpacity style={styles.submitBtn}>
                    <Text style={styles.submitBtnText}>提交发布</Text>
                </TouchableOpacity>
            </View>
        </KeyboardAvoidingView>
    );
}
const styles = StyleSheet.create({
    scrollContent: {
        padding: 20,
        paddingBottom: 40,
    },
    header: {
```

```
    marginTop: 20,
    marginBottom: 30,
},
headerTitle: {
    color: Colors.textPrimary,
    fontSize: 28,
    fontWeight: 'bold',
    marginBottom: 8,
},
headerSubtitle: {
    color: Colors.textMuted,
    fontSize: 14,
},
typeSelector: {
    flexDirection: 'row',
    backgroundColor: Colors.inkLight,
    borderRadius: 8,
    padding: 4,
    marginBottom: 24,
},
typeBtn: {
    flex: 1,
    paddingVertical: 10,
    alignItems: 'center',
    borderRadius: 6,
},
typeBtnActive: {
    backgroundColor: Colors.ink,
    shadowColor: '#000',
    shadowOffset: { width: 0, height: 2 },
    shadowOpacity: 0.1,
    shadowRadius: 4,
    elevation: 2,
},
typeBtnText: {
    color: Colors.textSecondary,
    fontSize: 14,
    fontWeight: '500',
},
typeBtnTextActive: {
    color: Colors.textPrimary,
    fontSize: 14,
    fontWeight: 'bold',
},
section: {
    marginBottom: 24,
},
label: {
    color: Colors.textPrimary,
    fontSize: 16,
```

```
    fontWeight: '600',
    marginBottom: 12,
},
uploadArea: {
    height: 160,
    backgroundColor: Colors.inkLight,
    borderRadius: 12,
    borderWidth: 1,
    borderColor: Colors.inkBorder,
    borderStyle: 'dashed',
    justifyContent: 'center',
    alignItems: 'center',
},
uploadText: {
    color: Colors.textMuted,
    marginTop: 12,
    fontSize: 14,
},
input: {
    backgroundColor: Colors.inkLight,
    borderWidth: 1,
    borderColor: Colors.inkBorder,
    borderRadius: 8,
    paddingHorizontal: 16,
    paddingVertical: 14,
    color: Colors.textPrimary,
    fontSize: 16,
},
textArea: {
    height: 120,
},
dropdownBtn: {
    backgroundColor: Colors.inkLight,
    borderWidth: 1,
    borderColor: Colors.inkBorder,
    borderRadius: 8,
    paddingHorizontal: 16,
    paddingVertical: 14,
    flexDirection: 'row',
    justifyContent: 'space-between',
    alignItems: 'center',
},
dropdownText: {
    color: Colors.textMuted,
    fontSize: 16,
},
bottomBar: {
    padding: 16,
    paddingBottom: Platform.OS === 'ios' ? 34 : 16,
    backgroundColor: Colors.ink,
```

```
        borderTopWidth: StyleSheet.hairlineWidth,
        borderTopColor: Colors.inkBorder,
    },
    submitBtn: {
        backgroundColor: Colors.gold,
        borderRadius: 8,
        paddingVertical: 16,
        alignItems: 'center',
    },
    submitBtnText: {
        color: Colors.ink,
        fontSize: 16,
        fontWeight: 'bold',
    },
});
import React, { useEffect, useState } from 'react';
import { View, Text, StyleSheet, RefreshControl, TouchableOpacity, Image, Dimensions }
from 'react-native';
import MasonryList from '@react-native-seoul/masonry-list';
import { getProjects } from '../lib/api';
import { Project } from '../types/database';
import { Colors, SharedStyles } from '../constants/Colors';
import { PlayCircle } from 'lucide-react-native';
const { width } = Dimensions.get('window');
const getImageHeight = (index: number) => {
    return index % 3 === 0 ? 1.4 : (index % 2 === 0 ? 1.1 : 0.85);
};
export default function HomeScreen({ navigation }: any) {
    const [tasks, setTasks] = useState<Project[]>([]);
    const [loading, setLoading] = useState(true);
    const fetchTasks = async () => {
        setLoading(true);
        const data = await getProjects();
        setTasks(data);
        setLoading(false);
    };
    useEffect(() => {
        fetchTasks();
    }, []);
    const renderTaskCard = ({ item, i }: { item: any, i: number }) => {
        const p = item as Project;
        const imageHeightRatio = getImageHeight(i);
        const cardWidth = (width - 32 - 12) / 2; // padding 16*2, gap 12
        const imageHeight = cardWidth * imageHeightRatio;
        return (
            <TouchableOpacity
                style={styles.card}
                activeOpacity={0.85}
                onPress={() => navigation.navigate('ProjectDetail', { id: p.id })}
            >
                <View style={[styles.imageContainer, { height: imageHeight }]}>
```

```
                    {p.cover_image ? (
                        <Image source={{ uri: p.cover_image }} style={styles.coverImage}
/>
                    ) : (
                        <View style={styles.placeholderImage}>
                            <PlayCircle color={Colors.textMuted} size={32} />
                        </View>
                    )}
                    {/* 虚浮的文字遮罩物层 */}
                    <View style={styles.overlayGradient}>
                        <Text style={styles.overlayTitle} numberOfLines={2}>
                            {p.title || '未命名任务'}
                        </Text>
                    </View>
                </View>
            </TouchableOpacity>
        );
    };
    return (
        <View style={SharedStyles.container}>
            <View style={styles.header}>
                <Text style={styles.headerTitle}>任务大厅</Text>
                <Text style={styles.headerSubtitle}>认领需求，赚取收益</Text>
            </View>
            <MasonryList
                data={tasks}
                keyExtractor={(item: any): string => item.id}
                numColumns={2}
                showsVerticalScrollIndicator={false}
                renderItem={renderTaskCard}
                contentContainerStyle={styles.masonryContainer}
                refreshing={loading}
                onRefresh={fetchTasks}
                ListEmptyComponent={
                    !loading ? (
                        <View style={styles.emptyContainer}>
                            <Text style={styles.emptyText}>当前没有发布中的任务</Text>
                        </View>
                    ) : null
                }
            />
        </View>
    );
}
const styles = StyleSheet.create({
    header: {
        paddingHorizontal: 20,
        paddingTop: 60,
        paddingBottom: 16,
        backgroundColor: Colors.ink,
        borderBottomWidth: StyleSheet.hairlineWidth,
```

```
    borderBottomColor: Colors.inkBorder,
    zIndex: 10,
},
headerTitle: {
    ...SharedStyles.title,
    fontSize: 28,
    marginBottom: 4,
},
headerSubtitle: {
    color: Colors.textMuted,
    fontSize: 14,
},
masonryContainer: {
    paddingHorizontal: 16,
    paddingTop: 16,
    paddingBottom: 40,
},
card: {
    backgroundColor: Colors.inkLight,
    borderRadius: 12,
    overflow: 'hidden',
    marginBottom: 12,
    marginHorizontal: 6, // 瀑布流间距
    borderWidth: 1,
    borderColor: Colors.inkBorder,
},
imageContainer: {
    width: '100%',
    backgroundColor: Colors.inkLighter,
    position: 'relative',
},
coverImage: {
    width: '100%',
    height: '100%',
    resizeMode: 'cover',
},
placeholderImage: {
    flex: 1,
    justifyContent: 'center',
    alignItems: 'center',
    backgroundColor: Colors.inkLighter,
},
overlayGradient: {
    position: 'absolute',
    bottom: 0,
    left: 0,
    right: 0,
    padding: 12,
    paddingTop: 24, // 留出一点渐变空间
    backgroundColor: 'rgba(0,0,0,0.6)',
```

```
    },
    overlayTitle: {
        color: '#FFFFFF',
        fontSize: 14,
        fontWeight: 'bold',
        textShadowColor: 'rgba(0, 0, 0, 0.75)',
        textShadowOffset: { width: -1, height: 1 },
        textShadowRadius: 10,
    },
    emptyContainer: {
        paddingTop: 100,
        alignItems: 'center',
        justifyContent: 'center',
    },
    emptyText: {
        color: Colors.textMuted,
        fontSize: 16,
    },
});
import React from 'react';
import { View, Text, StyleSheet, ScrollView, TouchableOpacity, Image } from 'react-
native';
import { Settings, ChevronRight, Wallet, Image as ImageIcon, Briefcase, Lock, LogOut }
from 'lucide-react-native';
import { Colors, SharedStyles } from '../constants/Colors';
const MOCK_USER = {
    username: 'Colincao',
    avatar: 'https://images.unsplash.com/photo-1535713875002-
d1d0cf377fde?auto=format&fit=crop&q=80&w=150',
    bio: '独立动画制作人 / 蜂巢老鸭',
    balance: '2,580.00'
};
export default function ProfileScreen() {
    return (
        <ScrollView style={SharedStyles.container} showsVerticalScrollIndicator={false}>
            {/* Header / Profile Info */}
            <View style={styles.header}>
                <View style={styles.userInfo}>
                    <Image source={{ uri: MOCK_USER.avatar }} style={styles.avatar} />
                    <View style={styles.userText}>
                        <Text style={styles.username}>{MOCK_USER.username}</Text>
                        <Text style={styles.bio}>{MOCK_USER.bio}</Text>
                    </View>
                </View>
                <TouchableOpacity style={styles.settingsBtn}>
                    <Settings color={Colors.textPrimary} size={24} />
                </TouchableOpacity>
            </View>
            {/* Wallet Card */}
            <View style={styles.walletCard}>
                <View style={styles.walletHeader}>
                    <View style={styles.walletTitleRow}>
                        <Wallet color={Colors.gold} size={20} />
```

```
                        <Text style={styles.walletTitle}>蜂巢钱包</Text>
                    </View>
                    <TouchableOpacity>
                        <Text style={styles.walletLink}>充值</Text>
                    </TouchableOpacity>
                </View>
                <Text style={styles.balanceLabel}>当前余额 (¥)</Text>
                <Text style={styles.balanceAmount}>{MOCK_USER.balance}</Text>
            </View>
            {/* Menu List */}
            <View style={styles.menuGroup}>
                <TouchableOpacity style={styles.menuItem}>
                    <View style={styles.menuLeft}>
                        <ImageIcon color={Colors.textPrimary} size={22}
style={styles.menuIcon} />
                        <Text style={styles.menuText}>我的作品</Text>
                    </View>
                    <ChevronRight color={Colors.textMuted} size={20} />
                </TouchableOpacity>
                <TouchableOpacity style={styles.menuItem}>
                    <View style={styles.menuLeft}>
                        <Briefcase color={Colors.textPrimary} size={22}
style={styles.menuIcon} />
                        <Text style={styles.menuText}>我的任务</Text>
                    </View>
                    <View style={styles.badge}>
                        <Text style={styles.badgeText}>3</Text>
                    </View>
                    <ChevronRight color={Colors.textMuted} size={20} />
                </TouchableOpacity>
            </View>
            <View style={styles.menuGroup}>
                <TouchableOpacity style={styles.menuItem}>
                    <View style={styles.menuLeft}>
                        <Lock color={Colors.textPrimary} size={22} style={styles.menuIcon}
/>
                        <Text style={styles.menuText}>修改密码</Text>
                    </View>
                    <ChevronRight color={Colors.textMuted} size={20} />
                </TouchableOpacity>
            </View>
            <View style={[styles.menuGroup, styles.logoutGroup]}>
                <TouchableOpacity style={styles.menuItem}>
                    <View style={styles.menuLeft}>
                        <LogOut color={Colors.danger || '#ef4444'} size={22}
style={styles.menuIcon} />
                        <Text style={[styles.menuText, { color: Colors.danger ||
'#ef4444' }]}>退出登录</Text>
                    </View>
                </TouchableOpacity>
            </View>
            <View style={styles.footer}>
                <Text style={styles.versionText}>Beehive App v1.2.5</Text>
            </View>
        </ScrollView>
```

```
    );
}
const styles = StyleSheet.create({
    header: {
        flexDirection: 'row',
        justifyContent: 'space-between',
        alignItems: 'center',
        paddingHorizontal: 20,
        paddingTop: 60,
        paddingBottom: 24,
    },
    userInfo: {
        flexDirection: 'row',
        alignItems: 'center',
        flex: 1,
    },
    avatar: {
        width: 64,
        height: 64,
        borderRadius: 32,
        backgroundColor: Colors.inkLight,
        marginRight: 16,
    },
    userText: {
        flex: 1,
    },
    username: {
        color: Colors.textPrimary,
        fontSize: 24,
        fontWeight: 'bold',
        marginBottom: 4,
    },
    bio: {
        color: Colors.textMuted,
        fontSize: 14,
    },
    settingsBtn: {
        padding: 8,
    },
    walletCard: {
        marginHorizontal: 20,
        marginBottom: 24,
        backgroundColor: Colors.inkLight,
        borderRadius: 16,
        padding: 20,
        borderWidth: 1,
        borderColor: Colors.inkBorder,
        shadowColor: Colors.gold,
        shadowOffset: { width: 0, height: 4 },
        shadowOpacity: 0.05,
```

```
    shadowRadius: 12,
    elevation: 3,
},
walletHeader: {
    flexDirection: 'row',
    justifyContent: 'space-between',
    alignItems: 'center',
    marginBottom: 16,
},
walletTitleRow: {
    flexDirection: 'row',
    alignItems: 'center',
    gap: 8,
},
walletTitle: {
    color: Colors.textPrimary,
    fontSize: 16,
    fontWeight: '600',
},
walletLink: {
    color: Colors.gold,
    fontSize: 14,
    fontWeight: '500',
},
balanceLabel: {
    color: Colors.textMuted,
    fontSize: 12,
    marginBottom: 4,
},
balanceAmount: {
    color: Colors.textPrimary,
    fontSize: 32,
    fontWeight: 'bold',
    letterSpacing: 1,
},
menuGroup: {
    backgroundColor: Colors.inkLight,
    marginHorizontal: 20,
    marginBottom: 16,
    borderRadius: 12,
    overflow: 'hidden',
    borderWidth: 1,
    borderColor: Colors.inkBorder,
},
logoutGroup: {
    marginTop: 8,
},
menuItem: {
    flexDirection: 'row',
    alignItems: 'center',
```

```
        justifyContent: 'space-between',
        padding: 16,
        borderBottomWidth: StyleSheet.hairlineWidth,
        borderBottomColor: Colors.inkBorder,
    },
    menuLeft: {
        flexDirection: 'row',
        alignItems: 'center',
    },
    menuIcon: {
        marginRight: 12,
    },
    menuText: {
        color: Colors.textPrimary,
        fontSize: 16,
    },
    badge: {
        backgroundColor: Colors.gold,
        paddingHorizontal: 8,
        paddingVertical: 2,
        borderRadius: 10,
        marginRight: 8,
        marginLeft: 'auto',
    },
    badgeText: {
        color: Colors.ink,
        fontSize: 12,
        fontWeight: 'bold',
    },
    footer: {
        paddingVertical: 30,
        alignItems: 'center',
    },
    versionText: {
        color: Colors.textMuted,
        fontSize: 12,
    }
});
import React, { useEffect, useState } from 'react';
import { View, Text, StyleSheet, ScrollView, ActivityIndicator, Image, TouchableOpacity,
Linking } from 'react-native';
import { getProjectById } from '../lib/api';
import { Project } from '../types/database';
export default function ProjectDetailScreen({ route, navigation }: any) {
    const { id } = route.params || {};
    const [project, setProject] = useState<Project | null>(null);
    const [loading, setLoading] = useState(true);
    useEffect(() => {
        async function load() {
            if (!id) return;
            const data = await getProjectById(id);
```

```
            setProject(data);
            setLoading(false);
        }
        load();
    }, [id]);
    if (loading) {
        return (
            <View style={styles.center}>
                <ActivityIndicator size="large" color="#facc15" />
            </View>
        );
    }
    if (!project) {
        return (
            <View style={styles.center}>
                <Text style={styles.errorText}>项目不存在</Text>
            </View>
        );
    }
    const profile = (project as any).profiles;
    const authorName = profile?.username || '未知导演';
    const avatarUrl = profile?.avatar_url;
    const progress = project.target_duration > 0
        ? Math.min(100, Math.round((project.current_duration / project.target_duration) *
100))
        : 0;
    const handleJoinGroup = () => {
        if (project.telegram_link) {
            Linking.openURL(project.telegram_link);
        } else {
            alert('发起人尚未提供群组链接');
        }
    };
    return (
        <ScrollView style={styles.container} contentContainerStyle={styles.content}>
            {project.cover_image ? (
                <Image source={{ uri: project.cover_image }} style={styles.coverImage} />
            ) : (
                <View style={[styles.coverImage, styles.placeholderImage]}>
                    <Text style={styles.placeholderText}>无封面图</Text>
                </View>
            )}
            <View style={styles.infoContainer}>
                <Text style={styles.title}>{project.title}</Text>
                <View style={styles.authorRow}>
                    {avatarUrl ? (
                        <Image source={{ uri: avatarUrl }} style={styles.avatar} />
                    ) : (
                        <View style={styles.avatarPlaceholder} />
                    )}
                    <Text style={styles.authorName}>{authorName}</Text>
```

```
                    <View style={styles.badge}>
                        <Text style={styles.badgeText}>导演</Text>
                    </View>
                </View>
                <View style={styles.progressCard}>
                    <Text style={styles.progressLabel}>项目进度 ({progress}%)</Text>
                    <View style={styles.progressBarBg}>
                        <View style={[styles.progressBarFill, { width: `${progress}%` }]}
/>
                    </View>
                    <View style={styles.progressStats}>
                        <Text style={styles.progressStatText}>已完成:
{project.current_duration} 秒</Text>
                        <Text style={styles.progressStatText}>目标:
{project.target_duration} 秒</Text>
                    </View>
                </View>
                <Text style={styles.sectionTitle}>项目简介</Text>
                <Text style={styles.description}>{project.description || '暂无描述
'}</Text>
                <Text style={styles.sectionTitle}>参与方式</Text>
                <Text style={styles.helperText}>
                    本项目由工蜂（算力提供者）在 Telegram 群组中协作完成。加入群组即可接收任务并
提交生成的视频片段。
                </Text>
                <TouchableOpacity
                    style={styles.joinButton}
                    onPress={handleJoinGroup}
                >
                    <Text style={styles.joinButtonText}>加入 Telegram 群组 (工蜂)</Text>
                </TouchableOpacity>
            </View>
        </ScrollView>
    );
}
const styles = StyleSheet.create({
    container: {
        flex: 1,
        backgroundColor: '#111',
    },
    content: {
        paddingBottom: 40,
    },
    center: {
        flex: 1,
        backgroundColor: '#111',
        alignItems: 'center',
        justifyContent: 'center',
    },
    errorText: {
        color: '#ff4444',
        fontSize: 16,
    },
    coverImage: {
        width: '100%',
```

```
    height: 240,
    backgroundColor: '#222',
},
placeholderImage: {
    alignItems: 'center',
    justifyContent: 'center',
},
placeholderText: {
    color: '#666',
},
infoContainer: {
    padding: 16,
},
title: {
    color: '#fff',
    fontSize: 26,
    fontWeight: 'bold',
    marginBottom: 16,
},
authorRow: {
    flexDirection: 'row',
    alignItems: 'center',
    marginBottom: 24,
},
avatar: {
    width: 40,
    height: 40,
    borderRadius: 20,
    marginRight: 10,
    backgroundColor: '#333',
},
avatarPlaceholder: {
    width: 40,
    height: 40,
    borderRadius: 20,
    marginRight: 10,
    backgroundColor: '#444',
},
authorName: {
    color: '#eee',
    fontSize: 16,
    fontWeight: '500',
    marginRight: 8,
},
badge: {
    backgroundColor: '#333',
    paddingHorizontal: 8,
    paddingVertical: 4,
    borderRadius: 4,
},
```

```
badgeText: {
    color: '#facc15',
    fontSize: 12,
    fontWeight: '600',
},
progressCard: {
    backgroundColor: '#222',
    padding: 16,
    borderRadius: 12,
    marginBottom: 24,
    borderWidth: 1,
    borderColor: '#333',
},
progressLabel: {
    color: '#fff',
    fontSize: 16,
    fontWeight: 'bold',
    marginBottom: 12,
},
progressBarBg: {
    height: 8,
    backgroundColor: '#444',
    borderRadius: 4,
    overflow: 'hidden',
    marginBottom: 12,
},
progressBarFill: {
    height: '100%',
    backgroundColor: '#facc15',
},
progressStats: {
    flexDirection: 'row',
    justifyContent: 'space-between',
},
progressStatText: {
    color: '#aaa',
    fontSize: 14,
},
sectionTitle: {
    color: '#fff',
    fontSize: 20,
    fontWeight: 'bold',
    marginBottom: 12,
},
description: {
    color: '#ccc',
    fontSize: 16,
    lineHeight: 24,
    marginBottom: 24,
},
```

```
    helperText: {
        color: '#999',
        fontSize: 14,
        lineHeight: 22,
        marginBottom: 20,
    },
    joinButton: {
        backgroundColor: '#facc15',
        paddingVertical: 16,
        borderRadius: 8,
        alignItems: 'center',
    },
    joinButtonText: {
        color: '#000',
        fontSize: 16,
        fontWeight: 'bold',
    }
});
import React, { useEffect, useState, useMemo } from 'react';
import { View, Text, StyleSheet, FlatList, TouchableOpacity, Image, RefreshControl,
Dimensions } from 'react-native';
import MasonryList from '@react-native-seoul/masonry-list';
import { getProjects } from '../lib/api';
import { Project } from '../types/database';
import { Colors, SharedStyles } from '../constants/Colors';
const CATEGORIES = [
    { key: 'all', label: '全部', value: '全部' },
    { key: 'film', label: '电影', value: '电影' },
    { key: 'animation', label: '动画', value: '动画' },
    { key: 'commercial', label: '商业制作', value: '商业制作' },
    { key: 'publicWelfare', label: '公益', value: '公益' },
    { key: 'other', label: '其他', value: '其他' },
];
const { width } = Dimensions.get('window');
const getImageHeight = (index: number) => {
    return index % 3 === 0 ? 1.5 : (index % 2 === 0 ? 1.2 : 0.8);
};
export default function ProjectListScreen({ navigation }: any) {
    const [projects, setProjects] = useState<Project[]>([]);
    const [loading, setLoading] = useState(true);
    const [selectedCategory, setSelectedCategory] = useState('全部');
    const fetchProjects = async () => {
        setLoading(true);
        const data = await getProjects();
        setProjects(data);
        setLoading(false);
    };
    useEffect(() => {
        fetchProjects();
    }, []);
    const filteredProjects = useMemo(() => {
```

```
        return selectedCategory === '全部'
            ? projects
            : projects.filter(p => p.category === selectedCategory);
    }, [projects, selectedCategory]);
    const renderCategoryTab = ({ item }: { item: typeof CATEGORIES[0] }) => {
        const isActive = item.value === selectedCategory;
        return (
            <TouchableOpacity
                style={styles.categoryTab}
                activeOpacity={0.7}
                onPress={() => setSelectedCategory(item.value)}
            >
                <Text style={[styles.categoryText, isActive &&
styles.categoryTextActive]}>{item.label}</Text>
                {isActive && <View style={styles.categoryIndicator} />}
            </TouchableOpacity>
        );
    };
    const renderProjectCard = ({ item, i }: { item: any, i: number }) => {
        const p = item as Project;
        const profile = (p as any).profiles;
        const authorName = profile?.username || '用户';
        const imageHeightRatio = getImageHeight(i);
        const cardWidth = (width - 32 - 12) / 2; // padding 16*2, gap 12
        const imageHeight = cardWidth * imageHeightRatio;
        const progress = p.target_duration ? Math.min((p.current_duration /
p.target_duration) * 100, 100) : 0;
        return (
            <TouchableOpacity
                style={styles.card}
                activeOpacity={0.8}
                onPress={() => navigation.navigate('ProjectDetail', { id: p.id })}
            >
                <View style={[styles.imageContainer, { height: imageHeight }]}>
                    {p.cover_image ? (
                        <Image source={{ uri: p.cover_image }} style={styles.coverImage}
/>
                    ) : (
                        <View style={styles.placeholderImage}>
                            <Text style={styles.placeholderText}>No Image</Text>
                        </View>
                    )}
                </View>
                <View style={styles.cardContent}>
                    <Text style={styles.projectTitle} numberOfLines={2}>{p.title}</Text>
                    <View style={styles.cardFooter}>
                        <View style={styles.authorInfo}>
                            <View style={styles.avatarPlaceholder} />
                            <Text style={styles.authorName}
numberOfLines={1}>{authorName}</Text>
                        </View>
                        <Text style={styles.progressText}>{progress.toFixed(0)}%</Text>
                    </View>
                </View>
```

```
            </TouchableOpacity>
        );
    };
    return (
        <View style={SharedStyles.container}>
            {/* Top Categories Area */}
            <View style={styles.topBar}>
                <FlatList
                    horizontal
                    data={CATEGORIES}
                    renderItem={renderCategoryTab}
                    keyExtractor={item => item.key}
                    showsHorizontalScrollIndicator={false}
                    contentContainerStyle={styles.categoryList}
                />
            </View>
            {/* Masonry Grid Area */}
            <MasonryList
                data={filteredProjects}
                keyExtractor={(item: any): string => item.id}
                numColumns={2}
                showsVerticalScrollIndicator={false}
                renderItem={renderProjectCard}
                contentContainerStyle={styles.masonryContainer}
                refreshing={loading}
                onRefresh={fetchProjects}
                ListEmptyComponent={
                    !loading ? (
                        <View style={styles.emptyContainer}>
                            <Text style={styles.emptyTitle}>暂无灵感</Text>
                            <Text style={styles.emptySubtitle}>去其他分类探索一下吧</Text>
                        </View>
                    ) : null
                }
            />
        </View>
    );
}
const styles = StyleSheet.create({
    topBar: {
        backgroundColor: Colors.ink,
        borderBottomWidth: StyleSheet.hairlineWidth,
        borderBottomColor: Colors.inkBorder,
        paddingTop: 12,
        paddingBottom: 4,
    },
    categoryList: {
        paddingHorizontal: 16,
        gap: 20,
    },
```

```
categoryTab: {
    paddingVertical: 8,
    position: 'relative',
    alignItems: 'center',
},
categoryText: {
    color: Colors.textSecondary,
    fontSize: 16,
    fontWeight: '500',
},
categoryTextActive: {
    color: Colors.textPrimary,
    fontWeight: 'bold',
    fontSize: 18,
},
categoryIndicator: {
    position: 'absolute',
    bottom: 0,
    height: 3,
    width: 16,
    backgroundColor: Colors.gold,
    borderRadius: 2,
},
masonryContainer: {
    paddingHorizontal: 16,
    paddingTop: 16,
    paddingBottom: 40,
},
card: {
    backgroundColor: Colors.inkLight,
    borderRadius: 8,
    overflow: 'hidden',
    marginBottom: 12,
    marginHorizontal: 6, // for gap between columns
    borderWidth: 1,
    borderColor: Colors.inkBorder,
},
imageContainer: {
    width: '100%',
    backgroundColor: Colors.inkLighter,
},
coverImage: {
    width: '100%',
    height: '100%',
    resizeMode: 'cover',
},
placeholderImage: {
    flex: 1,
    justifyContent: 'center',
    alignItems: 'center',
```

```
    backgroundColor: Colors.inkLighter,
},
placeholderText: {
    color: Colors.textMuted,
    fontSize: 12,
    fontWeight: 'bold',
},
cardContent: {
    padding: 10,
},
projectTitle: {
    color: Colors.textPrimary,
    fontSize: 14,
    fontWeight: '600',
    lineHeight: 20,
    marginBottom: 10,
},
cardFooter: {
    flexDirection: 'row',
    justifyContent: 'space-between',
    alignItems: 'center',
},
authorInfo: {
    flexDirection: 'row',
    alignItems: 'center',
    flex: 1,
    marginRight: 8,
},
avatarPlaceholder: {
    width: 16,
    height: 16,
    borderRadius: 8,
    backgroundColor: Colors.inkBorder,
    marginRight: 6,
},
authorName: {
    color: Colors.textSecondary,
    fontSize: 12,
    flexShrink: 1,
},
progressText: {
    color: Colors.gold,
    fontSize: 12,
    fontWeight: '600',
},
emptyContainer: {
    paddingTop: 100,
    alignItems: 'center',
    justifyContent: 'center',
},
```

```
    emptyTitle: {
        color: Colors.textPrimary,
        fontSize: 18,
        marginTop: 16,
        marginBottom: 8,
    },
    emptySubtitle: {
        color: Colors.textMuted,
        fontSize: 14,
    },
});
export interface Project {
    id: string;
    title: string;
    description: string;
    category: string;
    target_duration: number; // db field usually snake_case
    current_duration: number; // db field usually snake_case
    telegram_link?: string;
    cover_image: string;
    video_file?: string;
    owner_id: string;
    creatorName?: string;
    participantsCount?: number;
    status: 'active' | 'completed' | 'paused';
    created_at: string;
}
export interface Profile {
    id: string;
    username: string;
    avatar_url: string;
    role: string;
}
```