

王尧 作品集

2017-2021

个人简介

王尧

教育经历

- 初中就读于沧州市第八中学
- 高中就读于河北省衡水中学
- 2017至今就读于河北大学

个人技能

- 熟练掌握cad、sketchup、Photoshop、lumion、enscape等软件技能
- 语言组织能力较为突出
- 英语六级
- 具有良好的社团组织经验

个人荣誉

- “九易庄宸杯·大学生创新创业大赛”三等奖
- “创青春”全国大学生创业大赛省级三等奖
- 全国大学生创业实战大赛省级立项
- “调研河北”省级三等奖



作品展示

- Q CITY城市国际青年设计师竞赛



碳中和之塔

Tower of carbon neutralization

在那个机器轰鸣、
蒸汽纷腾的工业年代的激情消却时，
留下的会是什么？
——沧桑的砖墙与混凝土早已失去了往昔的骄傲，
变得粗糙不堪。
唐河边遥望夕阳的冷却塔便是其中的一员，
曾经它的胸腔中奔涌着沸腾与冰冷的呐喊，
如今却早已是人去楼空，
只有它厚实的外壁还在诉说着一个时代的记忆。

Roar in that machine,
When the passion of the steamy industrial age fades,
What will be left?
——The vicissitudes of brick walls and concrete have long lost the pride of the past,
Become rough and unbearable.
One of them is the cooling tower looking at the sunset by the Tang River.
There used to be boiling and cold shouts in its chest,
Nowadays, people are already emptying the building,
Only its thick outer wall still tells the memory of an era.

BACKGROUND




DESIGN DESCRIPTION

位于唐山市陡河边的冷却塔是启新水泥厂生产线的一部分，启新水泥厂始建于1889年，是我国最早水泥企业。生产的水泥占国内市场份额一度超过了90%并远销海外，为我国水泥工业和社会建设作出了巨大贡献。到2008年，启新水泥厂已完成了其特有的历史使命，为了响应国家产业升级、节能降耗号召而停产搬迁，冷却塔也一度闲置至今。

The cooling tower located by the Douhe River in Tangshan City is part of the production line of Qixin Cement Plant, which was founded in 1889 and is the earliest cement company in my country. The cement produced once accounted for more than 90% of the domestic market share and was exported overseas, making great contributions to my country's cement industry and social construction. By 2008, Qixin Cement Plant had completed its unique historical mission. In response to the national call for industrial upgrading, energy conservation and consumption reduction, it had suspended production and moved, and the cooling tower has been idle for a while.

ANALYSIS



BASE INTRODUCTION

The site is located on the bank of the Tang River, next to the 1889 Cultural and Creative Industrial Park, with railroad tracks passing through on one side, and the train full of memories of the times drove far away, bidding farewell to the hustle and bustle of the industrial age, and bringing a new era of green technology and technology.

CHINA HEBEI TANGSHAN



VISION

The diagram illustrates a vision or concept. A central building with a jagged, lightning-bolt-like roof is shown. Two arrows point from the building to two inset images. The left inset shows a construction site with large concrete pillars and the text '新居1688' and '6888'. The right inset shows a landscape with a bright sun and the text '湖面光景'. Dashed lines connect the building to a city skyline at the bottom left and a road with trees at the bottom right.

[illegible]

In April 2021, President Xi Jinping made a solemn promise to the world at the UN General Assembly that China will strive to achieve carbon peak by 2030 and carbon neutrality by 2060. From carbon peak to carbon neutrality, the transition period set by China is only 30 years, and the road to carbon reduction is full of pressure and challenges. My country ranks first in the world in terms of floor space. The annual "operational carbon emissions" from buildings alone reach 2.1 billion tons, accounting for about 20% of my country's total carbon emissions. It is a veritable "larger" of carbon emissions. Therefore, energy-saving and carbon-reduction in the construction industry is a key part of my country's goal of achieving carbon peak and carbon neutrality. In order to reduce building carbon emissions, we introduced the concept of "PV BUILDING" in this building design to explore the combination of new photovoltaic building materials and traditional buildings, and promote the vision of building energy efficiency from ultra-low energy buildings to positive energy buildings.



碳中和之塔

Tower of carbon neutralization

我们撷取它的苦闷与落寞，并为其注入了新时代的技术与造型：将部分壁板替换为轻盈的玻璃幕墙，映照着唐河粼粼的波光；在筒壁外侧延结构设置两处观景台，一个朝向唐河，供人咏叹河畔美景，一个正对水泥厂旧址，使人追忆曾经工业时代的荣光。游客可以顺着室内的环形楼梯缓缓上升，看时代更迭，看身旁由石板厚重，到幕墙清澈透亮，看从工业时代到现代化的转变，我们究竟获得了什么？于是，我们便在冷却塔的周围缠绕了一圈轻盈的“纱”，全部由光伏板所构成，像是破土而出的鲜嫩春笋、又像是乘风而起的一双强健翅膀，其产生的电能能够供给市民的日常生活，让冷却塔在当下这个时代也被赋予了新的使命。

We captured its sorrow and loneliness, and injected it with new-age technology and modeling: replacing part of the siding with a light glass curtain wall, reflecting the sparkling waves of the Tang River; and setting two locations on the outer side of the tube wall The viewing platform, one facing the Tang River, is for people to admire the beauty of the river, and the other is facing the old cement factory site, which reminds people of the glory of the industrial era. Visitors can slowly ascend the circular staircase inside, watching the changing times, watching the thick stone slabs next to them, to the clear and translucent curtain wall, watching the transformation from the industrial age to modernization, what have we gained? As a result, we wound a circle of light "yarn" around the cooling tower, all composed of photovoltaic panels, like fresh spring bamboo shoots emerging from the ground, and like a pair of strong wings rising in the wind, which produces Electricity can supply the daily life of citizens, so that cooling towers have also been given a new mission in this era.

STREAMLINE ANALYSIS



■ 环绕流线
随着螺旋而上，的应转楼梯，围绕建筑内部面环而上。行人随着不断旋转的应转楼梯上升，逐渐领略更多风景。

■ Circumfluence streamline
Along with the winding spiral staircase, around the inner surface of the building, pedestrians gradually rise with the rising spiral staircase, and gradually enjoy more style.



■ 漫步流线
在空旷的底部能欣赏到漫步行迹，在拥有许多细柱的空间里，仿佛置身于静谧的竹林中，足以供人休闲和放松。

■ WALKING IN THE STREAMLINE
Strolling in the empty bottom podium, in the space with many thin columns, it is as if you are in a quiet bamboo forest, which is enough for people to relax and relax.



■ 观景流线
行走至台阶顶端时，可进入两个不同区域和高度观景平台。低侧的观景平台可以看到唐河波光粼粼的水面，高侧的则可以欣赏到1889工业园区。

■ VIEW STREAMLINE
Walking to the top of the spiral staircase, you can enter two viewing platforms of different areas and heights. The viewing platform on the low side can see the sparkling water of the Tang River, and the 1889 Industrial Park on the high side.



■ 驻足流线
站在底部时向下俯瞰，驻足于螺旋楼梯向高处仰望，都会使人感受到不一样的体验。

■ VIEW STREAMLINE
Standing at the top and looking down, stopping at the bottom and looking up at a high place will make people feel a different experience.

FUNCTIONAL ANALYSIS



■ 入口空间
建筑底部位置作为整体建筑的入口空间，在这里保留原始冷却塔墙体和圆柱造型，用裸露的结构和具有历史感的材料带使人们回忆起那个时期的过程，并带领着走向内部的新空间。

■ Entrance space
The podium at the bottom is used as the entrance space of the overall building, where the original cooling tower walls and thin columns are preserved. The exposed structure and historical materials lead people to recall the dusty past and lead them to the inside. New space.



■ 观景平台
塔身和外表皮之间由楼梯平台的延伸形成休闲娱乐的观景平台。由不同高度和角度可观察到不同的景色，阳光从幕墙中的缝隙间倾泻而下，使人在现实和历史中轮流走过。

■ Viewing platform
Between the tower body and the outer skin, the extension of the stair platform forms a viewing platform for leisure and entertainment. Different scenery can be observed from different heights and angles. Sunlight sprinkles mottledly from the gaps in the curtain wall, making people walk through in turns in reality and history.



■ 楼梯空间
利用冷却塔内部无过多装饰的内壁，钢结构螺旋楼梯从底部蜿蜒向上，即是逐步向上的交通纽带，也是塑造空间营造的关键要素。


■ Stair space
Utilizing the inner wall of the cooling tower without too much decoration, the steel spiral staircase winds upwards from the bottom, which is the traffic link for strolling upwards and the key element of relaxing space creation.




■ 中庭空间
螺旋楼梯形成的中庭空间还原了冷却塔的内部原始样貌，圆形的开口营造出神圣的气氛，给人以足够的视觉美感。

■ Atrium space
The atrium space formed by the spiral staircase restores the original appearance of the cooling tower, and the circular opening creates a sacred atmosphere, giving people enough visual beauty.


FUNCTIONAL ANALYSIS




HISTORICAL ANALYSIS



CROWD ANALYSIS



FUNCTIONAL ANALYSIS



- 河北大学宋史小院课程设计

照影庭

河北大学宋史小院设计

宋史小院设计名为“照影庭”，取自宋词《生查子·独游雨岩》“溪边照影行，天在清溪底。天上有行云，人在行云里。”起伏跌宕的弧面屋顶像是一座座隐秘而又孤高的山峦，结合清晨或傍晚时分从格栅中透出的柔柔暖光，整个小院好似浑然一体，玲珑剔透，静卧在校园的一角。

踩着细碎悠长的木栈道，在雕花窗下吟诵烟雨江南下的诗情画意。而环绕着照影庭的，是纵横交错的水院清溪，漫步于此，悠然惬意。庭内设有书吧沙龙，或两三挚友，或大咖云集，激昂文字，好不惬意！更有回廊转折，讲厅豁然，不禁追忆漆侠先生，创一代宋史传奇，遂作照影庭，映先生风骨，映云上清溪。



生查子·独游雨岩

「宋」辛弃疾


溪边照影行，天在清溪底。天上有行云，人在行云里。人在行，云在行，云在行，云在行。人在行，云在行，云在行，云在行。

照影庭设计灵感源自宋词《生查子·独游雨岩》。建筑采用起伏跌宕的弧面屋顶，结合清晨或傍晚时分从格栅中透出的柔柔暖光，整个小院好似浑然一体，玲珑剔透，静卧在校园的一角。


踩着细碎悠长的木栈道，在雕花窗下吟诵烟雨江南下的诗情画意。而环绕着照影庭的，是纵横交错的水院清溪，漫步于此，悠然惬意。庭内设有书吧沙龙，或两三挚友，或大咖云集，激昂文字，好不惬意！更有回廊转折，讲厅豁然，不禁追忆漆侠先生，创一代宋史传奇，遂作照影庭，映先生风骨，映云上清溪。



地理位置Geographical position



中国河北省保定市莲池区



区域位置优越




室外场地宽阔



材料富有特色

砖的呈砌方式

问题和优势Problems and advantages



道路狭窄曲折



休闲设施匮乏



车辆停放集中

大门入口封闭


周边环境Surrounding environment



校内路网



周边路网




校内建筑




周围建筑

使用人群分析Analysis of users



教师9.6%




研究生10.1%




本科生76.9%

其他人员3.4%

解决策略Solution strategy



不同功能空间的互不打扰



需要能实时掌握租赁预约等情况



需要存在于线上的交流答疑

需要每个人都有自己的私人空间

人员的互相沟通，需要会议报告厅

需要人与人之间交流讨论的空间

空间模式Spatial pattern



墙的基本功能划分空间



形成墙体的景观




墙体曲折适应界面

将墙立体化，形成空间墙


形成立体交通

形成景观通道

建筑Architect



坡屋顶的形态构成与轮廓形式



曲线屋面的提取与演化生成



树林枝杈交错透出的折线元素

折线元素的解构、重组与融合

流水的波浪起伏的平面化处理

山峦的符号化元素提取生成

空间模式Spatial pattern



用格栅划分空间



形成垂直向不规则景观



格栅曲折适应界面

格栅与墙体结合设计

墙体和格栅形成立体交通

格栅形成立体空间

建筑Architect

坡屋顶的形态构成与轮廓形式

曲线屋面的提取与演化生成

树林枝杈交错透出的折线元素

折线元素的解构、重组与融合

流水的波浪起伏的平面化处理

山峦的符号化元素提取生成

空间模式Spatial pattern

用格栅划分空间

形成垂直向不规则景观

格栅曲折适应界面

格栅与墙体结合设计

墙体和格栅形成立体交通

格栅形成立体空间

建筑Architect

坡屋顶的形态构成与轮廓形式

曲线屋面的提取与演化生成

树林枝杈交错透出的折线元素

折线元素的解构、重组与融合

流水的波浪起伏的平面化处理

山峦的符号化元素提取生成

空间模式Spatial pattern

用格栅划分空间






形成垂直向不规则景观

格栅曲折适应界面








格栅与墙体结合设计

墙体和格栅形成立体交通

格栅形成立体空间



- 保定市会展中心课程设计





■ 经济技术指标

总用地面积:	65077㎡
总建筑面积:	35200㎡
地上总建筑面积:	21500㎡
剧院部分面积:	6100㎡
办公部分面积:	4100㎡
展览部分面积:	8000㎡
服务部分面积:	3400㎡
容积率:	0.54
绿地率:	31%
地下停车位:	435辆
地上停车位:	52辆



十 圓野原

Circulation Nature Theater



■ 设计说明



本次方案取名为圓野原，分别代表着剧院不同的组成元素，圓即为圆形，在设计中从平面至立面都由圆形元素来构成，无论是向心式发散的平面、圈圈跌落的台阶还是弧形的片墙高低错落、环形水池中映射着粼粼波光，都在表征着圆形的符号意象，代表中国文化中所特有的兼收并蓄的包容与谦和。野则表示着自然与野性的美，建筑开敞自由的环形回廊和向外延伸的亲水平台打破了道路带来的严整框架的限制，使建筑的内外空间有了更为自然流畅的过渡，同时也突破了传统的剧院空间形式，让人的视野变得更为开阔、自由。圓与野的碰撞，便构成了此次的剧院设计，脱离了大型的中庭与挑空空间，将庭院之美与观景手法融入到建筑的细部，由此便组成了本次设计的整体。

This project is named Huan Nohara, which represents different elements of the theater. The design is composed of circular elements from the plan to the façade, whether it is the centripetal plane, the falling steps, the curved walls, the shimmering waves in the circular pond, all represent the symbolic imagery of the circle, which represents the tolerance and modesty of Chinese culture. The building's open and free circular corridor and waterfront terrace break the restriction of the strict framework brought by the road, making the internal and external space of the building more natural and smooth, and also break traditional theater space form, allowing people's vision to become more open and free. The collision of huan and wild constitutes the design of this theater, which is free from the large atrium and integrates the beauty of courtyard and view into the details of forming the




■ 1-1剖面图 1:1000








An architectural rendering of the 'Circulation Nature Theater' at Enryu-ko. The building is a modern, circular structure with a white, curved base and a large, open-air upper level enclosed by a glass and metal frame. It is situated on a grassy area with a paved walkway leading to it. In the background, there are trees and a body of water under a dramatic, cloudy sky. The text '園野原' (Enryu-ko) and 'Circulation Nature Theater' is overlaid on the top left of the image.



- 保定市高层办公楼设计







设计说明 Design Notes

方案主体形象由保定特殊的地理位置演化而来。左为太行山脉，右为白洋淀水域，结合二者不同的性质与特点，拟合出山水相融的建筑形态，其中高层办公部分为右峰，低处的裙房部分为水的形态，从而形成保定的自然风貌。

在办公部分顶层设置两环建筑延伸平台多道平台为办公提供更为灵活的人流组织与视野，同时平台顶层上平面的收边也为裙房带来更为丰富多变的造型，其他楼层则采用与东西向裙房立面体系呼应，点线面相结合，并为保定市高层建筑提供更多更多的可能性，立面上采用木格栅与木板的部分运用也在呼应着保定历史文化古城的韵味，以图景为意，以未来为方向。The main imagery of the project evolves from the unique geographic location of Baoding, with the Taihang Mountains on the left and the Baiyangdian Waters on the right, combining the different nature and characteristics of the two to create a combination of mountain and water architectural forms, with the mountain peaks in the high-rise office part and the water form in the lower podium part, showing the local nature of Baoding.

In the office part, the stacked and extended circular walkway platform around the building provides more flexible staff flow and vision, while the contraction of the planes on specific levels brings a richer and more varied shape to the block, which creates two three-dimensional green platforms in the southwest and southeast directions, lighting up the neighborhood space and bringing more possibilities for the exploration of high-rise landmark buildings in Baoding. The use of wooden grilles and panels on the facade echoes the traditional identity of Baoding as a historical and cultural city, with history as the background and the future as the direction.



- 雄安新区居住区设计



Reconstructing Utopia

“我们每个人都在构建属于自己的乌托邦，在空间的叠置与时间的叠染下，找寻内心最佳的归属。”

住宅的聚集，某种意义上来说就是一座城市的雏形。我们将汲取大师Yona Friedman 所构建的“基础城市”的建造理念融入本次的设计之中，在建筑个体与大的城市下找寻住宅形式与空间的关联，探索时间与文化语境下的“乌托邦之城”。



我们采用模块化的形式作为建筑以及场地构成的元素，这也使得建筑形式的有机生长。对建筑进行重复堆叠，组合演化，进而生成出整个建筑群的肌理点，并逐渐形成一座立体山水的画卷徐徐展开。同时，其中又穿插着庭院与绿色科技装置，与建筑当地的文化内核相契合，多元化的设置对居住者的空间带来了一定的划分，但空间的使用却又自由且随性，营造更多的社区凝聚力，同时通过模块化与功能的多样化则为居住者注入了更多的活力与可能性，生成一块多元立体复合空间的组织。



Strategy Generation Diagram



Design Background

原有基地

背景概述

项目位于城市中心，交通便利，周边配套设施完善。基地内原有建筑多为老旧住宅，亟需进行城市更新。项目旨在通过模块化建筑形式，提升居住品质，改善社区环境，实现城市可持续发展。

项目背景


随着城市化进程的加快，城市人口密度不断增加，对居住空间的需求日益增长。传统的住宅开发模式已难以满足人们对高品质生活的需求。本项目采用模块化建筑技术，具有施工周期短、灵活性强、节能环保等优点，能够有效解决城市住房短缺问题，为居民提供舒适、便捷的居住体验。

项目意义

本项目的实施将有助于推动建筑产业的转型升级，促进绿色建筑技术的应用与推广。同时，项目还将带动周边商业、服务业的发展，提升区域整体形象，为构建和谐社会贡献力量。

作为建筑模块的方块不断重组演化，最终聚集成不同数量的模块，叠方聚和的初步生成，而在不同数量模块之中又存在着更复杂的组合形式，通过单元重复式的组合与模块的自由组合类型，而最终形成建筑内部，根据不同群体的需求进行定制化空间，使方案从内而外形成一套完整的构成体系，而模块化技术的运用不仅提高了建筑技术的建造精度，更强化了建筑空间与环境的科技链接，进而进一步提升建筑的品质与舒适度，为居民提供更优质的居住体验，实现建筑与环境的和谐共生。

As a modular building block, the squares explore into different assemblies, which are the initial generation of solution forms. Within the different assemblies, there is an endless variety of combinations, which are distinguished by the limited occasion of units and the fitting of structures. The final focus is on the interior of the building, where the space is customized according to the needs of different groups, forming a clear composition clue from the inside out. The application of assembly technology not only follows the leading edge of construction technology, but also fits the technology line implemented by the Xiang'an New Area, thus promoting the construction and development of the New Area from the perspective of an integrated group and revitalizing the city.



Device Concept Analysis

设备概念分析

本项目采用模块化建筑形式，具有施工周期短、灵活性强、节能环保等优点。通过模块化技术的应用，可以实现建筑形式的快速迭代与升级，满足不同群体的居住需求。同时，模块化建筑还能够有效降低施工成本，提高建筑品质，为居民提供更加舒适、便捷的居住体验。

设备概念分析

模块化建筑的核心在于模块的标准化与通用性。通过制定统一的模块规格与接口标准，可以实现模块的互换与组合，从而大大缩短建筑周期，降低施工难度。此外，模块化建筑还能够实现建筑形式的多样化与个性化定制，满足不同居民对居住空间的需求。

设备概念分析

在建筑过程中，模块化建筑的优势尤为明显。由于模块是在工厂预先生产好的，现场只需进行简单的拼装与固定，即可实现快速建造。这不仅能够有效减少施工现场的噪音与粉尘污染，还能够提高施工效率，缩短工期，为居民提供更加优质的居住环境。

Site Planning Analysis

低层与高层相结合的方式为社区提供了富有层次而多样化的视觉感受。围绕中心住宅区的两个建筑组团各自承担了不同的功能，但又彼此紧密联系，创造出和谐平衡而又美好的社区生态环境。

错落的住宅空间形成了较为丰富的社区路网，与高层住宅、架空庭院等设施一起构建了具有浓厚社区氛围的社区空间。The enclosed residential spaces form a rich network of streets within the community, and together with ground floor retail and elevated courtyards, they create a community space with a strong alley atmosphere.

立体花园穿插+独立式住宅
围墙+庭院+校道

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

技术经济指标

TECHNICAL-ECONOMIC INDICATOR

总建筑面积 Total surface area:	257285m ²
建筑用地面积 Building land area:	122559m ²
建筑基底面积 Floor area:	44906m ²
容积率 Volume rate:	2.10
覆盖率 Coverage ratio:	0.37
绿地率 Green area ratio:	38.9%
停车位 Parking space:	3000个

The combination of low-rise and high-rise provides a layered and diverse visual experience for the community. The two groups of buildings surrounding the central residential area each serve different functions, but are closely related to each other, creating a harmoniously balanced and beautiful community ecological environment.

The enclosed residential spaces form a rich network of streets within the community, and together with ground floor retail and elevated courtyards, they create a community space with a strong alley atmosphere.

立体花园穿插+独立式住宅
围墙+庭院+校道

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

The three-dimensional green garden space brings more time and space to the landscape and experience of the community. The walking routes that change scenery allow each resident to have a more comprehensive affinity with nature.

立体花园穿插+独立式住宅
围墙+庭院+校道

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛

九易建筑杯·大学生创新创业大赛





RECONSTRUCTING UTOPIA

重构乌托邦

Master Plan Analysis

项目位于上海市浦东新区，是浦东新区的一个重要组成部分。项目周边交通便利，配套设施完善。项目旨在打造一个集居住、商业、文化、休闲于一体的综合性社区。

Site Layout Analysis

项目总用地面积为 10000 平方米，总建筑面积为 150000 平方米。项目布局采用“点、线、面”相结合的模式，形成多个居住组团。项目内部设有步行系统、自行车道、机动车道、公共绿地、商业设施、文化设施、休闲设施等。

Historical Analysis

项目所在地具有悠久的历史，曾是上海的一个重要港口。项目周边有许多历史文化遗迹，如上海外滩、上海南京路等。项目在设计中充分尊重历史文脉，将历史文化与现代建筑相结合。

Technical Analysis

项目采用先进的建筑技术和材料，确保建筑的质量和耐久性。项目在设计中充分考虑了节能环保，采用绿色建筑设计理念，降低建筑的能耗和碳排放。项目还采用了智能化的建筑管理系统，提高建筑的运营效率。



The end