How to write a simple Cypress test

Neil Guertin

Software Engineer in Test neil.guertin@collabora.com











What is Cypress?

Web testing framework

- End-to-end tests
- User interaction
- Asynchronous and retriable assertions
- Most of our client-side tests are Cypress tests





When to write a test?

- New features
- Bug fixes

When to write a Cypress test?

User interactions





Where are the tests?

All in cypress_test directory

```
    integration_tests/
        common/
        helper.js
        desktop_helper.js
        calc_helper.js
```

support/index.js

```
data/
workdir/data/
```

```
integration_tests/
  desktop/
    calc/
      X_spec.js
      Y spec.js
    writer/
      X spec.js
      Y spec.js
  mobile/
    calc/
      X_spec.js
      Y spec.js
    writer/
      X_spec.js
      Y_spec.js
```





Parts of a test

- Setup
- Exercise
- Verify
- Teardown





calc/cell_appearance_spec.js

```
/* global describe it cy beforeEach require afterEach expect Cypress */
var helper = require('../../common/helper');
var calcHelper = require('../../common/calc helper');
var desktopHelper = require('../../common/desktop helper');
describe(['tagdesktop'], 'Change cell appearance.', function() {
    var origTestFileName = 'cell appearance.ods';
    var testFileName;
    beforeEach(function() {
        testFileName = helper.beforeAll(origTestFileName, 'calc');
    });
    afterEach(function() {
        helper.afterAll(testFileName, this.currentTest.state);
    });
    it('Apply background color', function() {
    });
```



calc/cell_appearance_spec.js

```
it('Apply background color', function() {
    desktopHelper.switchUIToNotebookbar();
    calcHelper.clickOnFirstCell();
    cy.cGet('#Home').click();
    cy.cGet('#Home-container .unoBackgroundColor .arrowbackground')
        .click();
    desktopHelper.selectColorFromPalette('006CE7');
    calcHelper.selectEntireSheet();
    cy.cGet('#copy-paste-container table td')
        .should('have.attr', 'bgcolor', '#006CE7');
});
```





Basic Workflow

For running Cypress tests

- Configure with --enable-cypress
- make online from top directory
- cd to cypress_test
- make check
- No need to remake top directory after making test changes





Make check options

Defined in cypress_test/Makefile.am

- make check
- make check-desktop make check-mobile make check-multi
- make check-desktop spec=calc/autofilter_spec.js
- make run-desktop spec=calc/autofilter_spec.js make run-desktop




Technical Day

y cypress_test

(i) localhost:9900/ /#/specs/runner?file=integration tests/desktop/calc/cell appearance spec.is







☆ ♪ | ス □ 😩 Update

② 17 ▲ 92 **□** 30 **② ⋮** X

:hov .cls + ₽ 🗊

Runner-d26b5796.css:162

index-bda26968.css:4673





Cypress commands

Ones we use a lot

- cy.cGet(selector)
 Custom command, replaces cy.get(), handles iFrames
- Commands: .click() .type() .should()
- cy.cGet('#toolbar-up #comment_wizard button').click();
 cy.cGet('#copy-paste-container p font').should('have.attr', 'color', '#0000ff');





Tips

- Run just the testpoints you want, using it.skip() and it.only()
- Stop or watch execution with cy.pause(), cy.debug(), or cy.wait()
- Do not commit tests using cy.wait()
 Use targeted queries or assertions instead
- cy.screenshot()
- Copy and pasting code is okay sometimes



Thank you!

By Neil Guertin















@CollaboraOffice hello@collaboraoffice.com www.collaboraoffice.com