Reachability · Creativity

Paid on delivery. Proven on the ledger.

ResearchAgent gives coding agents a research wallet.
Ask a question. Set a budget. Check the delivery key.

collaboration95.github.io/theFastandtheFungible/try/

Open the hosted demo or verify a recorded run without asking a question.

Watch a recorded run



From a prototype to a verifiable research wallet

At SingHacks

One web page. Synthetic sources. A person approved each quote; simulated payments were the default.

Today

Policy rules decide purchases. Native escrow ties payment to the article key. Browser, MCP and SDKs share the same checks.

308
merged pull requests since 21 Sep

15
published releases

61
recorded ledger transactions

224
shared verifier cases

Counted at c50199e5 · 12 Nov 2026 · site/progress/data.json

— Reachability

One command: buy, verify, and inspect the ledger

```
npx -y https://github.com/Collaboration95/theFastandtheFungible/releases/download/v1.1.1/researchagent-mcp-1.1.1.tgz try --testnet
```

Published package. No clone.

Creates escrow, reveals the key, checks a broken promise, re-buys and verifies receipts.

RESULT PASS

Six linked transactions and read-only ledger checks in the recorded release run.

Recorded release demonstration, 11 Nov: fixture models with fictional and team-authored writers. Terminal output is preserved in the evidence file.

— Technical depth

One question, one budget, and only code can spend it

1
Ask
Set a question and budget.

2
Confirm
A five-second plan sheet.

3
Search
Free abstracts and signed promises.

4
Decide
Policy rules decide purchases.

5
Pay
Lock payment in native escrow.

6
Verify
Check delivery and cite passages.


Five hard gates

- No premium bytes before a grant.
- Only policy code spends, within the budget.
- One charge per intent, across retries and restarts.
- Real citations to delivered passages.
- Simulated or substituted work is labelled.

The article key releases the writer’s payment

- The writer encrypts the article and signs its promises.
- Policy locks payment to the article’s key hash.
- The writer publishes the key to collect payment.
- The app grants access after ledger validation.

Your browser checks the published key against the escrow lock.



Local replay of a recorded escrow · fictional writer · public-node key check, 11 Nov.

Check the ledger before signing

Unsigned rippled probes give a concrete verdict before a policy signature.

Recorded probe, 11 Nov


Asset / network	Verdict	Ledger
RLUSD · demo network	`tecNO_PERMISSION`	`22244249`
RLUSD · Mainnet read only	`tecNO_PERMISSION`	`108262329`
TEST-SGD · demo network	`tesSUCCESS`	`22244249`

Nothing signed or submitted. TEST-SGD is an unbacked stand-in for RLUSD in this token-escrow probe.

Preflight checks

- Issuer locking permission.
- Trust-line authorization and freeze state.
- Balances and transfer fees.
- Verified delivery before granting article access.

One hosted run. All five gates held.



- **Browser / published TypeScript:** 24 passed, 0 failed, two not checked.
- **Published Python:** 25 passed, 0 failed, two skipped.
- **Grant 1953** precedes paid reads 1954–1957.
- One article for S$0.40 in 31.1 s Start→Done, excluding planning and the modal.

Hosted browser, 12 Nov · recorded preset 2. No question used.

This run used live DeepSeek planning/final writing, an initial fixture draft and keyword search. Policy rules decided purchases.

— Reachability

The same research tools in Claude Code

Browser

Ask a question, confirm the plan and check the delivery key.

MCP

Claude Code or another MCP client gets cited passages and payment receipts.

SDKs

TypeScript and Python can ask, stream and verify.

Local app

Run the app from a published package.

Writer tools

Publish a folder of Markdown notes with signed article promises.

Agent hires agent

ResearchAgent researches for a caller and pays cited-writer royalties.

Budget caps come from the environment. The calling model cannot raise them.

— Feasibility

Live usage, measured cost, auditable purchases

- Hosted XRPL Testnet demo since 11 Nov, team test runs included, as of 12 Nov 2026, 12:24 SGT

62
questions

74
settled purchases

US$0.0020035
median model cost per question


22.316 s
median answer time

61.061 s
p90 · 49 timed runs


0 violations
across 50 audited runs; 12 audits unavailable

Model cost is separate from article prices and ledger fees. Available audit traces define the violation population.

Answer, payment, delivery: one view



Recorded hosted answer, 11 Nov.



Same take: the four delivery steps.

Who buys first

Buyer and task

XRPL/x402 integrators using coding agents to implement a paid endpoint or diagnose failed settlement.

Seller

Two team-authored writers supply paid practitioner notes; Open Records supplies free records.

Example: how writers get paid.

Benefit

Buy the specific implementation detail a free abstract omits, with a cited passage and checkable payment.

A research wallet where coding agents already work.

Built for audit

- **Policy authority:** per-question budgets and daily caps.
- **Delivery evidence:** signed promises, key hashes and passage proofs.
- **Audit chain:** an answer’s recorded history can be anchored on the ledger.
- **Identity:** accepted operator-issued Credentials and an operator-issued Permissioned Domain for identity only.
- **Receipts:** offline checks and public-node ledger lookups.
- **Recovery:** persisted transaction identity across retries and restarts.

Runnable feedback for the next builder

Issuer permissions

Show the ledger’s unsigned verdict before a builder signs.

Recovery

Make a same-payment retry idempotent through delivery.

Interoperability

Read header-only x402 challenges and publish endpoint support.

7 ranked findings with runnable repros · 35 numbered findings (B01–B35) · 15 submissions on 4–5 Sep · 8 upstream drafts, 0 filed.

Guruprasath · product and engineering
Miul · research-plan contracts and test harness
Andrew Nguyen · initial idea briefs and data sources

— Feasibility · Reachability

Try it. Check the key.

Status and limits

- Development network only; mainnet signing disabled. No independent writers, customers, pilots or revenue; demand is not yet validated.
- Signed submission can expose the key before validation; escrow stays claimable until CancelAfter. Key reveal proves delivery, not quality.
- Quality refunds need writer cooperation; a real writer could refuse. No-show recovery needs validated EscrowCancel after the deadline.
- Operator identity is not KYC, quality or payment permission. Shared payer and visitor caps; cold installs depend on npm and faucet latency.
- Registry publication, Mac signing, regulated custody, screening, KYB and licensing work remain. Run-specific substitutions are labelled with their evidence.

collaboration95.github.io/theFastandtheFungible/try/

Paid on delivery.
Proven on the ledger.