Reachability · Creativity

# Paid on delivery. Proven on the ledger.

ResearchAgent gives coding agents a research wallet.
Ask a question. Set a budget. Check the delivery key.

collaboration95.github.io/theFastandtheFungible/try/

Open the hosted demo or verify a recorded run without asking a question.

Watch a recorded run

# From a prototype to a verifiable research wallet

### At SingHacks

One web page. Synthetic sources. A person approved each quote; simulated payments were the default.

### Today

Policy rules decide purchases. Native escrow ties payment to the article key. Browser, MCP and SDKs share the same checks.

**308**
merged pull requests since 21 Sep

**15**
published releases

**61**
recorded ledger transactions

**224**
shared verifier cases

Counted at c50199e5 · 12 Nov 2026 · site/progress/data.json

— Reachability

# One command: buy, verify, and inspect the ledger

```
npx -y https://github.com/Collaboration95/theFastandtheFungible/releases/download/v1.1.1/researchagent-mcp-1.1.1.tgz try --testnet
```

### Published package. No clone.

Creates escrow, reveals the key, checks a broken promise, re-buys and verifies receipts.

### RESULT PASS

Six linked transactions and read-only ledger checks in the recorded release run.

Recorded release demonstration, 11 Nov: fixture models with fictional and team-authored writers. Terminal output is preserved in the evidence file.

— Technical depth

# One question, one budget, and only code can spend it

1
### Ask
Set a question and budget.

2
### Confirm
A five-second plan sheet.

3
### Search
Free abstracts and signed promises.

4
### Decide
Policy rules decide purchases.

5
### Pay
Lock payment in native escrow.

6
### Verify
Check delivery and cite passages.


## Five hard gates

- No premium bytes before a grant.
- Only policy code spends, within the budget.
- One charge per intent, across retries and restarts.
- Real citations to delivered passages.
- Simulated or substituted work is labelled.

# The article key releases the writer’s payment

- The writer encrypts the article and signs its promises.
- Policy locks payment to the article’s key hash.
- The writer publishes the key to collect payment.
- The app grants access after ledger validation.

Your browser checks the published key against the escrow lock.




Local replay of a recorded escrow · fictional writer · public-node key check, 11 Nov.

# Check the ledger before signing

Unsigned rippled probes give a concrete verdict before a policy signature.

## Recorded probe, 11 Nov


| Asset / network | Verdict | Ledger |
|---|---|---|
| RLUSD · demo network | `tecNO_PERMISSION` | `22244249` |
| RLUSD · Mainnet read only | `tecNO_PERMISSION` | `108262329` |
| TEST-SGD · demo network | `tesSUCCESS` | `22244249` |

Nothing signed or submitted. TEST-SGD is an unbacked stand-in for RLUSD in this token-escrow probe.

## Preflight checks

- Issuer locking permission.
- Trust-line authorization and freeze state.
- Balances and transfer fees.
- Verified delivery before granting article access.

# One hosted run. All five gates held.




- **Browser / published TypeScript:** 24 passed, 0 failed, two not checked.
- **Published Python:** 25 passed, 0 failed, two skipped.
- **Grant 1953** precedes paid reads 1954–1957.
- One article for S$0.40 in 31.1 s Start→Done, excluding planning and the modal.

Hosted browser, 12 Nov · recorded preset 2. No question used.

This run used live DeepSeek planning/final writing, an initial fixture draft and keyword search. Policy rules decided purchases.

— Reachability

# The same research tools in Claude Code

### Browser

Ask a question, confirm the plan and check the delivery key.

### MCP

Claude Code or another MCP client gets cited passages and payment receipts.

### SDKs

TypeScript and Python can ask, stream and verify.

### Local app

Run the app from a published package.

### Writer tools

Publish a folder of Markdown notes with signed article promises.

### Agent hires agent

ResearchAgent researches for a caller and pays cited-writer royalties.

Budget caps come from the environment. The calling model cannot raise them.

— Feasibility


# Live usage, measured cost, auditable purchases

- Hosted XRPL Testnet demo since 11 Nov, team test runs included, as of 12 Nov 2026, 12:24 SGT


| | | |
|---|---|---|
| **62**<br>questions | **74**<br>settled purchases | **US$0.0020035**<br>median model cost per question |
| **22.316 s**<br>median answer time | **61.061 s**<br>p90 · 49 timed runs | **0 violations**<br>across 50 audited runs; 12 audits unavailable |

Model cost is separate from article prices and ledger fees. Available audit traces define the violation population.

# Answer, payment, delivery: one view




Hosted answer view, captured 12 Nov.




The payment steps, beside the answer.

# Who buys first

### Buyer and task

XRPL/x402 integrators using coding agents to implement a paid endpoint or diagnose failed settlement.

### Seller

Two team-authored writers supply paid practitioner notes; Open Records supplies free records.

Example: how writers get paid.

### Benefit

Buy the specific implementation detail a free abstract omits, with a cited passage and checkable payment.

A research wallet where coding agents already work.

# Built for audit

- **Policy authority:** per-question budgets and daily caps.
- **Delivery evidence:** signed promises, key hashes and passage proofs.
- **Audit chain:** an answer’s recorded history can be anchored on the ledger.
- **Identity:** accepted operator-issued Credentials and an operator-issued Permissioned Domain for identity only.
- **Receipts:** offline checks and public-node ledger lookups.
- **Recovery:** persisted transaction identity across retries and restarts.

# Runnable feedback for the next builder

### Issuer permissions

Show the ledger’s unsigned verdict before a builder signs.

### Recovery

Make a same-payment retry idempotent through delivery.

### Interoperability

Read header-only x402 challenges and publish endpoint support.

7 ranked findings with runnable repros · 35 numbered findings (B01–B35) · 15 submissions on 4–5 Sep · 8 upstream drafts, 0 filed.

Guruprasath · product and engineering

Miul · research-plan contracts and test harness

Andrew Nguyen · initial idea briefs and data sources

# Try it. Check the key.

## Status and limits

- Development network only; mainnet signing disabled. No independent writers, customers, pilots or revenue; demand is not yet validated.
- Signed submission can expose the key before validation; escrow stays claimable until CancelAfter. Key reveal proves delivery, not quality.
- Quality refunds need writer cooperation; a real writer could refuse. No-show recovery needs validated EscrowCancel after the deadline.
- Operator identity is not KYC, quality or payment permission. Shared payer and visitor caps; cold installs depend on npm and faucet latency.
- Registry publication, Mac signing, regulated custody, screening, KYB and licensing work remain. Run-specific substitutions are labelled with their evidence.

collaboration95.github.io/theFastandtheFungible/try/

Paid on delivery.
Proven on the ledger.