

LARAVEL

☁ Deploy Laravel with the infinite scale of serverless using [Laravel Vapor](#).


[Forge](#)[Vapor](#)[Ecosystem](#) ▾[News](#)[Partners](#)[Shop](#)[DOCUMENTATION](#)

The PHP Framework for Web Artisans



Laravel is a web application framework with expressive, elegant syntax. We've already laid the foundation — freeing you to create without sweating the small things.

[GET STARTED](#)[WATCH LARACASTS](#)



Laravel


Laravel é um Framework PHP utilizado para o desenvolvimento web, que **utiliza a arquitetura MVC** e tem como principal característica ajudar a desenvolver aplicações seguras e performáticas de forma rápida, com código limpo e simples, já que ele incentiva o uso de boas práticas de programação e utiliza o padrão PSR-2 como guia para estilo de escrita do código.



CAMADA DE VISUALIZAÇÃO

- A camada de visualização padrão do Laravel é composta de modelos Blade simples estilizados com Tailwind CSS .
- O Laravel pode estruturar seu aplicativo usando Vue ou React e Inertia .





Inertia.js v1.0 has been released! [Upgrade guide](#) [Legacy docs](#)

inertia >> THE MODERN MONOLITH

Search   

Build single-page apps, without building an API.

Create **modern single-page React, Vue, and Svelte apps** using classic server-side routing. Works with any backend — tuned for Laravel.

```
UsersController.php  Users.vue

class UsersController
{
    public function index()
    {
        $users = User::active()
            ->orderBy('name')
            ->get(['id', 'name', 'email']);

        return Inertia::render('Users', [
            'users' => $users
        ]);
    }
}
```


The **Progressive** JavaScript Framework


An approachable, performant and versatile framework for building web user interfaces.

 Why Vue

Get Started →

Install





BANCO DE DADOS

- primeiro, você deve [criar uma nova aplicação Laravel](#) , configurar seu banco de dados e executar suas [migrações de banco de dados](#) .
- IREMOS UTILIZAR O SGBD LOCAL XAMPP versão 7:
- <https://www.apachefriends.org/download.html>

NPM

(Node.js® é um ambiente de tempo de execução JavaScript de plataforma cruzada)

- pode ser utilizado em diferentes plataformas, como Windows, [Linux](#), macOS e muitas outras. Para utilizá-lo, entretanto, **é preciso realizar a instalação do Node.js**, já que o NPM é um recurso disponível nessa ferramenta.:
- <https://nodejs.org/en/download>

The screenshot shows the Node.js download page with two main sections: LTS (Recommended For Most Users) and Current (Latest Features). Under LTS, there are links for Windows Installer (.msi), Windows Binary (.zip), macOS Installer (.pkg), macOS Binary (.tar.gz), Linux Binaries (x64), Linux Binaries (ARM), and Source Code. Under Current, there are links for Windows Installer (.msi), macOS Installer (.pkg), and Source Code. A table below lists the download links for various architectures.

| Architecture | Download Link |
|--------------|-----------------------------------|
| 32-bit | node-v12.18.4-win32-x86.msi |
| 64-bit | node-v12.18.4-win64-x64.msi |
| 32-bit | node-v12.18.4-win32-x86.zip |
| 64-bit | node-v12.18.4-win64-x64.zip |
| 64-bit | node-v12.18.4-darwin-arm64.pkg |
| 64-bit | node-v12.18.4-darwin-x64.pkg |
| 64-bit | node-v12.18.4-linux-arm64.tar.gz |
| 64-bit | node-v12.18.4-linux-x64.tar.gz |
| ARMv7 | node-v12.18.4-linux-armv7l.tar.gz |
| ARMv8 | node-v12.18.4-linux-arm64.tar.gz |



COMPOSER

- O Composer é uma ferramenta para gerenciamento de pacotes em PHP.
- Seu principal objetivo é facilitar a administração das bibliotecas do seu projeto, instalando-as e atualizando-as automaticamente.
- <https://getcomposer.org/>

```

C:\xampp\htdocs>composer create-project --prefer-dist laravel/laravel hdcevents
Creating a "laravel/laravel" project at "./hdcevents"
Info from https://repo.packagist.org: #StandWithUkraine
Cannot use laravel/laravel's latest version v10.2.6 as it requires php ^8.1 which is not satisfied by your platform.
Installing laravel/laravel (v8.6.12)
- Installing laravel/laravel (v8.6.12): Extracting archive
Created project in C:\xampp\htdocs\hdcevents
> @php -r "file_exists('.env') || copy('.env.example', '.env');"
Loading composer repositories with package information
Updating dependencies
Lock file operations: 103 installs, 0 updates, 0 removals
- Locking asm89/stack-cors (v2.1.1)
- Locking brick/math (0.9.3)
- Locking doctrine/inflector (2.0.8)
- Locking doctrine/instantiator (1.5.0)
- Locking doctrine/lexer (1.2.3)
- Locking dragonmantank/cron-expression (v3.3.3)
- Locking egulias/email-validator (2.1.25)
- Locking f...

```

PROJETO

- UTILIZE O PROMPT DE COMANDO:
- Acesse a pasta do projeto:
- Execute o comando:
- **composer create-project --prefer-dist laravel/laravel hdcevents**


```
> @php artisan vendor:publish --tag=laravel-assets --ansi --force
No publishable resources for tag [laravel-assets].
Publishing complete.
No security vulnerability advisories found
> @php artisan key:generate --ansi
Application key set successfully.
```

```
C:\xampp\htdocs>dir
O volume na unidade C não tem nome.
O Número de Série do Volume é 0097-D1BD
```

Pasta de C:\xampp\htdocs

| | | | |
|------------|-------|--------------|----------------------------------|
| 27/08/2023 | 12:50 | <DIR> | . |
| 27/08/2023 | 12:50 | <DIR> | .. |
| 17/08/2023 | 19:51 | <DIR> | agendamentos |
| 27/08/2019 | 11:02 | | 3.607 applications.html |
| 27/08/2019 | 11:02 | | 177 bitnami.css |
| 25/08/2023 | 12:05 | <DIR> | conexaobd |
| 25/07/2022 | 03:24 | <DIR> | dashboard |
| 16/07/2015 | 12:32 | | 30.894 favicon.ico |
| 27/08/2023 | 12:50 | <DIR> | hdcevents |
| 25/07/2022 | 03:24 | <DIR> | img |
| 16/07/2015 | 12:32 | | 260 index.php |
| 25/08/2023 | 12:38 | <DIR> | login |
| 25/08/2023 | 11:32 | <DIR> | loginSemBanco |
| 17/08/2023 | 19:55 | <DIR> | pwagendamentos |
| 25/07/2022 | 03:24 | <DIR> | webalizer |
| 25/07/2022 | 03:24 | <DIR> | xampp |
| | | 4 arquivo(s) | 34.938 bytes |
| | | 12 pasta(s) | 66.881.650.688 bytes disponíveis |

```
C:\xampp\htdocs>cd hdcevents
```





Documentation

Laravel has wonderful, thorough documentation covering every aspect of the framework. Whether you are new to the framework or have previous experience with Laravel, we recommend reading all of the documentation from beginning to end.



Laracasts

Laracasts offers thousands of video tutorials on Laravel, PHP, and JavaScript development. Check them out, see for yourself, and massively level up your development skills in the process.



Laravel News

Laravel News is a community driven portal and newsletter aggregating all of the latest and most important news in the Laravel ecosystem, including new package releases and tutorials.




Vibrant Ecosystem

Laravel's robust library of first-party tools and libraries, such as [Forge](#), [Vapor](#), [Nova](#), and [Envoyer](#) help you take your projects to the next level. Pair them with powerful open source libraries like [Cashier](#), [Dusk](#), [Echo](#), [Horizon](#), [Sanctum](#), [Telescope](#), and more.

DATABASE CONFIGURAÇÃO


ABRA A IDE DE PROGRAMAÇÃO

- configurar na PASTA ENV.




```
.env
1 APP_NAME=Laravel
2 APP_ENV=local
3 APP_KEY=base64:1XRp8Pn/7IuStXsvyPLj99ImsjZoiK9Q8odfKgk30AQ=
4 APP_DEBUG=true
5 APP_URL=http://localhost
6
7 LOG_CHANNEL=stack
8 LOG_DEPRECATIONS_CHANNEL=null
9 LOG_LEVEL=debug
10
11 DB_CONNECTION=mysql
12 DB_HOST=127.0.0.1
13 DB_PORT=3306
14 DB_DATABASE=hdcevents
15 DB_USERNAME=root
16 DB_PASSWORD=
17
18 BROADCAST_DRIVER=log
19 CACHE_DRIVER=file
20 FILESYSTEM_DRIVER=local
21 QUEUE_CONNECTION=sync
22 SESSION_DRIVER=file
```

PS C:\xampp\htdocs\hdcevents> php artisan serve
Starting Laravel development server: http://127.0.0.1:8000
[Sun Aug 27 12:58:25 2023] 127.0.0.1:50517 [200]: /favicon.ico



Php artisan migrate



The screenshot shows an IDE with the Explorer panel on the left displaying the project structure. The file explorer is expanded to show the 'migrations' directory, which contains several migration files. The main editor window displays the '.env' file with the following configuration:

```
.env
1 APP_NAME=Laravel
2 APP_ENV=local
3 APP_KEY=base64:lXRp8Pn/7IuStXsvyPLj99ImSJZoiK9QB0dfKgk30AQ=
4 APP_DEBUG=true
5 APP_URL=http://localhost
6
7 LOG_CHANNEL=stack
8 LOG_DEPRECATIONS_CHANNEL=null
9 LOG_LEVEL=debug
10
11 DB_CONNECTION=mysql
12 DB_HOST=127.0.0.1
13 DB_PORT=3306
14 DB_DATABASE=hdcevents
15 DB_USERNAME=root
16 DB_PASSWORD=
17
18 BROADCAST_DRIVER=log
19 CACHE_DRIVER=file
20 FILESYSTEM_DRIVER=local
21 QUEUE_CONNECTION=sync
22 SESSION_DRIVER=file
```

The bottom panel shows the terminal output of the command `php artisan migrate`. The output indicates that the migration table was created successfully and that the migrations were executed successfully.

```
PS C:\xampp\htdocs\hdcevents> php artisan migrate
Migration table created successfully.
Migrating: 2014_10_12_000000_create_users_table
Migrated: 2014_10_12_000000_create_users_table (56.78ms)
Migrating: 2014_10_12_100000_create_password_resets_table
```

localhost / 127.0.0.1 / hdcevents

localhost/phpmyadmin/index.php?route=/database/structure&server=1&db=hdcevents

CENTRO PAULA SO...REDE ESTADUALEMAIL/CLOUDAPLICATIVOS INFO...SITES MODELOS...MESTRADO/FACUL...buscatextual.cnpq.b...Cursos online - apr...* Turmas | Khan Ac...

phpMyAdmin

Recente Favoritos

Novo

agendamentos-k

aula

bd_php5

hdcevents

Nova

failed_jobs

migrations

password_resets

personal_access_tokens

users

information_schema

laravel-10-breeze

mysql

performance_schema

phpmyadmin

projetoweb

test

Servidor: 127.0.0.1 Banco de dados: hdcevents

EstruturaSQLPesquisarPesquisa por formulárioExportarImportarOperaçõesPrivilégiosRotinasEventos

Filtros

Contendo a palavra:

| Tabela | Acções | Registos | Tipo | Agrupamento (Collation) | Tamanho | Suspensão |
|---|--|----------|--------|-------------------------|----------|-----------|
| <input type="checkbox"/> failed_jobs | ★ Procurar Estrutura Pesquisar Inserir Limpar Eliminar | 0 | InnoDB | utf8mb4_unicode_ci | 32.0 KB | - |
| <input type="checkbox"/> migrations | ★ Procurar Estrutura Pesquisar Inserir Limpar Eliminar | 4 | InnoDB | utf8mb4_unicode_ci | 16.0 KB | - |
| <input type="checkbox"/> password_resets | ★ Procurar Estrutura Pesquisar Inserir Limpar Eliminar | 0 | InnoDB | utf8mb4_unicode_ci | 32.0 KB | - |
| <input type="checkbox"/> personal_access_tokens | ★ Procurar Estrutura Pesquisar Inserir Limpar Eliminar | 0 | InnoDB | utf8mb4_unicode_ci | 48.0 KB | - |
| <input type="checkbox"/> users | ★ Procurar Estrutura Pesquisar Inserir Limpar Eliminar | 0 | InnoDB | utf8mb4_unicode_ci | 32.0 KB | - |
| 5 tabelas | Soma | 4 | InnoDB | utf8mb4_general_ci | 160.0 KB | 0 Bytes |

↑

☐ Marcar todos


Com os seleccionados:

ImprimirDicionário de dados

Criar tabela

Nome: Número de colunas: 4

Executar



CRIANDO MIGRATION

- `php artisan make:migration create_produtos_tabela`

File Edit Selection View Go Run ...

hdcevents

EXPLORER

HDCEVENTS

app

Console

Exceptions

Http

Models

Providers

bootstrap

config

database

factories

migrations

2014_10_12_000000_create_users_table.php

2014_10_12_100000_create_password_resets_table.php

2019_08_19_000000_create_failed_jobs_table.php

2019_12_14_000001_create_personal_access_tokens_table.php

2023_08_27_171730_create_produtos_tabela.php

seeders

.gitignore

public

resources

routes

storage

tests

vendor

.editorconfig

.env

OUTLINE

TIMELINE

.env

2023_08_27_171730_create_produtos_tabela.php

database > migrations > 2023_08_27_171730_create_produtos_tabela.php

```
1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 class CreateProdutosTabela extends Migration
8 {
9     /**
10      * Run the migrations.
11      *
12      * @return void
13      */
14     public function up()
15     {
16         Schema::create('produtos_tabela', function (Blueprint $table) {
17             $table->id();
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

powershell

+

+

+

+

```
PS C:\xampp\htdocs\hdcevents> php artisan migrate
Migrating: 2014_10_12_000000_create_users_table
Migrated: 2014_10_12_000000_create_users_table (56.78ms)
PS C:\xampp\htdocs\hdcevents> php artisan make:migration create_produtos_tabela
Created Migration: 2023_08_27_171730_create_produtos_tabela
PS C:\xampp\htdocs\hdcevents> PHP ARTISAN MIGRATE:STATUS
```

| Ran? | Migration | Batch |
|------|---|-------|
| Yes | 2014_10_12_000000_create_users_table | 1 |
| Yes | 2014_10_12_100000_create_password_resets_table | 1 |
| Yes | 2019_08_19_000000_create_failed_jobs_table | 1 |
| Yes | 2019_12_14_000001_create_personal_access_tokens_table | 1 |
| No | 2023_08_27_171730_create_produtos_tabela | |

> Console
> Exceptions
> Http
> Models
> Providers
> bootstrap
> config
▼ database
 > factories
 ▼ migrations
 🐞 2014_10_12_000000_create_users_table.php
 🐞 2014_10_12_100000_create_password_resets_table.php
 🐞 2019_08_19_000000_create_failed_jobs_table.php
 🐞 2019_12_14_000001_create_personal_access_tokens_table.php
 🐞 2023_08_27_171730_create_produtos_tabela.php
 > seeders
 🔹 .gitignore
 > public
 > resources
 > routes
 > storage
 > tests
 > vendor
 ⚙️ .editorconfig
 ⚙️ .env

 > OUTLINE
 > TIMELINE

```
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 class CreateProdutosTabela extends Migration
8 {
9     /**
10      * Run the migrations.
11      *
12      * @return void
13      */
14     public function up()
15     {
16         Schema::create('produtos_tabela', function (Blueprint $table) {
17             $table->id();
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

migrate:install Create the migration repository
migrate:refresh Reset and re-run all migrations
migrate:reset Rollback all database migrations
migrate:rollback Rollback the last database migration
migrate:status Show the status of each migration.


PS C:\xampp\htdocs\hdcevents> **PHP ARTISAN MIGRATE:FRESH**
Dropped all tables successfully.
Migration table created successfully.
Migrating: 2014_10_12_000000_create_users_table
Migrated: 2014_10_12_000000_create_users_table (46.81ms)
Migrating: 2014_10_12_100000_create_password_resets_table
Migrated: 2014_10_12_100000_create_password_resets_table (66.10ms)
Migrating: 2019_08_19_000000_create_failed_jobs_table

Contendo a palavra:

Contendo a palavra:

| Tabela | Acções | Registos | Tipo | Agrupamento (Collation) | Tamanho | Suspensão |
|---|---|----------|--------|-------------------------|----------|-----------|
| <input type="checkbox"/> failed_jobs | ★ Procurar Estrutura Pesquisar Insere Limpa Elimina | 0 | InnoDB | utf8mb4_unicode_ci | 32.0 KB | - |
| <input type="checkbox"/> migrations | ★ Procurar Estrutura Pesquisar Insere Limpa Elimina | 4 | InnoDB | utf8mb4_unicode_ci | 16.0 KB | - |
| <input type="checkbox"/> password_resets | ★ Procurar Estrutura Pesquisar Insere Limpa Elimina | 0 | InnoDB | utf8mb4_unicode_ci | 32.0 KB | - |
| <input type="checkbox"/> personal_access_tokens | ★ Procurar Estrutura Pesquisar Insere Limpa Elimina | 0 | InnoDB | utf8mb4_unicode_ci | 48.0 KB | - |
| <input type="checkbox"/> users | ★ Procurar Estrutura Pesquisar Insere Limpa Elimina | 0 | InnoDB | utf8mb4_unicode_ci | 32.0 KB | - |
| 5 tabelas | Soma | 4 | InnoDB | utf8mb4_general_ci | 160.0 KB | 0 Bytes |

☐ Marcar todos

Com os seleccionados: 

 Imprimir Dicionário de dados

 Criar tabela

| | | | |
|-------|--|---------------------|---|
| Nome: | | Número de columnas: | 4 |
|-------|--|---------------------|---|

Executar

Exercício 1

CRIAR UM SITE PHP UTILIZANDO FRAMEWORK LARAVEL.

RECOMENDAÇÃO:

CURSO DE LARAVEL MATHEUS BATTISTI


<https://www.youtube.com/playlist?list=PLnDvRpP8BnewYKI1n2chQrrR4EYiJKbUG>



LARAVEL BREEZE

O Laravel Breeze é um pacote de autenticação minimalista para o Laravel, um framework PHP de código aberto amplamente utilizado para o desenvolvimento de aplicações web.

O Breeze oferece autenticação pronta para uso, incluindo registro, login, recuperação de senha e muito mais



LARAVEL BREEZE

Em seguida, instale o pacote Laravel Breeze

composer require laravel/breeze --dev

```
composer require laravel/breeze --dev
```

```
php artisan breeze:install
```


```
php artisan migrate
```

```
php artisan breeze:install
```

```
php artisan migrate
```

```
npm install
```

```
npm run dev
```

```
13  | */
14  | public function up()
15  | {
16  |     Schema::create('produtos_tabela', function (Blueprint $table) {
17  |         $table->id();
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL powershell + v [] [] ... ^ x

```
PS C:\xampp\htdocs\hdcevents> cd breeze
cd : Não é possível localizar o caminho 'C:\xampp\htdocs\hdcevents\breeze' porque ele não existe.
No linha:1 caractere:1
+ cd breeze
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (C:\xampp\htdocs\hdcevents\breeze:String) [Set-Location], ItemNotFoundE
xception
+ FullyQualifiedErrorId : PathNotFound,Microsoft.PowerShell.Commands.SetLocationCommand

PS C:\xampp\htdocs\hdcevents> php artisan breeze:install
Breeze scaffolding installed successfully.
Please execute the "npm install" && "npm run dev" commands to build your assets.
PS C:\xampp\htdocs\hdcevents>
```

LARAVEL BREEZE

Após a instalação, execute estes comandos para compilar os ativos.

Php artisan breeze:install

EXPLORE

HDCEVENTS

app

> Console

> Exceptions

> Http

> Models

> Providers

> View

bootstrap

config

database

public

resources

routes

storage

> app

> framework

> logs

tests

vendor

.editorconfig

.env

env.example

gitattributes

gitignore

styleci.yml

artisan

OUTLINE

TIMELINE

0

hdcevents

2023_08_27_171730_create_produtos_tabela.php

database > migrations > 2023_08_27_171730_create_produtos_tabela.php

```
1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 class CreateProdutosTabela extends Migration
8 {
9     /**
10      * Run the migrations.
11      *
12      * @return void
13      */
14     public function up()
15     {
16         Schema::create('produtos_tabela', function (Blueprint $table) {
17             $table->id();
18         });
19     }
20 }
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

node

PS C:\xampp\htdocs\hdcevents> cd breeze

cd : Não é possível localizar o caminho 'C:\xampp\htdocs\hdcevents\breeze' porque ele não existe.

No linha:1 caractere:1

+ cd breeze

+ ~~~~~

+ CategoryInfo : ObjectNotFound: (C:\xampp\htdocs\hdcevents\breeze:String) [Set-Location], ItemNotFound

+ Exception : System.IO.DirectoryNotFoundException: Não é possível localizar o caminho 'C:\xampp\htdocs\hdcevents\breeze' porque ele não existe.

+ Full Name : Microsoft.PowerShell.Commands.SetLocationCommand

PS C:\xampp\htdocs\hdcevents> php artisan breeze:install

breeze scaffolding installed successfully.


Please execute the "npm install" && "npm run dev" commands to build your assets.

PS C:\xampp\htdocs\hdcevents> npm install


[.....] \idealTree:hdcevents: sill idealTree buildDeps

Ln 18, Col 13 Spaces: 4 UTF-8 LF PHP


NPM RUN DEV



Depois de compilado mostra o LOGIN



DASHBOARD LOGADO



A screenshot of a web browser showing the Laravel registration page. The page has a light blue background with a white registration form in the center. The form includes fields for Name, Email, Password, and Confirm Password. The Name field is filled with "Taylor Otwell" and the Email field is filled with "taylor@laravel.com". The Password and Confirm Password fields are masked with dots. Below the form, there is a link for "Already registered?" and a "REGISTER" button.


Name
Taylor Otwell

Email
taylor@laravel.com

Password
••••••••

Confirm Password
••••••••

[Already registered?](#) **REGISTER**



A screenshot of the phpMyAdmin interface showing the 'users' table. The interface includes a sidebar with a database structure tree, a top navigation bar, and a main content area. The 'users' table is selected, and the 'SQL' tab is active. A message at the top indicates that 0 records are shown. Below the message, there is a table with columns: id, name, email, email_verified_at, password, and remember_token. One record is visible with the email 'teste@teste.com'.

Recente Favoritos

Novo
agendamentos-k
aula
bd_php5
hdcevents
Nova
failed_jobs
migrations
password_resets
personal_access_tokens
produtos_tabela
users
information_schema
laravel-10-breeze
mysql
performance_schema
phpmyadmin
projetoweb
test

localhost / 127.0.0.1 / hdcevents: x

localhost/phpmyadmin/index.php?route=/sql&server=1&db=hdcevents&table=users&pos=0

Procurar Estrutura SQL Pesquisar Inserir Exportar Importar Privilegios Operacoes Rastreamento

Selecionar 127.0.0.1 > Banco de dados: hdcevents > Tabela: users

A mostrar registros de 0 - 0 (1 total, A consulta demorou 0.0007 segundos.)

SELECT * FROM `users`

Perfis | Editar em linha | Editar | Explicar SQL | Criar código PHP | Atualizar

Mostrar tudo | Número de registros: 25 | Filtrar registros: Pesquisar esta tabela

Opções

| | id | name | email | email_verified_at | password | remember_token |
|--------|----|-------|-----------------|-------------------|---|----------------|
| Editar | 1 | teste | teste@teste.com | NULL | \$2y\$10\$2c0GIMJ72n7meUSdaihem58HlV8FaUVVW80ARxPL... | NULL |

Mostrar tudo | Número de registros: 25 | Filtrar registros: Pesquisar esta tabela

Operações resultantes das consultas

Imprimir Copiar para área de transferência Exportar Mostrar gráfico Criar visualização

Marcar este comando SQL

EXERCÍCIO 2

- CRIAR UM SITE COM LARAVEL BREEZE:
- CRIAR USUÁRIO;
- FAZER LOGIN;
- IR PARA PÁGINA WELCOME.PHP

