Introduction to Dynamic Optimization

Brian C. Jenkins

University of California, Irvine

February 12, 2019

Dynamic Optimization

A Two-Period Cake-Eating Problem

A person has some initial quantity of cake

A Two-Period Cake-Eating Problem

- A person has some initial quantity of cake
- The person receives utility from consuming cake in period 0 and in period 1 only.

A Two-Period Cake-Eating Problem

- A person has some initial quantity of cake
- The person receives utility from consuming cake in period 0 and in period 1 only.
- Problem: what is the optimal cake consumption path through periods 0 and 1?

• The person's utility in period 0 from consuming C_0 and C_1 is given by:

$$U(C_0, C_1) = \log C_0 + \beta \log C_1, \tag{1}$$

• The person's utility in period 0 from consuming C_0 and C_1 is given by:

$$U(C_0, C_1) = \log C_0 + \beta \log C_1,$$
 (1)

• *U* is an *intertemporal utility function* and log *C* is the *flow* of utility generated each period.

• The person's utility in period 0 from consuming C_0 and C_1 is given by:

$$U(C_0, C_1) = \log C_0 + \beta \log C_1, \tag{1}$$

- *U* is an *intertemporal utility function* and log *C* is the *flow* of utility generated each period.
- $0 \leqslant \beta \leqslant 1$ is the person's *subjective discount factor*.



• The utility function implies indifference curves of the form:

$$C_1 = e^{\frac{\bar{U} - \log C_0}{\beta}}, \tag{2}$$

where \bar{U} is some given level of utility.

 \bullet As long as 0 $<\beta<$ 1, the indifference curves are convex to the origin.

• Let K_t denote the quantity of cake available in period t with K_0 given.

- Let K_t denote the quantity of cake available in period t with K_0 given.
- The cake neither grows nor depreciates over time so the person faces the following budget constraints each period:

$$C_0 = K_0 - K_1 \tag{3}$$

$$C_1 = K_1 - K_2.$$
 (4)

 A boundary condition imposes a limit on the endpoint of the problem.

- A boundary condition imposes a limit on the endpoint of the problem.
- Since the person only consumes cake in periods 0 and 1, there
 is no value in leaving leftover cake at the end of period 1
 which implies the boundary condition:

$$K_2=0. (5)$$

• The boundary condition allows us to eliminate K_2 from the period 1 budget constraint:

$$C_0 = K_0 - K_1$$
 (6)
 $C_1 = K_1$.

$$C_1 = K_1. (7)$$

 The boundary condition allows us to eliminate K₂ from the period 1 budget constraint:

$$C_0 = K_0 - K_1 \tag{6}$$

$$C_1 = K_1. (7)$$

• Combine the two budget constraints to eliminate K_1 and obtain an *intertemporal budget constraint*:

$$C_1 = K_0 - C_0. \tag{8}$$



• The boundary condition allows us to eliminate K_2 from the period 1 budget constraint:

$$C_0 = K_0 - K_1 \tag{6}$$

$$C_1 = K_1. (7)$$

• Combine the two budget constraints to eliminate K_1 and obtain an *intertemporal budget constraint*:

$$C_1 = K_0 - C_0. \tag{8}$$

• Notice that the implied price of C_1 in terms of C_0 is 1.



• The person's problem is to choose C_0 , C_1 , K_1 , and K_2 to maximize his utility subject to the two budget constraints and the boundary condition.

- The person's problem is to choose C_0 , C_1 , K_1 , and K_2 to maximize his utility subject to the two budget constraints and the boundary condition.
- However, the problem can be simplified:

- The person's problem is to choose C_0 , C_1 , K_1 , and K_2 to maximize his utility subject to the two budget constraints and the boundary condition.
- However, the problem can be simplified:
 - ① Use the boundary condition to eliminate K_2 from the budget constraints.

- The person's problem is to choose C_0 , C_1 , K_1 , and K_2 to maximize his utility subject to the two budget constraints and the boundary condition.
- However, the problem can be simplified:
 - Use the boundary condition to eliminate K₂ from the budget constraints.
 - ② Then use the budget constraints to substitute C_0 and C_1 out of the utility function.

• The result is an unconstrained optimization problem in K_1 .

$$\max_{K_1} \log(K_0 - K_1) + \beta \log K_1, \tag{9}$$

• The result is an unconstrained optimization problem in K_1 .

$$\max_{K_1} \log(K_0 - K_1) + \beta \log K_1, \tag{9}$$

• Take the derivative with respect to K_1 and set the derivative equal to zero to obtain the *first-order* or *optimality* condition:

$$-\frac{1}{K_0 - K_1} + \frac{\beta}{K_1} = 0. {(10)}$$



• Solve for K_1 to find the optimal cake holding for period 1:

$$\left| K_1 = \frac{\beta}{1 - \beta} K_0 \right| \tag{11}$$

• Solve for K_1 to find the optimal cake holding for period 1:

$$K_1 = \frac{\beta}{1 - \beta} K_0 \tag{11}$$

• Cake in period 1 is proportional to initial cake value.

 Then use the budget constraints to infer optimal cake consumption each period:

$$C_0 = \frac{1 - 2\beta}{1 - \beta} K_0 \tag{12}$$

and:

$$C_1 = \frac{\beta}{1-\beta} K_0$$
 (13)

 Then use the budget constraints to infer optimal cake consumption each period:

$$C_0 = \frac{1 - 2\beta}{1 - \beta} K_0 \tag{12}$$

and:

$$C_1 = \frac{\beta}{1-\beta} K_0 \, . \tag{13}$$

• Notice that $C_0 + C_1 = K_0$ so all of the cake is eaten by the end.

