

```
##### Metricbeat Configuration Example
#####

# This file is an example configuration file highlighting only the most
common
# options. The metricbeat.reference.yml file from the same directory contains
all the
# supported options with more comments. You can use it as a reference.
#
# You can find the full configuration reference here:
# https://www.elastic.co/guide/en/beats/metricbeat/index.html

#===== Modules configuration
=====

metricbeat.config.modules:
  # Glob pattern for configuration loading
  path: ${path.config}/modules.d/*.yml

  # Set to true to enable config reloading
  reload.enabled: false

  # Period on which files under path should be checked for changes
  #reload.period: 10s

#===== Elasticsearch template setting
=====

setup.template.settings:
  index.number_of_shards: 1
  index.codec: best_compression
  #_source.enabled: false

#===== General
=====

# The name of the shipper that publishes the network data. It can be used to
group
# all the transactions sent by a single shipper in the web interface.
#name:

# The tags of the shipper are included in their own field with each
# transaction published.
#tags: ["service-X", "web-tier"]

# Optional fields that you can specify to add additional information to the
# output.
#fields:
#  env: staging

#===== Dashboards
=====

# These settings control loading the sample dashboards to the Kibana index.
Loading
# the dashboards is disabled by default and can be enabled either by setting
the
```

```

# options here or by using the `setup` command.
#setup.dashboards.enabled: false

# The URL from where to download the dashboards archive. By default this URL
# has a value which is computed based on the Beat name and version. For
released
# versions, this URL points to the dashboard archive on the
artifacts.elastic.co
# website.
#setup.dashboards.url:

#===== Kibana =====

# Starting with Beats version 6.0.0, the dashboards are loaded via the Kibana
API.
# This requires a Kibana endpoint configuration.
setup.kibana:
  host: "10.0.0.12:5601"

  # Kibana Host
  # Scheme and port can be left out and will be set to the default (http and
5601)
  # In case you specify and additional path, the scheme is required:
http://localhost:5601/path
  # IPv6 addresses should always be defined as: https://[2001:db8::1]:5601
  #host: "localhost:5601"

  # Kibana Space ID
  # ID of the Kibana Space into which the dashboards should be loaded. By
default,
  # the Default Space will be used.
  #space.id:

#===== Elastic Cloud
=====

# These settings simplify using Metricbeat with the Elastic Cloud
(https://cloud.elastic.co/).

# The cloud.id setting overwrites the `output.elasticsearch.hosts` and
# `setup.kibana.host` options.
# You can find the `cloud.id` in the Elastic Cloud web UI.
#cloud.id:

# The cloud.auth setting overwrites the `output.elasticsearch.username` and
# `output.elasticsearch.password` settings. The format is `:<pass>`.
#cloud.auth:

#===== Outputs
=====

# Configure what output to use when sending the data collected by the beat.

#----- Elasticsearch output -----
--
output.elasticsearch:
  # Array of hosts to connect to.

```

```

hosts: ["10.0.0.12:9200"]
username: "elastic"
password: "changeme"

# Optional protocol and basic auth credentials.
#protocol: "https"
#username: "elastic"
#password: "changeme"

#----- Logstash output -----
--
#output.logstash:
# The Logstash hosts
#hosts: ["localhost:5044"]

# Optional SSL. By default is off.
# List of root certificates for HTTPS server verifications
#ssl.certificate_authorities: ["/etc/pki/root/ca.pem"]

# Certificate for SSL client authentication
#ssl.certificate: "/etc/pki/client/cert.pem"

# Client Certificate Key
#ssl.key: "/etc/pki/client/cert.key"

#===== Processors
=====

# Configure processors to enhance or manipulate events generated by the beat.

processors:
- add_host_metadata: ~
- add_cloud_metadata: ~

#===== Logging
=====

# Sets log level. The default log level is info.
# Available log levels are: error, warning, info, debug
#logging.level: debug

# At debug level, you can selectively enable logging only for some
components.
# To enable all selectors use ["*"]. Examples of other selectors are "beat",
# "publish", "service".
#logging.selectors: ["*"]

#===== X-Pack Monitoring
=====

# metricbeat can export internal metrics to a central Elasticsearch
monitoring
# cluster. This requires xpack monitoring to be enabled in Elasticsearch.
The
# reporting is disabled by default.

# Set to true to enable the monitoring reporter.
#monitoring.enabled: false

```

```
# Sets the UUID of the Elasticsearch cluster under which monitoring data for
this
# Metricbeat instance will appear in the Stack Monitoring UI. If
output.elasticsearch
# is enabled, the UUID is derived from the Elasticsearch cluster referenced
by output.elasticsearch.
#monitoring.cluster_uuid:

# Uncomment to send the metrics to Elasticsearch. Most settings from the
# Elasticsearch output are accepted here as well.
# Note that the settings should point to your Elasticsearch *monitoring*
cluster.
# Any setting that is not set is automatically inherited from the
Elasticsearch
# output configuration, so if you have the Elasticsearch output configured
such
# that it is pointing to your Elasticsearch monitoring cluster, you can
simply
# uncomment the following line.
#monitoring.elasticsearch:

#===== Migration
=====

# This allows to enable 6.7 migration aliases
#migration.6_to_7.enabled: true
```