

Neovim Complete Field Guide

A practical, searchable map of the Vim language and the mappings declared in this checkout. Every custom row below is rebuilt from the current Lua configuration—new or changed keys replace the old documentation.

1 Find

Space f f opens files; Space f g searches project text.

2 Move

w / b move by word; / then n searches; gg / G jump in a file.

3 Change

Use operator + object: ciw changes a word, daw deletes a word.

4 Check

Space l f formats an LSP buffer; :w saves; Space l g opens LazyGit.

How to read this: *Space f f* means press Space, then f, then f. Context labels identify keys that only appear in Markdown, NvimTree, dashboard, or LSP-attached buffers.

Runtime audit completed: 160 described runtime mappings observed. The source inventory is the published command truth; runtime data is used as a cross-check.

Move precisely, then act

Mode	Key	Definition / action
Normal	<code>h j k l</code>	Move left / down / up / right.
Normal	<code>w b e</code>	Next word start / previous word start / word end.
Normal	<code>0 ^ \$</code>	Line start / first nonblank / line end.
Normal	<code>gg G</code>	First / last line of the file.
Normal	<code>f{char} ; ,</code>	Find on a line; repeat forward / backward.
Normal	<code>/text n N</code>	Search; next / previous result.
Normal	<code>Ctrl-o Ctrl-i</code>	Older / newer jump location.

Edit with operators & text objects

Mode	Key	Definition / action
Normal	d c y	Delete / change / yank; pair with a motion or object.
Normal	ciw daw yi"	Change inner word / delete a word / yank inside quotes.
Normal	i(a(ip ap	Inner / around parentheses; inner / around paragraph.
Normal	dd cc yy	Delete / change / yank a whole line.
Normal	p P	Paste after / before the cursor or line.
Normal	u Ctrl-r .	Undo / redo / repeat the last change.

Files, windows & working memory

Mode	Key	Definition / action
Command	<code>:e {file} :w :q</code>	Open file / save / quit.
Normal	<code>:b {buffer}</code>	Switch buffer by name or number.
Normal	<code>Ctrl-w h j k l</code>	Move between split windows.
Normal	<code>za zc zo</code>	Toggle / close / open a fold.
Normal	<code>m{a} '{a}</code>	Set a mark / jump to its line.
Normal	<code>q{a} q @a @@</code>	Record macro / stop / run / repeat macro.

Select, complete & inspect

Mode	Key	Definition / action
Visual	<code>v V Ctrl-v</code>	Character / line / block selection.
Normal	<code>]s [s z=</code>	Next misspelling / previous / suggestions.
Insert	<code>Ctrl-n Ctrl-p</code>	Built-in next / previous completion candidate.
Insert	<code>Ctrl-y Ctrl-e</code>	Accept / cancel built-in completion.
Normal	<code>:help {topic}</code>	Open built-in help; use Ctrl-] to follow tags.

Configured Tooling

Declared integrations are listed even when they do not expose a direct user mapping.

Tool / plugin	Status	Configuration source
3rd/image.nvim	Configured integration	image.lua
akinsho/bufferline.nvim	Configured integration	bufferlines.lua
akinsho/neotest-go	Configured integration	neotest.lua
antoinemadec/FixCursorHold.nvim	Configured integration	neotest.lua
b0o/SchemaStore.nvim	Configured integration	lsp.lua
CollinRobison/neotest-dotnet	Configured integration	neotest.lua
folke/todo-comments.nvim	Configured integration	todo-comments.lua
folke/tokyonight.nvim	Configured integration	tokyonight.lua
folke/which-key.nvim	Configured integration	which-key.lua
goolord/alpha-nvim	Configured integration	alpha.lua
haydenmeade/neotest-jest	Configured integration	neotest.lua
jakewvincent/mkdnflow.nvim	Configured integration	markdown.lua
jay-babu/mason-nvim-dap.nvim	Configured integration	mason-tools.lua
kdheepak/lazygit.nvim	Configured integration	lazygit.lua
lewis6991/gitsigns.nvim	Configured integration	gitsigns.lua

Configured Tooling · continued (16–30 of 57)

Collin's setup • Leader =

Space

Last regenerated:

2026-09-03

110 configured mappings

Declared integrations are listed even when they do not expose a direct user mapping.

Tool / plugin	Status	Configuration source
lukas-reineke/indent-blankline.nvim	Configured integration	indent-blankline.lua
marilari88/neotest-vitest	Configured integration	neotest.lua
mason-org/mason-lspconfig.nvim	Configured integration	lsp.lua
mason-org/mason-lspconfig.nvim	Configured integration	mason-tools.lua
mason-org/mason.nvim	Configured integration	mason-tools.lua
mfussenegger/nvim-dap	Configured integration	dap.lua
mfussenegger/nvim-lint	Configured integration	markdown.lua
neovim/nvim-lspconfig	Configured integration	lsp.lua
nvim-lua/plenary.nvim	Configured integration	todo-comments.lua
nvim-lua/plenary.nvim	Configured integration	lazygit.lua
nvim-lua/plenary.nvim	Configured integration	telescope.lua
nvim-lualine/lualine.nvim	Configured integration	lualine.lua
nvim-mini/mini.icons	Configured integration	mini-icon.lua
nvim-neotest/neotest	Configured integration	neotest.lua
nvim-neotest/neotest-python	Configured integration	neotest.lua

Configured Tooling · continued (31–45 of 57)

Declared integrations are listed even when they do not expose a direct user mapping.

Tool / plugin	Status	Configuration source
<code>nvim-neotest/neotest-vim-test</code>	Configured integration	<code>neotest.lua</code>
<code>nvim-neotest/nvim-nio</code>	Configured integration	<code>dap.lua</code>
<code>nvim-neotest/nvim-nio</code>	Configured integration	<code>neotest.lua</code>
<code>nvim-telescope/telescope-fzf-native.nvim</code>	Configured integration	<code>telescope.lua</code>
<code>nvim-telescope/telescope-project.nvim</code>	Configured integration	<code>telescope.lua</code>
<code>nvim-telescope/telescope.nvim</code>	Configured integration	<code>telescope.lua</code>
<code>nvim-tree/nvim-tree.lua</code>	Configured integration	<code>nvimtree.lua</code>
<code>nvim-tree/nvim-web-devicons</code>	Configured integration	<code>luafile.lua</code>
<code>nvim-tree/nvim-web-devicons</code>	Configured integration	<code>nvim-web-devicons.lua</code>
<code>nvim-tree/nvim-web-devicons</code>	Configured integration	<code>nvimtree.lua</code>
<code>nvim-tree/nvim-web-devicons</code>	Configured integration	<code>bufferlines.lua</code>
<code>nvim-treesitter/nvim-treesitter</code>	Configured integration	<code>image.lua</code>
<code>nvim-treesitter/nvim-treesitter</code>	Configured integration	<code>nvim-treesitter.lua</code>
<code>orjangj/neotest-ctest</code>	Configured integration	<code>neotest.lua</code>
<code>OXY2DEV/markview.nvim</code>	Configured integration	<code>markdown.lua</code>

Configured Tooling · continued (46–57 of 57)

Collin's setup • Leader =

Space

Last regenerated:

2026-09-03

110 configured mappings

Declared integrations are listed even when they do not expose a direct user mapping.

Tool / plugin	Status	Configuration source
rcarriga/nvim-dap-ui	Configured integration	dap.lua
rmagatti/auto-session	Configured integration	auto-session.lua
rouge8/neotest-rust	Configured integration	neotest.lua
stevearc/conform.nvim	Configured integration	markdown.lua
textDocument/codeLens	Configured integration	lsp.lua
textDocument/completion	Configured integration	lsp.lua
textDocument/inlayHint	Configured integration	lsp.lua
theHamsta/nvim-dap-virtual-text	Configured integration	dap.lua
vague-theme/vague.nvim	Configured integration	vague.lua
vim-test/vim-test	Configured integration	neotest.lua
windwp/nvim-autopairs	Configured integration	autopairs.lua
windwp/nvim-ts-autotag	Configured integration	nvim-treesitter.lua

Buffers & Windows

Extracted from `bufferlines.lua`.

Mode	Key	Action	Context
Normal	Shift-h	Previous buffer	Global
Normal	Shift-l	Next buffer	Global
Normal	Space bd	Close buffer	Global
Normal	Space bp	Pick buffer	Global

Debugging

Extracted from dap.lua.

Mode	Key	Action	Context
Normal	Space dB	Conditional breakpoint	Global
Normal	Space db	Toggle breakpoint	Global
Normal	Space dc	Continue	Global
Normal	Space de	Evaluate expression	Global
Normal	Space di	Step into	Global
Normal	Space d0	Step out	Global
Normal	Space do	Step over	Global
Normal	Space dp	Pause debug session	Global
Normal	Space dq	Terminate debug session	Global
Normal	Space dr	Restart debug session	Global
Normal	Space du	Toggle DAP UI	Global
Normal	Space dv	Toggle DAP virtual text	Global

Find & Navigate

Extracted from telescope.lua, todo-comments.lua.

Mode	Key	Action	Context
Normal	[t]	Previous todo comment	Global
Normal	]t	Next todo comment	Global
Normal	Space f/	Find in buffer	Global
Normal	Space fb	Find buffers	Global
Normal	Space fd	Find diagnostics	Global
Normal	Space ff	Find files	Global
Normal	Space fg	Find text	Global
Normal	Space fh	Find help	Global
Normal	Space fk	Find keymaps	Global
Normal	Space fL	Todo comments to location list	Global

Find & Navigate · continued (11–19 of 19)

Extracted from telescope.lua, todo-comments.lua.

Mode	Key	Action	Context
Normal	Space fp	Find project	Global
Normal	Space fR	Resume last picker	Global
Normal	Space fr	Find recent files	Global
Normal	Space fT	Todo comments to quickfix	Global
Normal	Space ft	Find todo comments	Global
Normal	Space fw	Find word under cursor	Global
Normal	Space gb	Git branches	Global
Normal	Space gc	Git commits	Global
Normal	Space gs	Git status	Global

Extracted from gitsigns.lua, lazygit.lua.

Mode	Key	Action	Context
Normal	[h]	Previous hunk	Global
Normal	]h	Next hunk	Global
Operator-pending	ih	Select hunk	Global
Visual	ih	Select hunk	Global
Normal	Space hB	Toggle line blame	Global
Normal	Space hb	Blame line	Global
Normal	Space hD	Diff against HEAD	Global
Normal	Space hd	Diff against index	Global
Normal	Space hi	Preview hunk inline	Global
Normal	Space hL	Hunks to location list	Global
Normal	Space hp	Preview hunk	Global
Normal	Space hQ	Repository hunks to quickfix	Global
Normal	Space hq	Hunks to quickfix	Global

Git · continued (14–25 of 25)

Extracted from gitsigns.lua, lazygit.lua.

Mode	Key	Action	Context
Normal	Space hR	Reset buffer	Global
Normal	Space hr	Reset hunk	Global
Visual	Space hr	Reset selection	Global
Normal	Space hS	Stage buffer	Global
Normal	Space hs	Stage hunk	Global
Visual	Space hs	Stage selection	Global
Normal	Space hU	Unstage buffer	Global
Normal	Space lG	LazyGit current file	Global
Normal	Space lg	LazyGit dashboard	Global
Normal	Space lL	LazyGit repository log	Global
Normal	Space ll	LazyGit file log	Global
Normal	Space uw	Toggle Git word diff	Global

LSP, Completion & Diagnostics

Extracted from lsp.lua.

Mode	Key	Action	Context
Normal	[d]	Previous diagnostic	LSP buffer (when attached)
Normal	]d	Next diagnostic	LSP buffer (when attached)
Insert	Ctrl-Space	Trigger LSP completion	LSP buffer (when attached)
Normal	Space lc	Toggle LSP completion	LSP buffer (when attached)
Normal	Space ld	Show diagnostic	LSP buffer (when attached)
Normal	Space lf	Format buffer	LSP buffer (when attached)
Normal	Space li	Toggle inlay hints	LSP buffer (when attached)
Normal	Space lr	Refresh C# code lenses	LSP buffer (when attached)
Normal	Space lt	Run C# code lens	LSP buffer (when attached)

Markdown

Extracted from markdown.lua.

Mode	Key	Action	Context
Normal	Space ma	Toggle format on save	Markdown buffer
Normal	Space mc	Toggle task	Markdown buffer
Visual	Space mc	Toggle task	Markdown buffer
Normal	Space md	Lint Markdown	Markdown buffer
Normal	Space mF	Unfold section	Markdown buffer
Normal	Space mf	Fold section	Markdown buffer
Normal	Space mh	Toggle hybrid preview	Markdown buffer
Normal	Space mL	Follow link	Markdown buffer

Markdown · continued (9–16 of 16)

Extracted from markdown.lua.

Mode	Key	Action	Context
Normal	Space mN	Previous link	Markdown buffer
Normal	Space mn	Next link	Markdown buffer
Normal	Space mp	Toggle preview	Markdown buffer
Normal	Space ms	Toggle preview split	Markdown buffer
Normal	Space mT	Toggle table mode	Markdown buffer
Normal	Space mt	Format table	Markdown buffer
Normal	Space mW	Add all project spelling words	Markdown buffer
Normal	Space mw	Add project spelling word	Markdown buffer

NvimTree

Extracted from nvimtree.lua.

Mode	Key	Action	Context
Normal	Space nc	Collapse nvim-tree	NvimTree
Normal	Space ne	Expand nvim-tree	NvimTree
Normal	Space nf	Reveal current file	NvimTree
Normal	Space nn	Focus nvim-tree	NvimTree
Normal	Space nr	Refresh nvim-tree	NvimTree
Normal	Space nt	Toggle nvim-tree	NvimTree

Personal Controls

Extracted from remap.lua, which-key.lua.

Mode	Key	Action	Context
Normal	<F2>	Toggle line numbers	Global
Normal	<F3>	Toggle relative line numbers	Global
Normal	Space ?	Buffer Local Keymaps (which-key)	Global
Normal	Space nh	Clear search highlights	Global

Testing

Extracted from `neotest.lua`.

Mode	Key	Action	Context
Normal	Space tA	Fallback: run test suite	Global
Normal	Space ta	Run test suite	Global
Normal	Space td	Debug nearest test	Global
Normal	Space tf	Run current file	Global
Normal	Space tn	Run nearest test	Global
Normal	Space to	Show test output	Global
Normal	Space ts	Toggle test summary	Global
Normal	Space tV	Fallback: run current file	Global
Normal	Space tv	Fallback: run nearest test	Global
Normal	Space tx	Stop test	Global

UI & Editing

Extracted from autopairs.lua, indent-blankline.lua.

Mode	Key	Action	Context
Normal	Space ua	Toggle autopairs	Global
Normal	Space ui	Toggle indent guides	Global
Normal	Space us	Toggle indent scope	Global

Workspaces & Sessions

Extracted from `auto-session.lua`.

Mode	Key	Action	Context
Normal	Space wr	Find session	Global
Normal	Space ws	Save session	Global