

Neovim Complete Field Guide

A practical, searchable map of the Vim language and the mappings declared in this checkout. Every custom row below is rebuilt from the current Lua configuration—new or changed keys replace the old documentation.

1 Find

Space f f opens files; Space f g searches project text.

2 Move

w / b move by word; / then n searches; gg / G jump in a file.

3 Change

Use operator + object: ciw changes a word, daw deletes a word.

4 Check

Space l f formats an LSP buffer; :w saves; Space l g opens LazyGit.

How to read this: Space f f means press Space, then f, then f. Context labels identify keys that only appear in Markdown, NvimTree, dashboard, or LSP-attached buffers.

Runtime cross-check: global 160, Markdown buffer 37, NvimTree buffer 74; LSP clients attached 0: 271 described runtime mappings observed. The source inventory is the published command truth; runtime data is used as a cross-check.

Move precisely, then act

Mode	Key	Definition / action
Normal	<code>h j k l</code>	Move left / down / up / right.
Normal	<code>w b e</code>	Next word start / previous word start / word end.
Normal	<code>0 ^ \$</code>	Line start / first nonblank / line end.
Normal	<code>gg G</code>	First / last line of the file.
Normal	<code>f{char} ; ,</code>	Find on a line; repeat forward / backward.
Normal	<code>/text n N</code>	Search; next / previous result.
Normal	<code>Ctrl-o Ctrl-i</code>	Older / newer jump location.

Edit with operators & text objects

Mode	Key	Definition / action
Normal	d c y	Delete / change / yank; pair with a motion or object.
Normal	ciw daw yi"	Change inner word / delete a word / yank inside quotes.
Normal	i(a(ip ap	Inner / around parentheses; inner / around paragraph.
Normal	dd cc yy	Delete / change / yank a whole line.
Normal	p P	Paste after / before the cursor or line.
Normal	u Ctrl-r .	Undo / redo / repeat the last change.

Files, windows & working memory

Mode	Key	Definition / action
Command	<code>:e {file} :w :q</code>	Open file / save / quit.
Normal	<code>:b {buffer}</code>	Switch buffer by name or number.
Normal	<code>Ctrl-w h j k l</code>	Move between split windows.
Normal	<code>za zc zo</code>	Toggle / close / open a fold.
Normal	<code>m{a} '{a}</code>	Set a mark / jump to its line.
Normal	<code>q{a} q @a @@</code>	Record macro / stop / run / repeat macro.

Select, complete & inspect

Mode	Key	Definition / action
Visual	v V Ctrl-v	Character / line / block selection.
Normal	]s [s z=	Next misspelling / previous / suggestions.
Insert	Ctrl-n Ctrl-p	Built-in next / previous completion candidate.
Insert	Ctrl-y Ctrl-e	Accept / cancel built-in completion.
Normal	:help {topic}	Open built-in help; use Ctrl-] to follow tags.

Configured Tooling

Declared integrations are listed even when they do not expose a direct user mapping.

Tool / plugin	Status	Configuration source
DAP adapter: codelldb	Configured integration	dap.lua
DAP adapter: debugpy	Configured integration	dap.lua
DAP adapter: delve	Configured integration	dap.lua
DAP adapter: netcoredbg	Configured integration	dap.lua
Executable: codelldb	Configured integration	dap.lua
Executable: dlv	Configured integration	dap.lua
Executable: nvr	Configured integration	set.lua
Executable: python	Configured integration	dap.lua
Executable: python3	Configured integration	dap.lua
Executable: uv	Configured integration	neotest.lua
Formatter: prettier	Configured integration	markdown.lua
Linter: markdownlint-cli2	Configured integration	markdown.lua
LSP server: basedpyright	Configured integration	lsp.lua
LSP server: jsonls	Configured integration	lsp.lua
LSP server: lua_ls	Configured integration	lsp.lua

Configured Tooling - part 2 of 5

Declared integrations are listed even when they do not expose a direct user mapping.

Tool / plugin	Status	Configuration source
LSP server: <code>roslyn_ls</code>	Configured integration	<code>lsp.lua</code>
LSP server: <code>yamlls</code>	Configured integration	<code>lsp.lua</code>
Plugin: <code>3rd/image.nvim</code>	Configured integration	<code>image.lua</code>
Plugin: <code>akinsho/bufferline.nvim</code>	Configured integration	<code>bufferlines.lua</code>
Plugin: <code>akinsho/neotest-go</code>	Configured integration	<code>neotest.lua</code>
Plugin: <code>antoinemadec/FixCursorHold.nvim</code>	Configured integration	<code>neotest.lua</code>
Plugin: <code>b0o/SchemaStore.nvim</code>	Configured integration	<code>lsp.lua</code>
Plugin: <code>CollinRobison/neotest-dotnet</code>	Configured integration	<code>neotest.lua</code>
Plugin: <code>folke/todo-comments.nvim</code>	Configured integration	<code>todo-comments.lua</code>
Plugin: <code>folke/tokyonight.nvim</code>	Configured integration	<code>tokyonight.lua</code>
Plugin: <code>folke/which-key.nvim</code>	Configured integration	<code>which-key.lua</code>
Plugin: <code>goolord/alpha-nvim</code>	Configured integration	<code>alpha.lua</code>
Plugin: <code>haydenmeade/neotest-jest</code>	Configured integration	<code>neotest.lua</code>
Plugin: <code>jakewvincent/mkdnflow.nvim</code>	Configured integration	<code>markdown.lua</code>
Plugin: <code>jay-babu/mason-nvim-dap.nvim</code>	Configured integration	<code>mason-tools.lua</code>

Configured Tooling - part 3 of 5

Declared integrations are listed even when they do not expose a direct user mapping.

Tool / plugin	Status	Configuration source
Plugin: kdheepak/lazygit.nvim	Configured integration	lazygit.lua
Plugin: lewis6991/gitsigns.nvim	Configured integration	gitsigns.lua
Plugin: lukas-reineke/indent-blankline.nvim	Configured integration	indent-blankline.lua
Plugin: marilari88/neotest-vitest	Configured integration	neotest.lua
Plugin: mason-org/mason-lspconfig.nvim	Configured integration	lsp.lua
Plugin: mason-org/mason-lspconfig.nvim	Configured integration	mason-tools.lua
Plugin: mason-org/mason.nvim	Configured integration	mason-tools.lua
Plugin: mfussenegger/nvim-dap	Configured integration	dap.lua
Plugin: mfussenegger/nvim-lint	Configured integration	markdown.lua
Plugin: neovim/nvim-lspconfig	Configured integration	lsp.lua
Plugin: nvim-lua/plenary.nvim	Configured integration	lazygit.lua
Plugin: nvim-lua/plenary.nvim	Configured integration	todo-comments.lua
Plugin: nvim-lua/plenary.nvim	Configured integration	telescope.lua
Plugin: nvim-lualine/lualine.nvim	Configured integration	lualine.lua
Plugin: nvim-mini/mini.icons	Configured integration	mini-icon.lua

Configured Tooling - part 4 of 5

Declared integrations are listed even when they do not expose a direct user mapping.

Tool / plugin	Status	Configuration source
Plugin: nvim-neotest/neotest	Configured integration	neotest.lua
Plugin: nvim-neotest/neotest-python	Configured integration	neotest.lua
Plugin: nvim-neotest/neotest-vim-test	Configured integration	neotest.lua
Plugin: nvim-neotest/nvim-nio	Configured integration	neotest.lua
Plugin: nvim-neotest/nvim-nio	Configured integration	dap.lua
Plugin: nvim-telescope/telescope-fzf-native.nvim	Configured integration	telescope.lua
Plugin: nvim-telescope/telescope-project.nvim	Configured integration	telescope.lua
Plugin: nvim-telescope/telescope.nvim	Configured integration	telescope.lua
Plugin: nvim-tree/nvim-tree.lua	Configured integration	nvimtree.lua
Plugin: nvim-tree/nvim-web-devicons	Configured integration	luafile.lua
Plugin: nvim-tree/nvim-web-devicons	Configured integration	nvimtree.lua
Plugin: nvim-tree/nvim-web-devicons	Configured integration	nvim-web-devicons.lua
Plugin: nvim-tree/nvim-web-devicons	Configured integration	bufferlines.lua
Plugin: nvim-treesitter/nvim-treesitter	Configured integration	image.lua
Plugin: nvim-treesitter/nvim-treesitter	Configured integration	nvim-treesitter.lua

Configured Tooling - part 5 of 5

Declared integrations are listed even when they do not expose a direct user mapping.

Tool / plugin	Status	Configuration source
Plugin: orjangj/neotest-ctest	Configured integration	neotest.lua
Plugin: OXY2DEV/markview.nvim	Configured integration	markdown.lua
Plugin: rcarriga/nvim-dap-ui	Configured integration	dap.lua
Plugin: rmagatti/auto-session	Configured integration	auto-session.lua
Plugin: rouge8/neotest-rust	Configured integration	neotest.lua
Plugin: stevearc/conform.nvim	Configured integration	markdown.lua
Plugin: textDocument/codeLens	Configured integration	lsp.lua
Plugin: textDocument/completion	Configured integration	lsp.lua
Plugin: textDocument/inlayHint	Configured integration	lsp.lua
Plugin: theHamsta/nvim-dap-virtual-text	Configured integration	dap.lua
Plugin: vague-theme/vague.nvim	Configured integration	vague.lua
Plugin: vim-test/vim-test	Configured integration	neotest.lua
Plugin: windwp/nvim-autopairs	Configured integration	autopairs.lua
Plugin: windwp/nvim-ts-autotag	Configured integration	nvim-treesitter.lua

Buffers & Windows

Extracted from `bufferlines.lua`.

Mode	Key	Action	Context
Normal	Shift-h	Previous buffer	Global
Normal	Shift-l	Next buffer	Global
Normal	Space bd	Close buffer	Global
Normal	Space bp	Pick buffer	Global

Dashboard

Extracted from `alpha.lua`.

Mode	Key	Action	Context
Normal	<code>e</code>	Dashboard: ene	Dashboard buffer
Normal	<code>ff</code>	Dashboard: Telescope find_files	Dashboard buffer
Normal	<code>fk</code>	Dashboard: Telescope keymaps	Dashboard buffer
Normal	<code>fp</code>	Dashboard: Telescope project project	Dashboard buffer
Normal	<code>fr</code>	Dashboard: Telescope oldfiles	Dashboard buffer
Normal	<code>fs</code>	Dashboard: Telescope live_grep	Dashboard buffer
Normal	<code>lg</code>	Dashboard: LazyGit	Dashboard buffer
Normal	<code>nt</code>	Dashboard: NvimTreeToggle	Dashboard buffer
Normal	<code>p</code>	Dashboard: Lazy	Dashboard buffer
Normal	<code>q</code>	Dashboard: qa	Dashboard buffer
Normal	<code>ss</code>	Dashboard: AutoSession search	Dashboard buffer

Debugging

Extracted from dap.lua.

Mode	Key	Action	Context
Normal	Space dB	Conditional breakpoint	Global
Normal	Space db	Toggle breakpoint	Global
Normal	Space dc	Continue	Global
Normal	Space de	Evaluate expression	Global
Normal	Space di	Step into	Global
Normal	Space d0	Step out	Global
Normal	Space do	Step over	Global
Normal	Space dp	Pause debug session	Global
Normal	Space dq	Terminate debug session	Global
Normal	Space dr	Restart debug session	Global
Normal	Space du	Toggle DAP UI	Global
Normal	Space dv	Toggle DAP virtual text	Global

Find & Navigate

Extracted from telescope.lua, todo-comments.lua.

Mode	Key	Action	Context
Normal	[t]	Previous todo comment	Global
Normal	]t	Next todo comment	Global
Normal	Space f/	Find in buffer	Global
Normal	Space fb	Find buffers	Global
Normal	Space fd	Find diagnostics	Global
Normal	Space ff	Find files	Global
Normal	Space fg	Find text	Global
Normal	Space fh	Find help	Global
Normal	Space fk	Find keymaps	Global
Normal	Space fL	Todo comments to location list	Global

Find & Navigate · part 2 of 2

Extracted from telescope.lua, todo-comments.lua.

Mode	Key	Action	Context
Normal	Space fp	Find project	Global
Normal	Space fR	Resume last picker	Global
Normal	Space fr	Find recent files	Global
Normal	Space fT	Todo comments to quickfix	Global
Normal	Space ft	Find todo comments	Global
Normal	Space fw	Find word under cursor	Global
Normal	Space gb	Git branches	Global
Normal	Space gc	Git commits	Global
Normal	Space gs	Git status	Global

Extracted from `gitsigns.lua`, `lazygit.lua`.

Mode	Key	Action	Context
Normal	[h]	Previous hunk	Global
Normal	]h	Next hunk	Global
Operator-pending	ih	Select hunk	Global
Visual	ih	Select hunk	Global
Normal	Space hB	Toggle line blame	Global
Normal	Space hb	Blame line	Global
Normal	Space hD	Diff against HEAD	Global
Normal	Space hd	Diff against index	Global
Normal	Space hi	Preview hunk inline	Global
Normal	Space hL	Hunks to location list	Global
Normal	Space hp	Preview hunk	Global
Normal	Space hQ	Repository hunks to quickfix	Global
Normal	Space hq	Hunks to quickfix	Global

Git · part 2 of 2

Extracted from gitsigns.lua, lazygit.lua.

Mode	Key	Action	Context
Normal	Space hR	Reset buffer	Global
Normal	Space hr	Reset hunk	Global
Visual	Space hr	Reset selection	Global
Normal	Space hS	Stage buffer	Global
Normal	Space hs	Stage hunk	Global
Visual	Space hs	Stage selection	Global
Normal	Space hU	Unstage buffer	Global
Normal	Space lG	LazyGit current file	Global
Normal	Space lg	LazyGit dashboard	Global
Normal	Space lL	LazyGit repository log	Global
Normal	Space ll	LazyGit file log	Global
Normal	Space uw	Toggle Git word diff	Global

LSP, Completion & Diagnostics

Extracted from lsp.lua.

Mode	Key	Action	Context
Normal	[d]	Previous diagnostic	Global
Normal	]d	Next diagnostic	Global
Normal	Space ld	Show diagnostic	Global
Insert	Ctrl-Space	Trigger LSP completion	LSP buffer (when attached)
Normal	Space lc	Toggle LSP completion	LSP buffer (when attached)
Normal	Space lf	Format buffer	LSP buffer (when attached)
Normal	Space li	Toggle inlay hints	LSP buffer (when attached)
Normal	Space lr	Refresh C# code lenses	LSP buffer (when attached)
Normal	Space lt	Run C# code lens	LSP buffer (when attached)

Markdown

Extracted from markdown.lua.

Mode	Key	Action	Context
Normal	Space ma	Toggle format on save	Global
Normal	Space mc	Toggle task	Global
Visual	Space mc	Toggle task	Global
Normal	Space md	Lint Markdown	Global
Normal	Space mF	Unfold section	Global
Normal	Space mf	Fold section	Global
Normal	Space mh	Toggle hybrid preview	Global
Normal	Space mL	Follow link	Global
Normal	Space mN	Previous link	Global
Normal	Space mn	Next link	Global

Markdown · part 2 of 2

Extracted from markdown.lua.

Mode	Key	Action	Context
Normal	Space mp	Toggle preview	Global
Normal	Space ms	Toggle preview split	Global
Normal	Space mT	Toggle table mode	Global
Normal	Space mt	Format table	Global
Normal	Space mW	Add all project spelling words	Global
Normal	Space mw	Add project spelling word	Global
Normal	Enter	Mkdnflow smart Enter	Markdown buffer
Insert	Enter	Mkdnflow smart Enter	Markdown buffer
Visual	Enter	Mkdnflow smart Enter	Markdown buffer

NvimTree

Extracted from nvimtree.lua.

Mode	Key	Action	Context
Normal	Space nc	Collapse nvim-tree	Global
Normal	Space ne	Expand nvim-tree	Global
Normal	Space nf	Reveal current file	Global
Normal	Space nn	Focus nvim-tree	Global
Normal	Space nr	Refresh nvim-tree	Global
Normal	Space nt	Toggle nvim-tree	Global

Personal Controls

Extracted from remap.lua, which-key.lua.

Mode	Key	Action	Context
Normal	<F2>	Toggle line numbers	Global
Normal	<F3>	Toggle relative line numbers	Global
Normal	Space ?	Buffer Local Keymaps (which-key)	Global
Normal	Space nh	Clear search highlights	Global

Testing

Extracted from `neotest.lua`.

Mode	Key	Action	Context
Normal	Space tA	Fallback: run test suite	Global
Normal	Space ta	Run test suite	Global
Normal	Space td	Debug nearest test	Global
Normal	Space tf	Run current file	Global
Normal	Space tn	Run nearest test	Global
Normal	Space to	Show test output	Global
Normal	Space ts	Toggle test summary	Global
Normal	Space tV	Fallback: run current file	Global
Normal	Space tv	Fallback: run nearest test	Global
Normal	Space tx	Stop test	Global

UI & Editing

Extracted from autopairs.lua, indent-blankline.lua.

Mode	Key	Action	Context
Normal	Space ua	Toggle autopairs	Global
Normal	Space ui	Toggle indent guides	Global
Normal	Space us	Toggle indent scope	Global

Workspaces & Sessions

Extracted from `auto-session.lua`.

Mode	Key	Action	Context
Normal	Space wr	Find session	Global
Normal	Space ws	Save session	Global