### Laikipia East district FCDRR-RTK Reports for August-2014



#### RTK FCDRR Report for Mary Immaculate Dispensary (Laikipia East) August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Mary Immaculate Dispensary (Laikipia East)	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15148	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Laikipia East	VCT	19		Patients <u>under</u> 5 years	0	0		
County:	Laikipia	PITC	20	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	14		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
	Other (Please Specify) Specify Here:		0	Microscopy	Patients aged 5-14 yrs	0	0		
					Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginni	Beginning	Beginning Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Positive Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	53	53	0	0	0	53	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	180	0	53	53	0	0	0	127	0	0	0
Confirmatory - First Response	50	28	0	6	3	3	0	0	16	0	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue						Positive	Negative	Stock	in 6 Months	Stock	Requested
Tie Breaker - Unigold	30	23	0	3	3	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Joseph K

# RTK FCDRR Report for Kalalu Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kalalu Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14659	Type of Service	No. of Tests Done	Test Category		No. of Tests Performed	No. Positive		
District:	Laikipia East	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Laikipia	PITC	24	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	16		Patients over 14 years	0	0		

Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity Received	Quantity Used	Tests	Laccas		tments	Closing	Qty Expiring	Days Out of	Qty Requested
Commodity	Issue	Balance			Done	Losses		Negative	Stock	in 6 Months	Stock	
Screening - Determine	100	0	0	40	40	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	200	0	40	40	0	0	0	160	0	0	0
Confirmatory - First Response	50	30	0	1	1	0	0	0	29	0	0	0
Tie Breaker - Unigold	30	42	20	2	2	0	0	0	60	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	E.Thiringi

#### **Health Commodities Management Platform**

Name of Facility:	Nanyuki Cottage Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15304	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Laikipia East	VCT	67		Patients <u>under</u> 5 years	0	0		
County:	Laikipia	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	2014 Blood Screening 0			Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
Specify		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Laccas	Adjus	tments	Closing	Qty Expiring	Days Out of	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	
Screening - Determine	100	0	0	67	67	0	0	0	0	0	0	0
Confirmatory - Unigold	50	31	0	3	3	0	0	0	28	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	150	0	0	0	0	0	0	83	0	0	100
Confirmatory - First Response	50	31	0	0	0	0	0	0	28	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

<sup>(1)</sup> Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	patrichia wambui

# RTK FCDRR Report for Ethi Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Ethi Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14480	Type of Service	No. of Tests Done	of Tests Done Test C		No. of Tests Performed	No. Positive		
District:	Laikipia East	VCT 0			Patients <u>under</u> 5 years	0	0		
County:	Laikipia	PITC	12	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commodity	Unit of Beginning	Quantity Quanti	Quantity	uantity Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	136	0	12	12	0	0	0	124	0	0	0
Confirmatory - Unigold	50	10	0	0	0	0	0	0	0	10	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0

Commodity	9	Quantity Q	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity		Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	pauline

# RTK FCDRR Report for Likii Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Likii Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15035	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		

District:		Laikipia East	VCT	66		Patients <u>under</u> 5 years	0	0
County:		Laikipia	PITC	5	RDT	Patients aged 5-14 yrs	0	0
	Beginning:	01st July 2014	PMTCT	9		Patients <u>over</u> 14 years	0	0
	Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
			Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
			Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	195	0	80	80	0	0	0	-80	0	0	0
Confirmatory - Unigold	50	1	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	200	0	0	0	0	0	0	115	0	0	0
Confirmatory - First Response	50	30	0	6	6	0	0	0	24	0	0	0
Tie Breaker - Unigold	30	21	0	0	0	0	0	0	21	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Lilian

### RTK FCDRR Report for Likii VCT August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Likii VCT	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	17539	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Laikipia East	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Laikipia	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
'		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity		Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	LUSSES		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	Quantity Quantity Tests	Adjustments		Closing	Hynirina	Days	Qty			
Commodity	Issue		Used	Used Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested	
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	This facility is no longer operational
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

### RTK FCDRR Report for Top Choice Maternity And Nursing Home August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Top Choice Maternity And Nursing Home	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15306	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Laikipia East	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Laikipia	PITC	41	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0		

Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning		Quantity	Tests	Tests Losses	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	0	0	41	41	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	150	0	0	0	0	0	0	109	0	0	0
Confirmatory - First Response	50	37	0	1	1	0	0	0	36	0	0	0
Tie Breaker - Unigold	30	20	0	2	2	0	0	0	18	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	nyaabane

#### **Health Commodities Management Platform**

Name of Facility:	Huruma Health Centre (Laikipia East)	Applicable to HIV Test Kits Only			Applicable to Malaria Testing Only						
MFL Code:	14553	Type of Service No. of Tests Done Te		Test	Category	No. of Tests Performed	No. Positive				
District:	Laikipia East	VCT	79		Patients <u>under</u> 5 years	0	0				
County:	Laikipia	PITC	145	RDT	Patients aged 5-14 yrs	0	0				
Beginning:	01st July 2014	PMTCT	16		Patients over 14 years	0	0				
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0				
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0				
		Specify Here:			Patients <u>over</u> 14 years	0	0				

Commodity	Unit of	Beginning	Quantity Quant Received Used	Quantity		Laccas	Adjus	Adjustments		Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance		Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	240	240	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	197	0	240	240	0	200	0	157	0	0	200
Confirmatory - First Response	50	23	0	11	11	0	0	0	12	0	0	30
Tie Breaker - Unigold	30	20	0	2	2	0	0	0	18	0	0	20
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

<sup>(1)</sup> Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Ann Njoki

### RTK FCDRR Report for Muramati Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Muramati Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15253	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Laikipia East	VCT	8		Patients <u>under</u> 5 years	0	0		
County:	Laikipia	PITC	2	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	13		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning		Quantity Quantity		Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	23	23	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	5	Quantity Received	Quantity Used	Tests	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue				Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	1	196	0	23	23	0	0	0	173	0	0	0
Confirmatory - First Response	50	27	0	2	2	0	0	0	25	0	0	0
Tie Breaker - Unigold	30	17	0	0	0	0	0	0	17	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

**Explaination of Losses and Adjustments** (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): 0 (2) F-CDRR for Laboratory Commodities (MOH 643): 0

Compiled by: E Manyara

### RTK FCDRR Report for Nanyuki District Hospital August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Nanyuki District Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15305	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			

District:	Laikipia East	VCT	600		Patients <u>under</u> 5 years	0	0
County:	Laikipia	PITC	500	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	200		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	100		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning		Quantity	Tests	Lossos	Adjustments Losses		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	1400	1400	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	3650	0	1400	1400	0	0	950	1300	0	0	3000
Confirmatory - First Response	50	90	0	30	30	0	0	0	60	0	0	240
Tie Breaker - Unigold	30	20	0	16	16	0	0	0	4	0	0	100
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Maina j c

### RTK FCDRR Report for Vuma VCT August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Vuma VCT	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15766	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Laikipia East	VCT	262		Patients <u>under</u> 5 years	0	0		
County:	Laikipia	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0	0 P		0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity		Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity		Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	82	0	262	262	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	150	0	180	180	0	100	0	70	0	0	300
Confirmatory - First Response	50	90	0	1	1	0	0	0	89	0	0	0
Tie Breaker - Unigold	30	60	0	1	1	0	0	0	59	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue Balance	Balance	Received	Used		Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	kinyua

# RTK FCDRR Report for Nturukuma Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Nturukuma Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15368	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Laikipia East	VCT	17		Patients <u>under</u> 5 years	0	0		
County:	Laikipia	PITC	12	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	1		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
	Specify Here:				Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
	Issue	Balance				Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	0	0	30	30	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	50	0	30	30	0	0	0	20	0	0	100
Confirmatory - First Response	50	30	0	4	4	0	0	0	26	0	0	0
Tie Breaker - Unigold	30	20	0	1	1	0	0	0	19	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Reuben W

# RTK FCDRR Report for Likii Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Likii Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	15035	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Laikipia East	VCT	75		Patients <u>under</u> 5 years	0	0
County:	Laikipia	PITC	54	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	8		Patients over 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Commodity Unit of Beginning Quantity Quantity Issue Balance Received Used	Beginning	Quantity	Ouantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity		Done		Positive	Negative	Stock	in 6 Months	Stock	Requested			
Screening - Determine	100	0	0	0	137	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	115	0	137	137	0	50	0	28	0	0	300
Confirmatory - First Response	30	24	0	5	5	0	0	0	19	0	0	30
Tie Breaker - Unigold	20	15	0	5	5	0	0	0	10	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Lilian

#### ×

### RTK FCDRR Report for Mary Immaculate Dispensary (Laikipia East) September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Mary Immaculate Dispensary (Laikipia East)	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	15148	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Laikipia East	VCT	23		Patients <u>under</u> 5 years	0	0	
County:	Laikipia	PITC	17	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	18		Patients <u>over</u> 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
'		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity		Beginning		Quantity Used	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty		Balance			Done	Lusses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	58	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	127	0	58	58	0	0	0	69	0	0	150
Confirmatory - First Response	30	22	0	4	4	0	0	0	18	0	0	0
Tie Breaker - Unigold	20	20	0	4	4	0	0	0	16	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Joseph K

### RTK FCDRR Report for Muramati Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Muramati Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15253	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Laikipia East	VCT	7		Patients <u>under</u> 5 years	0	0		
County:	Laikipia	PITC	2	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	7		Patients over 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	16	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	173	0	16	16	1	0	0	156	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Confirmatory - First Response	30	25	0	0	0	0	0	0	25	0	0	0
Tie Breaker - Unigold	20	17	0	0	0	0	0	0	17	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	E Manyara

# RTK FCDRR Report for Nturukuma Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Nturukuma Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	15368	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Laikipia East	VCT	2		Patients <u>under</u> 5 years	0	0	
County:	Laikipia	PITC	12	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	7		Patients over 14 years	0	0	

Ending: 31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
	Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	21	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	20	50	21	21	0	0	0	49	0	0	100
Confirmatory - First Response	30	26	0	1	1	0	0	0	25	0	0	0
Tie Breaker - Unigold	20	7	0	1	1	0	0	0	6	0	0	20

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Reuben W



### RTK FCDRR Report for Huruma Health Centre (Laikipia East) September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Huruma Health Centre (Laikipia East)	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14553	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Laikipia East	VCT	55		Patients <u>under</u> 5 years	0	0	
County:	Laikipia	PITC	65	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	14		Patients <u>over</u> 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients over 14 years	0	0	

Commodity	Unit of Beginning	Quantity Qua	Quantity	Tests	Tests Lesses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	134	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	157	0	134	134	0	100	0	123	0	0	200
Confirmatory - First Response	30	12	0	10	10	0	30	0	32	0	0	0
Tie Breaker - Unigold	20	18	0	0	0	0	0	0	18	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Ann Njoki

### RTK FCDRR Report for Kalalu Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kalalu Dispensary	Applicable to HIV Test	Kits Only		Applicable to M	Ialaria Testing Only	
MFL Code:	14659	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Laikipia East	VCT	12		Patients <u>under</u> 5 years	0	0
County:	Laikipia	PITC	2	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	13		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	34	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning	Quantity Quant	Quantity	Quantity Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	61	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	160	0	49	49	0	0	0	111	0	0	0
Confirmatory - First Response	30	29	0	2	2	0	0	0	27	0	0	0
Tie Breaker - Unigold	20	60	0	7	7	0	0	0	53	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Kimathi

#### ×

## RTK FCDRR Report for Top Choice Maternity And Nursing Home September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Top Choice Maternity And Nursing Home	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15306	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Laikipia East	VCT	11		Patients <u>under</u> 5 years	0	0		
County:	Laikipia	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	25		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity			Quantity Quantity		Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue Balan	Balance Receiv	Received	eived Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	36	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of Beginning Issue Balance	Quantity Qu	Quantity Tests	Tests	Tests Losses	Adjustments		Closing	Qty Expiring	Days	Qty	
Commodity		Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	108	0	36	36	0	0	0	72	0	0	50
Confirmatory - First Response	30	36	0	0	0	0	0	0	36	0	0	0
Tie Breaker - Unigold	20	28	0	0	0	0	0	0	28	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Rose

# RTK FCDRR Report for Likii VCT September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Likii VCT	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	17539	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Laikipia East	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Laikipia	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Beginning	Quantity Qua	Quantity	Tests	T. a. a. a. a.	Adjustments		Closing	Qty Expiring	Days	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	UI Doguested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	testing site is no longer operaional
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	



### RTK FCDRR Report for Ethi Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Ethi Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14480	Type of Service	No. of Tests Done Test		Category	No. of Tests Performed	No. Positive		
District:	Laikipia East	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Laikipia	PITC	6	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	6	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	124	0	6	6	0	0	0	118	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	30
Tie Breaker - Unigold	20	10	0	0	0	0	0	0	10	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	pauline

### RTK FCDRR Report for Nanyuki District Hospital September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Nanyuki District Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15305	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Laikipia East	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Laikipia	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients over 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning	Beginning	Quantity	Quantity	Tests	Locas	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	1300	0	1200	1200	0	2100	1800	400	0	0	5000
Confirmatory - First Response	30	60	0	70	70	0	50	0	40	0	0	600
Tie Breaker - Unigold	20	4	0	4	4	0	20	0	20	0	0	400

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Maina j c

# RTK FCDRR Report for Nanyuki Cottage Hospital September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Nanyuki Cottage Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15304	Type of Service	No. of Tests Done Test		Category	No. of Tests Performed	No. Positive		
District:	Laikipia East	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Laikipia	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	f Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue					LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	Quantity	ity Quantity Tests	Laccas	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses P	Positive	Negative	Stock	in 6 Months	Stock	Requested
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	81	0	72	72	0	0	0	9	0	0	200
Confirmatory - First Response	30	24	0	3	3	0	0	10	11	0	0	30
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	10 tests First Response given to lab
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	patrichia wambui

# RTK FCDRR Report for Vuma VCT September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Vuma VCT	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15766	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		

District:	Laikipia East	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Laikipia	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients over 14 years	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
							Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	70	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	89	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	Facility has not been operational for then month of August				
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0				
(2) F-CDRR for Laboratory Commodities (MOH 643):	0				
Compiled by:	kinyua				