Marani district FCDRR-RTK Reports for August-2014



RTK FCDRR Report for Sieka Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Sieka Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14083	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marani	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Kisii	PITC	442	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	27		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	469	469	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	97	0	469	469	0	400	0	28	0	0	2000
Confirmatory - First Response	50	84	0	8	8	0	0	0	76	0	0	0
Tie Breaker - Unigold	30	24	0	0	0	0	0	0	24	24	0	20

Commodity		Beginning	Beginning Quantity Balance Received	, ,	Tests Done Losses	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty	
		Balance				Lusses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	Got 400 KHB KITS FROM MARANI L4.
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	everlyne

RTK FCDRR Report for Eramba Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Eramba Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	13546	Type of Service	No. of Tests Done	Test	Test Category No. of Tests Performed		No. Positive			
District:	Marani	VCT	2		Patients <u>under</u> 5 years	0	0			
County:	Kisii	PITC	365	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	41		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)		Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commoditu	Unit of	Beginning	Quantity	Quantity	Tests	T. a. a. a. a.		tments	Closing	Qty Expiring	Days	Qty Requested
Commodity	Issue	Balance	Received	Used	Done	Losses		Negative	Stock	in 6 Months	Out of Stock	
Screening - Determine	100	0	0	408	408	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	64	0	408	408	0	0	0	6	0	0	1500
Confirmatory - First Response	50	76	0	3	3	0	0	0	73	0	0	30
Tie Breaker - Unigold	30	97	0	3	3	0	0	0	94	0	0	20
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	250 KHB GOTTEN FROM MARANI,50 FROM NYAGESENDA AND 50 FROM NYAGOTO.
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	john



RTK FCDRR Report for Isecha Health Centre August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Isecha Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	13623	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marani	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Kisii	PITC	480	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	11		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commoditu	Unit of	Beginning	Quantity	Quantity	Tests	T	_	tments	Closing	Qty Expiring	Days	Qty Requested
Commodity	Issue	Balance	Received	Used	Done	Losses		Negative	Stock	in 6 Months	Out of Stock	
Screening - Determine	100	0	0	491	491	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	165	0	498	498	0	500	0	167	0	0	1400
Confirmatory - First Response	50	111	0	5	5	0	0	0	96	0	0	0
Tie Breaker - Unigold	30	83	0	0	0	0	0	0	83	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	GOT 500 KHB FROM MANGA DH
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	justus

RTK FCDRR Report for Nyagoto Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Nyagoto Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	13876	Type of Service	Type of Service No of Lests Done Lest Category		No. of Tests Performed	No. Positive				
District:	Marani	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Kisii	PITC	526	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	15		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjus	Adjustments		Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	541	541	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	340	0	541	541	0	0	0	149	0	0	2000
Confirmatory - First Response	50	115	0	5	5	0	0	0	110	0	0	0
Tie Breaker - Unigold	30	4	0	1	1	0	0	0	3	0	0	50

Commodity	Unit of	Beginning	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance					Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	gOT 400 khb kits from mwanyagetinge and gave Eramba
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	isaiah maiko

onart for N

RTK FCDRR Report for Nyasore Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Nyasore Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	13943	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marani	VCT	3		Patients <u>under</u> 5 years	0	0			
County:	Kisii	PITC	6	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	8		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning Balance	Quantity	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue		Received			Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	32	0	17	17	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	368	0	17	17	0	0	0	351	0	0	0
Confirmatory - First Response	50	29	0	0	0	0	0	0	29	0	0	0
Tie Breaker - Unigold	30	40	0	0	0	0	0	0	40	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	ELIJAH

RTK FCDRR Report for Entanda Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Entanda Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	13545	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marani	VCT	20		Patients <u>under</u> 5 years	0	0
County:	Kisii	PITC	540	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	61		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests	Lossos	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue				Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	621	621	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	86	0	621	621	0	600	0	65	0	0	2000
Confirmatory - First Response	50	110	0	7	7	0	0	0	103	0	0	100
Tie Breaker - Unigold	30	18	0	0	0	0	0	0	18	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Emily

RTK FCDRR Report for Kegogi Health Centre August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kegogi Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	13662	Type of Service	No. of Tests Done Test Ca		Category	No. of Tests Performed	No. Positive			
District:	Marani	VCT	7		Patients <u>under</u> 5 years	0	0			
County:	Kisii	PITC	477	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	27		Patients over 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests	LOSSES	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue				Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	511	511	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	158	0	531	531	0	450	0	77	0	0	2000
Confirmatory - First Response	50	106	0	2	2	0	0	60	98	0	0	0
Tie Breaker - Unigold	30	16	0	0	0	0	0	0	16	0	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue						Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	got 450 KHB from Ogango and gave them 60 first response.
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Evans

RTK FCDRR Report for Marani District Hospital August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Marani District Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	13772	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marani	VCT	40		Patients <u>under</u> 5 years	0	0		
County:	Kisii	PITC	616	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	212		Patients over 14 years	0	0		

Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Lanna	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue					Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	868	868	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	2424	0	868	868	0	0	450	1106	0	0	5000
Confirmatory - First Response	50	297	0	27	27	0	0	90	180	0	0	400
Tie Breaker - Unigold	30	217	0	27	27	0	0	0	190	0	0	200
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	gave out 450 khb and 90 1st response
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	carolyne

Health Commodities Management Platform

Name of Facility:	Nyagesenda Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	13871	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marani	VCT	40		Patients <u>under</u> 5 years	0	0			
County:	Kisii	PITC	17	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	8		Patients over 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue					LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	65	65	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	317	0	65	65	0	0	100	152	0	0	1000
Confirmatory - First Response	50	28	0	3	3	0	0	0	25	0	0	120
Tie Breaker - Unigold	30	29	0	2	2	0	0	0	27	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	gave out 100 khb
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0

(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Alfred

RTK FCDRR Report for Entanda Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Entanda Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	13545	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marani	VCT	60		Patients <u>under</u> 5 years	0	0		
County:	Kisii	PITC	506	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	30		Patients over 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity Used	Tests Done	one Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance	Received				Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	596	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	65	1150	596	596	0	0	0	619	0	0	1700

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue						Positive	Negative	Stock	in 6 Months	Stock	Requested
Confirmatory - First Response	30	103	120	2	2	0	0	0	221	0	0	0
Tie Breaker - Unigold	20	18	20	0	0	0	0	0	38	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Eramba Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Eramba Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	13546	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marani	VCT	1		Patients <u>under</u> 5 years	0	0	
County:	Kisii	PITC	330	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	28		Patients over 14 years	0	0	

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Beginning Issue Balance	Quantity	Quantity	Tests	T. a. a. a. a.	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	359	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	6	400	359	359	0	0	0	47	0	0	1500
Confirmatory - First Response	30	73	30	2	2	0	0	0	101	0	0	0
Tie Breaker - Unigold	20	94	20	0	0	0	0	0	114	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	



RTK FCDRR Report for Isecha Health Centre September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Isecha Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	13623	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marani	VCT	4		Patients <u>under</u> 5 years	0	0	
County:	Kisii	PITC	458	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	20		Patients <u>over</u> 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of	Beginning	Quantity	Quantity Used	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received		Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	482	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	167	1150	484	484	0	0	0	833	0	0	1500
Confirmatory - First Response	30	96	120	2	2	0	0	0	214	0	0	0
Tie Breaker - Unigold	20	83	20	0	0	0	0	0	103	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Kegogi Health Centre September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kegogi Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	13662	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marani	VCT	21		Patients <u>under</u> 5 years	0	0	
County:	Kisii	PITC	539	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	27		Patients <u>over</u> 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients over 14 years	0	0	

Commodity	Unit of Beginning Issue Balance	Beginning	Quantity Received	Quantity Used	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty		Balance			Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	587	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	77	1150	587	587	0	0	0	640	0	0	2000
Confirmatory - First Response	30	82	120	10	10	0	0	0	192	0	0	0
Tie Breaker - Unigold	20	16	20	0	0	0	0	0	36	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Marani District Hospital September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Marani District Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	13772	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marani	VCT	89		Patients <u>under</u> 5 years	0	0	
County:	Kisii	PITC	533	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	80		Patients <u>over</u> 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients over 14 years	0	0	

Commodity	Unit of	Unit of Beginning Issue Balance	Quantity Q Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue						Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	702	0	0	0	0	0	0	0

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Laccas	Adjustments		Closing	Qty Expiring	Days	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	1400	4200	702	702	0	0	0	4898	0	0	5000
Confirmatory - First Response	30	180	420	8	8	0	0	0	592	0	0	400
Tie Breaker - Unigold	20	190	40	0	0	0	0	0	230	0	0	200

Explaination of Losses and Adjustments

Explanation of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	



RTK FCDRR Report for Nyagesenda Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Nyagesenda Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	13871	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			

District:	Marani	VCT	53		Patients <u>under</u> 5 years	0	0
County:	Kisii	PITC	10	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	24		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	87	87	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	152	400	87	87	0	0	0	465	0	0	500
Confirmatory - First Response	30	25	30	4	4	0	0	0	51	0	0	0
Tie Breaker - Unigold	20	18	20	0	0	0	0	0	38	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

Ministry of Health Health Commodities Management Platform

Name of Facility:	Nyagoto Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	13876	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marani	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Kisii	PITC	515	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	18		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	533	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	199	1500	533	533	0	0	0	1166	0	0	2000
Confirmatory - First Response	30	110	0	5	5	0	0	0	105	0	0	0
Tie Breaker - Unigold	20	3	20	0	0	0	0	0	23	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Nyasore Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Nyasore Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	13943	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marani	VCT	7		Patients <u>under</u> 5 years	0	0			
County:	Kisii	PITC	13	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	6		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of Beginning	Quantity Q	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	26	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	353	400	27	27	0	0	0	726	0	0	0
Confirmatory - First Response	30	29	30	0	0	0	0	0	59	29	0	0
Tie Breaker - Unigold	20	40	20	0	0	0	0	0	60	40	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Sieka Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Sieka Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14083	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marani	VCT	0	RDT	Patients <u>under</u> 5 years	0	0		
County:	Kisii	PITC	398		Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	37		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
·		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
							Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	0	0	0	435	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Commodity		Beginning	Quantity	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
		Balance	Received				Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	28	750	435	435	0	0	0	343	0	0	1400
Confirmatory - First Response	30	76	90	4	4	0	0	0	162	0	0	0
Tie Breaker - Unigold	20	20	20	0	0	0	0	0	40	20	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and	Λ
Consumables (MOH 642):	U

(2) F-CDRR for Laboratory Commodities (MOH 643): 0

Compiled by: