Marakwet East district FCDRR-RTK Reports for August-2014



RTK FCDRR Report for Tuturung Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Tuturung Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15756	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	5	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	15		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	13		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue			Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	296	0	33	33	0	0	0	276	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	one Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue						Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Willy

RTK FCDRR Report for Kamasia Health Center August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kamasia Health Center	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14670	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	4		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue						Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	197	0	4	4	0	0	0	193	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Roseline

RTK FCDRR Report for Maina Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Maina Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	15110	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet East	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue				Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	500	0	0	0	0	0	0	500	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Monica

RTK FCDRR Report for Kaparon Health Centre August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kaparon Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	16335	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marakwet East	VCT	31		Patients <u>under</u> 5 years	0	0	
County:	Elgeyo Marakwet	PITC	2	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st July 2014	PMTCT	13		Patients <u>over</u> 14 years	0	0	
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients over 14 years	0	0	

Commodity	Unit of	Beginning	Quantity Received	Quantity	Tests		Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance		Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock Re	Requested
Screening - Determine	100	123	0	46	46	0	0	0	77	0	0	300
Confirmatory - Unigold	50	5	0	0	0	0	0	0	0	0	0	20
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	eginning Quantity		Tests	Loccos	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Rosebella

RTK FCDRR Report for Chesoi Health Centre August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chesoi Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14385	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	18		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	9		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	T. a. a. a. a.	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty
	Issue					Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	77	0	27	27	0	0	0	44	0	0	200
Confirmatory - Unigold	50	0	0	0	0	0	0	0	5	0	0	100
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Gilbert

RTK FCDRR Report for Endo Health Centre August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Endo Health Centre	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	14456	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet East	VCT	7		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	16	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	22		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Beginning Quantity Balance Received	Quantity	Tests	Laccas	_	tments	Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance		Used	Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	248	0	45	45	0	0	0	203	0	0	200
Confirmatory - Unigold	50	11	0	0	0	0	0	0	11	0	0	60
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Komen

RTK FCDRR Report for Chemworor Health Center August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Chemworor Health Center	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14327	Type of Service	ce No. of Tests Done Test		Category	No. of Tests Performed	No. Positive			
District:	Marakwet East	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	28	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	44		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
·		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Be	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	
Screening - Determine	100	94	0	72	72	0	0	0	20	0	0	400
Confirmatory - Unigold	50	18	0	0	0	0	0	0	18	0	0	100
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	Beginning Quantity		Tests	S Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Stella

RTK FCDRR Report for Chesiyo Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chesiyo Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14383	Type of Service	Type of Service No. of Tests Done Te		Category	No. of Tests Performed	No. Positive			
District:	Marakwet East	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	17	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
			0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity Used	Tests Done	I access	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty Requested
	Issue	Balance	Received			Losses	Positive	Negative	Stock	in 6 Months	Stock	
Screening - Determine	100	70	0	17	17	0	0	0	53	0	0	200
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	0	0	40
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Cherop

RTK FCDRR Report for Cheptobot Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Cheptobot Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	14372	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet East	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	10	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
	Issue	Balance	Received			Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	450	750	10	0	10	0	0	1190	285	0	0
Confirmatory - Unigold	50	11	120	0	0	0	0	0	131	0	0	0
Tie Breaker	1	0	20	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	120	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	determine expiring in august
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	f ouko

RTK FCDRR Report for Chesetan Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Chesetan Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	16680	Type of Service	ce No. of Tests Done Test		Category	No. of Tests Performed	No. Positive			
District:	Marakwet East	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	7	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
	Other (Please Specify		0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue			Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock Requ	Requested
Screening - Determine	100	80	0	7	0	7	0	0	73	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	120	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	30	0	40	0	0	0	0	0	40	0	0	0

Commodity	Unit of Beginning		Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	SAMMY ROTICH

RTK FCDRR Report for Chechan Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chechan Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14305	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marakwet East	VCT	0	-	Patients <u>under</u> 5 years	0	0	
County:	Elgeyo Marakwet	PITC	11		Patients aged 5-14 yrs	0	0	
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0	
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
,		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity		Beginning		Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
		Balance					Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	263	450	11	0	11	0	0	702	263	0	0
Confirmatory - Unigold	20	0	60	0	0	0	0	0	60	0	0	0
Screening - KHB (Colloidal Gold)	30	0	20	0	0	0	0	0	20	0	20	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	20	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	miriam jepkemoi

RTK FCDRR Report for Chesoi Medical Clinic August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chesoi Medical Clinic	Applicable to HIV Test	Kits Only		Applicable to Malaria Testing Only			
MFL Code:	16336	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	

District:	Marakwet East	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	28	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	4		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity		Beginning	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
		Balance					Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	390	84	32	0	32	0	0	442	442	0	0
Confirmatory - Unigold	20	40	0	2	0	2	4	0	42	0	0	0
Screening - KHB (Colloidal Gold)	30	0	750	0	0	0	0	0	750	0	21	0
Confirmatory - First Response	50	0	120	0	0	0	0	0	120	0	21	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	GILBERT CHIRCHIR

Ministry of Health Health Commodities Management Platform

Name of Facility:	Chesongoch Sub-District Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14386	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marakwet East	VCT	28		Patients <u>under</u> 5 years	0	0	
County:	Elgeyo Marakwet	PITC	90	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st July 2014	PMTCT	30		Patients <u>over</u> 14 years	0	0	
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
-		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity		Beginning		Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
		Balance						Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	201	0	148	0	148	0	0	0	53	0	0
Confirmatory - Unigold	20	2	40	0	0	0	0	0	42	0	0	0
Screening - KHB (Colloidal Gold)	30	0	750	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	50	0	120	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	DAVID ONDIEKI

×

RTK FCDRR Report for Kabetwa Health Centre August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kabetwa Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14612	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marakwet East	VCT	0	-	Patients <u>under</u> 5 years	0	0	
County:	Elgeyo Marakwet	PITC	5		Patients aged 5-14 yrs	0	0	
Beginning:	01st July 2014	PMTCT	13		Patients <u>over</u> 14 years	0	0	
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients over 14 years	0	0	

Commodity	Unit of Beginning	Quantity Qu	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	Lusses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	290	0	18	0	18	34	0	256	256	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	30	0	750	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	50	0	120	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	HILLARY KIPLIMO

RTK FCDRR Report for Kamogo health centre August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kamogo health centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14674	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet East	VCT	2		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	23	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	18		Patients over 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Microscopy Patients aged 5-14 yrs		0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of Beginning		Quantity Quantity		antity Tests		Adjustments		Closing	Qty Expiring	Days	Qty
	Issue Bal	Balance Receive	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	320	0	43	0	43	0	0	277	277	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of Beginning Issue Balance	Quantity Qu	Quantity Test	Tests Losses	Adjustments		Closing	Qty Expiring	Days	Qty		
		Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	30	0	750	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	50	0	120	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	john kimosop

RTK FCDRR Report for Kapyego Health Center August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kapyego Health Center	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14798	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	40	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	74		Patients <u>over</u> 14 years	0	0		

Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commoditu	Unit of Beginning	Quantity	Quantity	Tests	ts Losses	Adjustments		Closing	Qty Expiring	Days	Qty	
Commodity	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	100	414	104	0	104	0	0	410	410	0	0
Confirmatory - Unigold	20	28	45	7	7	0	0	0	66	0	0	0
Screening - KHB (Colloidal Gold)	30	0	750	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	50	0	120	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JONATHAN KWAMBAI



RTK FCDRR Report for Kimuren Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kimuren Dispensary	Applicable to HIV Test	Kits Only		Applicable to Ma	laria Testing Only	
MFL Code:	14884	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet East	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	7	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Lassas	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	494	0	7	0	7	0	100	387	387	0	0
Confirmatory - Unigold	20	20	20	0	0	0	0	0	40	0	0	0
Screening - KHB (Colloidal Gold)	30	0	400	0	0	0	0	0	400	0	0	0
Confirmatory - First Response	50	0	120	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JACOB KISANG

RTK FCDRR Report for Mogil Health Centre August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Mogil Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15193	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	20		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	121	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	25		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	181	0	166	0	166	0	0	15	15	0	0
Confirmatory - Unigold	20	40	0	0	0	0	0	0	40	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	DAVID MURKOMEN

RTK FCDRR Report for Tot Sub-District Hospital August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Tot Sub-District Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15738	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	17		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	296	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	48		Patients over 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	273	500	278	0	278	0	0	495	495	0	0
Confirmatory - Unigold	20	0	60	0	0	0	0	0	60	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done			Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	30	0	3000	0	0	0	0	0	3000	0	0	0
Confirmatory - First Response	50	0	360	0	0	0	0	0	360	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	PEDRICK RUTO

RTK FCDRR Report for St Michael Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	St Michael Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15658	Type of Service	f Service No. of Tests Done		Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	9		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	11	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	6		Patients <u>over</u> 14 years	0	0		

Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

0	Unit of Beginning	Beginning	Quantity	Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used			Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	109	0	26	0	26	0	0	83	83	0	0
Confirmatory - Unigold	20	10	20	0	0	0	0	0	30	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	PAUL KIMOSOP



RTK FCDRR Report for Kapchebau Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kapchebau Dispensary	Applicable to HIV Test	Kits Only		Applicable to Ma	laria Testing Only	
MFL Code:	14691	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet East	VCT	5		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	4	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning Issue Balance	Beginning	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
		Balance				LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	117	0	9	0	9	0	0	108	108	0	0
Confirmatory - Unigold	20	0	20	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	30	0	750	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	50	0	120	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	CHRISTOPHER KISANG

RTK FCDRR Report for Kararia Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kararia Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	17810	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	21	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning Balance	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done	Lusses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	150	0	21	0	21	0	0	129	129	0	0
Confirmatory - Unigold	20	93	0	0	0	0	0	0	93	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	richard cheboi

×

RTK FCDRR Report for Mungwa Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Mungwa Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15252	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	4		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	8	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	2		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commodity	Unit of			Quantity	Quantity Tests ₁		Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	150	0	14	0	14	0	0	136	136	0	0
Confirmatory - Unigold	20	15	20	0	0	0	0	0	35	0	0	0

Commodity	Unit of Beginning		Quantity Qua	Quantity	Tests	Cests Losses	Adjustments		Closing	Qty Expiring	Days	Qty
	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	30	0	750	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	50	0	120	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	GIDEON KIBET

RTK FCDRR Report for Maron-Marichor Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Maron-Marichor Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	15142	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marakwet East	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Elgeyo Marakwet	PITC	6	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0	

Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commoditu	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	248	0	6	0	6	0	0	242	242	0	0
Confirmatory - Unigold	20	40	0	0	0	0	0	0	40	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	paul chebet



RTK FCDRR Report for Malkich Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Malkich Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	18118	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet East	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	6	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	80	0	6	0	6	0	0	74	74	0	0
Confirmatory - Unigold	20	0	20	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	30	0	750	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	50	0	120	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	WILLIAM CHEPKONGA

RTK FCDRR Report for Segut Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Segut Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15539	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet East	VCT	23		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	15	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	2		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	161	0	40	0	40	0	0	121	121	0	0
Confirmatory - Unigold	20	0	20	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	30	0	750	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	50	0	120	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	loice kiptanui

RTK FCDRR Report for Tuturung Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Tuturung Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15756	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet East	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	0		Patients over 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
	-	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	276	0	0	0	0	0	0	276	0	0	0
Confirmatory - Unigold	20	40	0	0	0	0	0	0	40	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Laccas	Adjustments		tments		Days	Qty
Commodity	Issue	Balance	Received	Used	Done	Done Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Kararia Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kararia Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	17810	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marakwet East	VCT	3		Patients <u>under</u> 5 years	0	0	
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	24		Patients <u>over</u> 14 years	0	0	

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commoditu	Unit of B	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	129	0	27	27	0	0	0	102	0	0	0
Confirmatory - Unigold	20	93	0	0	0	0	0	0	93	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	



RTK FCDRR Report for Kamasia Health Center September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kamasia Health Center	Applicable to HIV Test	Kits Only		Applicable to Ma	laria Testing Only	
MFL Code:	14670	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet East	VCT	18		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity		Beginning	Quantity Received	Quantity Used	Tests Done	I USCHE -	Adjustments		Closing	Qty Expiring	Days Out of	Qty
		Balance				LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	193	0	18	18	0	0	0	175	0	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Jaseline

RTK FCDRR Report for Segut Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Segut Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15539	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	7		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	11	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning Issue Balance	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done	Lusses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	121	0	18	18	0	0	0	103	0	0	200
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	100
Screening - KHB (Colloidal Gold)	50	750	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	120	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Roseline

×

RTK FCDRR Report for Kamogo health centre September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kamogo health centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14674	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	21	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	60		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning			Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue Bal	Balance Received	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	277	0	81	81	0	0	0	196	0	0	200
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	100

Commodity	Unit of Beginning		Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	50	750	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	120	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	John

RTK FCDRR Report for Chesiyo Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chesiyo Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14383	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marakwet East	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Elgeyo Marakwet	PITC	20	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0	

Ending: 31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	0	0

C	Unit of B	Beginning	Quantity	Quantity	Tests	Tests Done Losses P	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used			Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	53	0	20	20	0	0	0	33	0	0	200
Confirmatory - Unigold	20	20	0	0	0	0	0	0	0	0	0	100
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	William



RTK FCDRR Report for Kabetwa Health Centre September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kabetwa Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14612	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet East	VCT	4		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	56	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	14		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	14		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	dity Unit of Beginning Quantity Quantity Tests	Lossos	Adjustments Losses			Qty Expiring	Days Out of	Qty				
Commounty	Issue	Balance	Received	Used	Done	Done	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	256	0	88	88	0	0	0	168	0	0	400
Confirmatory - Unigold	20	20	0	0	0	0	0	0	0	0	0	200
Screening - KHB (Colloidal Gold)	50	750	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	120	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	hillary

RTK FCDRR Report for Chesoi Health Centre September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Chesoi Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14385	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet East	VCT	20		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Lagger	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Done Losses P	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	44	0	20	20	0	0	0	24	0	0	200
Confirmatory - Unigold	20	5	0	0	0	0	0	0	0	0	0	100
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Gilbert

RTK FCDRR Report for Chesoi Medical Clinic September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chesoi Medical Clinic	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	16336	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet East	VCT	8		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	0		Patients over 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing		Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done			Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	442	0	8	8	0	0	0	434	0	0	0
Confirmatory - Unigold	20	42	0	0	0	0	0	0	42	0	0	0

Commodity	Unit of Beginning Quantity Quantity Tests	Laccas	Adjustments		Closing	Qty Expiring	Days	Qty				
Commodity	Issue	Balance	Received	Used	Done	Done Losses		Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	750	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	120	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Jacob

RTK FCDRR Report for Chechan Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chechan Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14305	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	17		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		

Ending: 31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning Balance	Quantity	Quantity	Tests	Loccoc	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	702	0	17	17	0	0	0	685	0	0	0
Confirmatory - Unigold	20	60	0	0	0	0	0	0	60	0	0	0
Screening - KHB (Colloidal Gold)	50	20	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	miriam



RTK FCDRR Report for Chemworor Health Center September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Chemworor Health Center	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14327	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet East	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	27	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	44		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning Issue Balance	Quantity	Quantity	Tests	s Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	20	0	71	71	0	100	0	49	0	0	400
Confirmatory - Unigold	20	18	0	0	0	0	0	0	0	0	0	200
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Stella

RTK FCDRR Report for Maina Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Maina Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15110	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	14		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	1	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity		Beginning		Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
		Balance				Lusses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	500	0	15	15	0	0	0	485	0	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Monica

×

RTK FCDRR Report for Kapyego Health Center September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kapyego Health Center	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14798	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet East	VCT	3		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	24		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of	3 3 1		Quantity			Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	410	0	27	27	0	0	0	383	0	0	0
Confirmatory - Unigold	20	66	0	0	0	0	0	0	66	0	0	0

Commodity	Unit of Beginning Quantity Quantity Tests	Laccas	Adjustments		Closing	Qty Expiring	Days Out of	Qty				
Commodity	Issue	Balance	Received	Used	Done	Done Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	50	750	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	120	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	florence

RTK FCDRR Report for Chesetan Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chesetan Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	16680	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	3		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	11	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		

Ending: 31st August 2014	Blood Screening 0			Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	0	0

0	Unit of	Beginning	Quantity	Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	73	0	14	14	0	0	0	59	0	0	200
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	100
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	120	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	samuel



RTK FCDRR Report for Kapchebau Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kapchebau Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14691	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	1		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
	Other (Please Specify) 0 Specify Here:		0	Microscopy	Patients aged 5-14 yrs	0	0		
				Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	ne Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done			Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	108	0	1	1	0	0	0	107	0	0	200
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	100
Screening - KHB (Colloidal Gold)	50	750	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	120	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Daisy

RTK FCDRR Report for Kimuren Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kimuren Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14884	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	7		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	387	0	7	7	0	0	0	380	0	0	0
Confirmatory - Unigold	20	40	0	0	0	0	0	0	40	0	0	0
Screening - KHB (Colloidal Gold)	50	400	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	120	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Jacob

RTK FCDRR Report for Maron-Marichor Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Maron-Marichor Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15142	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	5		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commodity	Unit of	Beginning Quantity		Quantity Tes		Loccoc	Adjus Losses		Closing	Qty Expiring	Days Out of	Qty
	Issue Balance	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	242	0	5	5	0	0	0	237	0	0	0
Confirmatory - Unigold	20	40	0	0	0	0	0	0	40	0	0	0

Commodity	Unit of Beginning Issue Balance	Quantity (Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days	Qty	
		Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	paul

RTK FCDRR Report for St Michael Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	St Michael Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	15658	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marakwet East	VCT	13		Patients <u>under</u> 5 years	0	0	
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0	

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commoditu	Unit of Beginning Issue Balance	Quantity	Quantity	Tests	LOSSES	Adjustments		Closing	Qty Expiring	Days	Qty	
Commodity		Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	of Qty
Screening - Determine	100	83	0	13	13	0	0	0	70	0	0	200
Confirmatory - Unigold	20	30	0	0	0	0	0	0	30	0	0	40
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	paul



RTK FCDRR Report for Mogil Health Centre September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Mogil Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15193	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	33		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	100	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	44		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	of Romostod
Screening - Determine	100	15	0	177	177	0	200	0	38	0	0	400
Confirmatory - Unigold	20	40	0	0	0	0	0	0	40	0	0	80
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	David

RTK FCDRR Report for Malkich Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Malkich Dispensary	Applicable to HIV Test	Kits Only		Applicable to Ma	laria Testing Only	
MFL Code:	18118	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet East	VCT	7		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients over 14 years	0	0

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	Pone	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	74	0	7	7	0	0	0	67	0	0	200
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	100
Screening - KHB (Colloidal Gold)	50	750	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	120	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	miriam

RTK FCDRR Report for Cheptobot Dispensary September 2014

Ministry of Health Health Commodities Management Platform

Name of Facility:	Cheptobot Dispensary	Applicable to HIV Test	Kits Only		Applicable to Ma	laria Testing Only	
MFL Code:	14372	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet East	VCT	5		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients over 14 years	0	0

Commodity	Unit of Beginning Balance	Quantity Received	, ,	Tests	Lossos	Adjust: Losses		Closing	Qty Expiring	Days Out of	Qty	
				Done		Positive	Negative	Stock	in 6 Months	Stock	Requested	
Screening - Determine	100	1190	0	5	5	0	0	0	1185	0	0	0
Confirmatory - Unigold	20	131	0	0	0	0	0	0	131	0	0	0

Commodity	Unit of Beginning	Quantity Q	Quantity T	Tests Loss	Laccas	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance		Used	Used Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	50	20	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	120	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Francis

RTK FCDRR Report for Liter (AIC) Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Liter (AIC) Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15040	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		

Ending: 31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	



RTK FCDRR Report for Kaparon Health Centre September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kaparon Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	16335	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet East	VCT	40		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	26		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning	Quantity	Quantity	Tests	ts Losses –	Adjustments		Closing	Qty Expiring	Days	Qty	
Commodity	Issue	Balance	Received	Used	Done	one	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	77	0	66	66	0	0	0	11	0	0	400
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	200
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Keitany

RTK FCDRR Report for Endo Health Centre September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Endo Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14456	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	7		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	203	0	7	7	0	0	0	196	0	0	100
Confirmatory - Unigold	20	11	0	0	0	0	0	0	11	0	0	40
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Tarus

RTK FCDRR Report for Tot Sub-District Hospital September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Tot Sub-District Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15738	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	10		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	45	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	26		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Lossos	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	one Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	495	0	81	81	0	0	0	414	0	0	0
Confirmatory - Unigold	20	60	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	50	3000	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	360	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Bundotich

RTK FCDRR Report for Chesongoch Sub-District Hospital September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chesongoch Sub-District Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14386	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet East	VCT	20		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	130	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	9		Patients <u>over</u> 14 years	0	0		

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commoditue	Unit of	Beginning	Quantity	Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	400	159	159	0	0	0	241	0	0	400
Confirmatory - Unigold	20	42	0	0	0	0	0	0	0	0	0	100
Screening - KHB (Colloidal Gold)	50	750	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	120	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Oomundo



RTK FCDRR Report for Mungwa Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Mungwa Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	15252	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet East	VCT	20		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
								Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	136	0	20	20	0	0	0	116	0	0	0
Confirmatory - Unigold	20	35	0	0	0	0	0	0	35	0	0	0
Screening - KHB (Colloidal Gold)	50	750	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	120	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Kiptoo