Moyale district FCDRR-RTK Reports for August-2014



RTK FCDRR Report for Albilal Medical Clinic(Moyale) August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Albilal Medical Clinic(Moyale)	Applicable to HIV Test	Kits Only		Applicable to Ma	laria Testing Only	
MFL Code:	17899	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Moyale	VCT	14		Patients <u>under</u> 5 years	0	0
County:	Marsabit	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	33		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning Balance	Beginning	Quantity Received	Quantity Used	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
		Balance			Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	44	200	47	47	0	0	0	199	0	0	0
Confirmatory - Unigold	20	5	0	5	5	0	0	0	0	0	0	20
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

RTK FCDRR Report for Shifa Medical Clinic (Moyale) August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Shifa Medical Clinic (Moyale)	Applicable to HIV Test	Kits Only		Applicable to Ma	alaria Testing Only	
MFL Code:	18034	Type of Service	Type of Service No. of Tests Done To		Category	No. of Tests Performed	No. Positive
District:	Moyale	VCT	21		Patients <u>under</u> 5 years	0	0
County:	Marsabit	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	5		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:				Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	62	0	26	26	0	0	0	0	36	0	100

Commodity	Unit of	t of Beginning	Quantity	Quantity Tests Used Done Losses	Tests	I ACCAC	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received		Positive	Negative	Stock	in 6 Months	Stock	Requested		
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

RTK FCDRR Report for Butiye Dispensary August 2014 Ministry of Health Health Commodities Management Platform

N	lame of Facility:	Butiye Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
M	IFL Code:	11958	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	

District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Marsabit	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	77		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commoditu	Unit of	of Beginning	Quantity	Quantity	Tests	I ACCAC —	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	404	0	77	77	0	0	0	327	0	0	0
Confirmatory - Unigold	20	18	0	0	0	0	0	0	18	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

Ministry of Health Health Commodities Management Platform

Name of Facility:	Heillu Dispensary	Applicable to HIV Test	Kits Only		Applicable to Malaria Testing Only					
MFL Code:	de: 12057 Type of Service No. of Tests Done Test		Test	Category	No. of Tests Performed	No. Positive				
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Marsabit	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	29		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Common distric	Unit of Beginning	Quantity Q	Quantity	Tests	I	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	457	0	29	29	0	0	0	428	0	0	0
Confirmatory - Unigold	20	16	0	0	0	0	0	0	16	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

RTK FCDRR Report for Somare Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Somare Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	12740	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Marsabit	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	19		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	94	0	19	19	0	0	0	75	0	0	0
Confirmatory - Unigold	20	14	0	3	3	0	0	0	11	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

×

RTK FCDRR Report for Salama Lab Services August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Salama Lab Services	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	17896	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Moyale	VCT	20		Patients <u>under</u> 5 years	0	0		
County:	Marsabit	PITC	20	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	10		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning		Beginning Quantity Quantity		Tests	Lossos	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue Balance	Balance	ance Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	92	0	50	50	0	0	0	42	0	0	100
Confirmatory - Unigold	20	4	0	0	0	0	0	0	4	0	0	20

Commodity		Tests Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty				
Commodity	Issue	Balance	Received	Used Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested	
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

RTK FCDRR Report for Moyale Nursing Home August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Moyale Nursing Home	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	12545	Type of Service No. of Tests Done Tests		Test	Category	No. of Tests Performed	No. Positive		
District:	Moyale	VCT	8		Patients <u>under</u> 5 years	0	0		
County:	Marsabit	PITC	20	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	10		Patients <u>over</u> 14 years	0	0		

Ending: 31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
	Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Beginning	Quantity Qu	Quantity	Tests	Laccas	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	106	0	38	38	0	0	0	68	0	0	100
Confirmatory - Unigold	20	18	0	0	0	0	0	0	18	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi



RTK FCDRR Report for Taqwa Nursing Home August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Taqwa Nursing Home	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	17706	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Moyale	VCT	5		Patients <u>under</u> 5 years	0	0		
County:	Marsabit	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	16		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of I	Beginning Balance	Quantity Received	Quantity	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
				Used			Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	66	0	21	21	0	0	0	45	0	0	200
Confirmatory - Unigold	20	6	0	0	0	0	0	0	6	0	0	20
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

RTK FCDRR Report for Crossroad Nursing Home August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Crossroad Nursing Home	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	11979	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Marsabit	PITC	2	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	35		Patients over 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity Received	Quantity Used	Tests Done	Laccas	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance				Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	56	0	37	37	0	0	0	19	0	0	100
Confirmatory - Unigold	20	8	0	0	0	0	0	0	8	0	0	20
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

RTK FCDRR Report for Moyale District Hospital August 2014 Ministry of Health

Health Commodities Management Platform

Name of Facility:	Moyale District Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	12544	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Moyale	VCT	61		Patients <u>under</u> 5 years	0	0		
County:	Marsabit	PITC	113	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	127		Patients over 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
							Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	5331	200	301	301	0	0	0	5230	5030	0	6000

Commodity	Unit of Beginning	Beginning		Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
	Issue	Balance					Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Confirmatory - Unigold	20	16	0	6	6	0	0	0	10	0	0	100
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and	Λ
Consumables (MOH 642):	U

(2) F-CDRR for Laboratory Commodities (MOH 643): 0

Compiled by: Dahabo



RTK FCDRR Report for Odda Dispensary (Moyale) August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Odda Dispensary (Moyale)	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	12698	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		

District:	Moyale	VCT	42		Patients <u>under</u> 5 years	0	0
County:	Marsabit	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	11		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning	Quantity	Quantity	Tests	T. a. a. a. a.	Adjus	Adjustments		Qty Expiring	Days	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	87	0	53	53	0	0	0	34	34	0	200
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	20	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Dahabo

Ministry of Health Health Commodities Management Platform

Name of Facility:	Bori Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	11952	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Marsabit	PITC	14	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	9		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify) 0		Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of Beginning	Quantity	Quantity	Tests	T	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	72	0	23	23	0	0	0	49	0	0	200
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	20
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Dahabo

RTK FCDRR Report for Dabel Health Centre (Moyale) August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Dabel Health Centre (Moyale)	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	11982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Marsabit	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	36		Patients over 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjus	Adjustments		Qty Expiring	Days	Qty	
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	480	0	36	36	0	0	0	444	0	0	0
Confirmatory - Unigold	20	5	0	0	0	0	0	0	5	0	0	20
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Dahabo

RTK FCDRR Report for Nana Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Nana Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	12634	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Marsabit	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	20		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of Beginning		Quantity Quantity Tests		Adjustn		tments	Closing	Qty Expiring	Days Out of	Qty	
	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	428	0	20	20	0	0	0	408	0	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Commodity	Unit of Beginning Issue Balance	Quantity Q	Quantity T	Tests	Losses	_	tments	Closing	Qty Expiring	Days	Qty	
		Balance	Received	Used	Done			Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Dahabo

RTK FCDRR Report for Godoma Model Health Centre (Moyale) August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Godoma Model Health Centre (Moyale)	Applicable to HIV Test	Kits Only		Applicable to Malaria Testing Only			
MFL Code:	12050	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Marsabit	PITC	0	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st July 2014	PMTCT	19		Patients <u>over</u> 14 years	0	0	

Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Beginning	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	794	0	19	19	0	0	0	775	0	0	0
Confirmatory - Unigold	20	40	0	0	0	0	0	0	40	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Dahabo



RTK FCDRR Report for Mansile Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Mansile Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	16218	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Marsabit	PITC	0	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st July 2014	PMTCT	2		Patients <u>over</u> 14 years	0	0	
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Lusses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	70	0	2	2	0	0	0	68	0	0	100
Confirmatory - Unigold	20	15	0	0	0	0	0	0	15	0	0	20
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Dahabo

RTK FCDRR Report for Shifa Medical Clinic (Moyale) September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Shifa Medical Clinic (Moyale)	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	18034	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Marsabit	PITC	10	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	5		Patients over 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	5 years 0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Beginning	Beginning	g Quantity	Quantity	Tests	T	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	0	100	15	15	0	0	0	85	85	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

×

RTK FCDRR Report for Salama Lab Services September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Salama Lab Services	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	17896	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Marsabit	PITC	12	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	25		Patients over 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Beginning		Quantity Quantity		Tests	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
	Issue Balan	Balance	Balance Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	42	100	37	37	0	0	20	85	85	0	100
Confirmatory - Unigold	20	4	0	0	0	0	0	0	4	0	0	20

Commodity	Unit of Beginning Issue Balance	Quantity Quantit	Quantity	ity Tests	Losses	Adjustments		Closing	Qty Expiring	Days	Qty	
		Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	the exp date elapsed before the 20strip were consumed
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

RTK FCDRR Report for Taqwa Nursing Home September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Taqwa Nursing Home	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	17706	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Moyale	VCT	7		Patients <u>under</u> 5 years	0	0		
County:	Marsabit	PITC	18	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	16		Patients <u>over</u> 14 years	0	0		

Ending:	31st August 2014	Blood Screening	15		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Beginning	Quantity Quan	Quantity	Tests	Tests Lesses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	45	100	56	56	4	0	0	85	0	0	100
Confirmatory - Unigold	20	6	0	2	2	0	0	0	4	0	0	20
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi



RTK FCDRR Report for Butiye Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Butiye Dispensary	Applicable to HIV Test	Kits Only		Applicable to M	Ialaria Testing Only	
MFL Code:	11958	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Marsabit	PITC	743	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	4		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify) 0		0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	327	620	747	747	0	0	0	200	0	0	0
Confirmatory - Unigold	20	18	20	2	2	0	0	0	36	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

RTK FCDRR Report for Albilal Medical Clinic(Moyale) September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Albilal Medical Clinic(Moyale)	Applicable to HIV Test	Kits Only		Applicable to Mal	aria Testing Only	ig Only		
MFL Code:	17899	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Moyale	VCT	20		Patients <u>under</u> 5 years	0	0		
County:	Marsabit	PITC	33	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	3		Patients over 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days	Qty	
	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	199	0	56	56	0	0	0	143	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	20
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

RTK FCDRR Report for Godoma Model Health Centre (Moyale) September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Godoma Model Health Centre (Moyale)	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	12050	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Marsabit	PITC	6	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	7		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
	Specify Here:			Patients <u>over</u> 14 years	0	0				

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	775	0	13	13	0	0	0	762	0	0	0
Confirmatory - Unigold	20	40	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done			Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

RTK FCDRR Report for Bori Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Bori Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	11952	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Marsabit	PITC	155	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	20		Patients <u>over</u> 14 years	0	0		

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Common Alter	Unit of Begin	Beginning	Quantity	Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used			Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	49	200	175	175	0	0	0	74	0	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi



RTK FCDRR Report for Nana Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Nana Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	12634	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Marsabit	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	6		Patients over 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done			Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	408	0	6	6	0	0	0	402	0	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

RTK FCDRR Report for Crossroad Nursing Home September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Crossroad Nursing Home	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	11979	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Marsabit	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	66		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
	Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning Balance	Quantity Q	Quantity	Tests	Laccas	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity		Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	of Requested
Screening - Determine	100	19	100	66	66	0	0	0	53	0	0	0
Confirmatory - Unigold	20	8	0	0	0	0	0	0	8	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

×

RTK FCDRR Report for Odda Dispensary (Moyale) September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Odda Dispensary (Moyale)	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	12698	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Marsabit	PITC	114	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	10		Patients <u>over</u> 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjus	tments	Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	34	200	124	124	0	0	0	110	0	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	ved Used Done	LUSSES		Negative	Stock	in 6 Months	Stock	Requested	
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

RTK FCDRR Report for Manyatta Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Manyatta Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	17581	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Marsabit	PITC	299	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	1		Patients <u>over</u> 14 years	0	0	

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commoditu	Unit of Beginning Balance	Quantity	Quantity	Tests	Lanna	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty	
Commodity		Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested 0 0 0
Screening - Determine	100	206	300	300	300	0	0	0	206	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi



RTK FCDRR Report for Somare Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Somare Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	12740	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Marsabit	PITC	10	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	12		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	75	0	22	22	0	0	0	53	0	0	0
Confirmatory - Unigold	20	11	0	0	0	0	0	0	11	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

RTK FCDRR Report for Mansile Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Mansile Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	16218	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Marsabit	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	2		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning	Quantity Q	Quantity	Tests	Locos	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	68	0	2	2	0	0	0	66	0	0	0
Confirmatory - Unigold	20	15	0	0	0	0	0	0	15	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

RTK FCDRR Report for Moyale Nursing Home September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Moyale Nursing Home	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	12545	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Marsabit	PITC	3	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	5		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning		g Quantity Quantit		ıantity Tests		Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue Balance	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	68	0	8	8	0	0	0	60	0	0	100
Confirmatory - Unigold	20	18	0	1	1	0	0	0	17	0	0	0

Commodity	Unit of Beginning	Quantity Quantity	Quantity	Tests	Locac	Adjustments		Closing	Qty Expiring	Days	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

RTK FCDRR Report for Heillu Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Heillu Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	12057	Type of Service No. of Tests Done Test		Test	Category	No. of Tests Performed	No. Positive		
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Marsabit	PITC	29	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	3		Patients <u>over</u> 14 years	0	0		

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commoditu	Unit of Beginning	Quantity	Quantity	Tests	T	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	428	0	32	32	0	0	0	396	0	0	0
Confirmatory - Unigold	20	16	0	3	3	0	0	0	13	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi



RTK FCDRR Report for Moyale District Hospital September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Moyale District Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	12544	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Moyale	VCT	193		Patients <u>under</u> 5 years	0	0	
County:	Marsabit	PITC	574	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	265		Patients <u>over</u> 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients over 14 years	0	0	

0 19	Unit of Beginn	Beginning	Beginning Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	5230	1000	1032	1032	0	0	0	5198	0	0	0
Confirmatory - Unigold	20	10	0	0	0	0	0	0	10	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi

RTK FCDRR Report for Dabel Health Centre (Moyale) September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Dabel Health Centre (Moyale)	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	11982	Type of Service No. of Tests Done		Test	Category	No. of Tests Performed	No. Positive	
District:	Moyale	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Marsabit	PITC	18	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	14		Patients over 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Begi	Beginning	Quantity	Quantity Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	444	0	32	32	0	0	0	412	0	0	0
Confirmatory - Unigold	20	5	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	dahabo adi