Vihiga district FCDRR-RTK Reports for August-2014



RTK FCDRR Report for Vihiga Health Centre August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Vihiga Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	16158	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Vihiga	VCT	100		Patients <u>under</u> 5 years	0	0		
County:	Vihiga	PITC	49	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	45		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
	Other (Pleasure Specify He		0	Microscopy	Patients aged 5-14 yrs	0	0		
			0		Patients over 14 years	0	0		

Commodity	Unit of Beginning Issue Balance	Beginning	Quantity Received	Quantity Used	Tests Done	I NECDE -	Adjustments		Closing	Qty Expiring	Days Out of	Qty
		Balance				LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	194	194	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	353	0	194	194	0	0	0	159	0	0	0
Tie Breaker - Unigold	20	31	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	We received one packet of Unigold and one packet of First Response from Pauline of Aphia plus.
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Jemimmah Inyalu

RTK FCDRR Report for Lyanaginga Health Centre August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Lyanaginga Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15982	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Vihiga	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Vihiga	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	136	75		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	261	160		
	Specify Here:		0		Patients <u>over</u> 14 years	254	124		

Commodity	Unit of Beginning Issue Balance	Beginning	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
		Balance				Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	356	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	69	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Enzaro Health Centre August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Enzaro Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15879	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		

District:	Vihiga	VCT	10		Patients <u>under</u> 5 years	0	0
County:	Vihiga	PITC	10	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	15		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning Balance	Quantity	Quantity	Tests	Lossos	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	35	35	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	30	897	1200	35	35	0	0	0	2062	862	0	0
Confirmatory - First Response	50	144	100	1	1	0	0	5	238	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	Kits used for demonstration of new algorithim.
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Mildred Obasi

Ministry of Health Health Commodities Management Platform

Name of Facility:	Mbale Rural Health Training Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	16012	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Vihiga	VCT	150		Patients <u>under</u> 5 years	0	0			
County:	Vihiga	PITC	100	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	150		Patients over 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning Issue Balance	Quantity	Quantity	Tests	Lossos	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	400	400	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	150	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Iduku Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Iduku Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15896	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Vihiga	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Vihiga	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Begin	Beginning	Quantity	Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	166	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	24	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Vihiga District Hosptial August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Vihiga District Hosptial	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	16157	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Vihiga	VCT	132		Patients <u>under</u> 5 years	0	0		
County:	Vihiga	PITC	501	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	55		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	613		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	217		
		Specify Here:			Patients <u>over</u> 14 years	0	834		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Tests Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	688	688	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	30	1650	0	900	0	900	0	0	750	0	0	0
Confirmatory - First Response	50	240	0	90	0	90	0	0	150	0	0	0
Tie Breaker - Unigold	20	0	40	20	0	20	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Becky Sabul

RTK FCDRR Report for Mulele Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Mulele Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	16032	Type of Service	No. of Tests Done	Test Category		No. of Tests Performed	No. Positive		
District:	Vihiga	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Vihiga	PITC	48	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	18		Patients <u>over</u> 14 years	0	0		

Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

C	Unit of	Beginning	Quantity	Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	66	66	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	30	130	0	66	66	0	0	0	64	0	0	0
Confirmatory - First Response	50	23	0	9	9	0	0	0	14	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	20

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Nyumba



RTK FCDRR Report for Mbaleway Side Clinic August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Mbaleway Side Clinic	Applicable to HIV Test	Kits Only		Applicable to Ma	alaria Testing Only	
MFL Code:	16013	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Vihiga	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Vihiga	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning Balance	Beginning	Quantity Received	Quantity Used	Tests	Losses		tments	Closing	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
		Balance			Done	LUSSES		Negative	Stock			
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	30	146	0	22	0	22	0	0	124	0	0	0
Confirmatory - First Response	50	29	0	2	0	2	0	0	27	0	0	0
Tie Breaker - Unigold	20	10	0	2	0	2	0	0	8	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Josephine

RTK FCDRR Report for Bugamangi Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Bugamangi Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15814	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Vihiga	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Vihiga	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning Balance	Quantity	Quantity	Tests	Laccas	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	onyango

RTK FCDRR Report for Enzaro Health Centre September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Enzaro Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15879	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Vihiga	VCT	22		Patients <u>under</u> 5 years	0	0			
County:	Vihiga	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	25		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	47	47	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of Beginning Balance	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	50	2062	0	47	47	0	0	0	2015	0	815	0
Confirmatory - First Response	30	144	0	1	1	0	0	0	143	0	0	0
Tie Breaker - Unigold	20	25	0	0	0	0	0	0	25	0	25	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	MILDRED OBASI

RTK FCDRR Report for Vihiga District Hosptial September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Vihiga District Hosptial	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	16157	Type of Service	No. of Tests Done	Tact ('atennativ		No. of Tests Performed	No. Positive	
District:	Vihiga	VCT	125		Patients <u>under</u> 5 years	0	0	
County:	Vihiga	PITC	424	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	65		Patients <u>over</u> 14 years	0	0	

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	309
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	179
		Specify Here:			Patients <u>over</u> 14 years	0	491

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Tests Done Losses P	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	614	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	3600	3300	750	0	0	0	0	6150	0	0	0
Confirmatory - First Response	30	330	330	120	0	0	0	0	540	0	0	0
Tie Breaker - Unigold	20	20	40	20	0	0	0	0	40	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	BECKY SABUL



Name of Facility:	Iduku Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15896	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Vihiga	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Vihiga	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of Beg	Beginning	Quantity	Quantity	Tests	One Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	141	300	24	24	0	0	0	417	0	0	0
Confirmatory - First Response	30	21	30	3	3	0	0	0	48	0	0	0
Tie Breaker - Unigold	20	9	20	0	0	0	0	0	29	9	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	SARAH OPINYU

RTK FCDRR Report for Vihiga Health Centre September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Vihiga Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	16158	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Vihiga	VCT	36		Patients <u>under</u> 5 years	0	0			
County:	Vihiga	PITC	12	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of Beginning	Quantity	Quantity	Tests	ts Lesses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Done Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	48	48	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	159	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

×

RTK FCDRR Report for Lyanaginga Health Centre September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Lyanaginga Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15982	Type of Service No. of Tests Done		Test	Category	No. of Tests Performed	No. Positive			
District:	Vihiga	VCT	12		Patients <u>under</u> 5 years	0	0			
County:	Vihiga	PITC	178	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	33		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	144	76			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	181	114			
		Specify Here:			Patients <u>over</u> 14 years	223	99			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	223	223	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	antity Tests	Adjustments		Closing	Qty Expiring	Days	Qty	
Commodity	Issue	Balance	Received	Used	Done	Done Losses		Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	3	750	223	223	0	0	0	530	0	0	0
Confirmatory - First Response	30	73	90	5	5	0	0	0	158	0	0	0
Tie Breaker - Unigold	20	9	20	0	0	0	0	0	29	9	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	benard ngusulse

RTK FCDRR Report for Mulele Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Mulele Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	16032	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Vihiga	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Vihiga	PITC	22	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	9		Patients <u>over</u> 14 years	0	0		

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

C	Unit of	Beginning	Quantity	Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used			Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	31	31	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	64	300	31	31	0	0	0	333	0	0	0
Confirmatory - First Response	30	14	30	1	1	0	0	0	43	0	0	0
Tie Breaker - Unigold	20	0	20	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	LOICE ONDIERI



RTK FCDRR Report for Mbaleway Side Clinic September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Mbaleway Side Clinic	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	16013	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Vihiga	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Vihiga	PITC	27	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	Done	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	27	27	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	124	300	27	27	0	0	0	397	0	0	0
Confirmatory - First Response	30	27	30	0	0	0	0	0	57	0	0	0
Tie Breaker - Unigold	20	8	40	0	0	0	0	0	48	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JOSEPHINE IMINZA

RTK FCDRR Report for Mbale Rural Health Training Centre September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Mbale Rural Health Training Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	16012	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed No. Posit			
District:	Vihiga	VCT	20		Patients <u>under</u> 5 years	0	0		
County:	Vihiga	PITC	100	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	200		Patients over 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	218		
		Other (Please Specify)	e Specify) 0 Micro		Patients aged 5-14 yrs	0	192		
		Specify Here:			Patients <u>over</u> 14 years	0	166		

Commodity	Unit of	Beginning	Quantity	Quantity	y Tests Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Done	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	320	320	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	1600	2050	500	500	0	0	0	3150	0	0	0
Confirmatory - First Response	30	60	210	30	30	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	AMUHAYA ALFRED