## **Sotik district FCDRR-RTK Reports for August-2014**



### RTK FCDRR Report for Kiricha Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kiricha Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14938	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	93		Patients <u>under</u> 5 years	3	0		
County:	Bomet	PITC	48	RDT	Patients aged 5-14 yrs	4	0		
Beginning:	01st July 2014	PMTCT	23		Patients over 14 years	23	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify) 0 Mi		Microscopy	Patients aged 5-14 yrs	0	0		
	Specify Here:		0		Patients over 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	Laccas	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue			Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	164	164	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	60	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	164	164	0	0	0	286	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0

Commodity	Unit of	Beginning	jinning Quantity Quantity Tests	Adjustments		Qty Expiring	Days Out of	Qty				
Commounty	MITT	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested	
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	new test kits were used for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	VICOTY CHEPKIRUI

## RTK FCDRR Report for Chebilat Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chebilat Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14295	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	64	0		
County:	Bomet	PITC	218	RDT	Patients aged 5-14 yrs	86	3		
Beginning:	01st July 2014	PMTCT	14		Patients <u>over</u> 14 years	310	3		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
	Specify Here: 0		0		Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Locaca	Adjustments		Closing	Qty Expiring	Days Out of	Qty
						Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	9	0	232	232	0	0	0	9	0	0	0
Confirmatory - Unigold	50	12	0	0	0	0	0	0	12	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	232	232	0	0	0	218	0	0	0
Confirmatory - First Response	50	0	60	12	12	0	0	0	48	0	0	0
Tie Breaker - Unigold	30	0	20	5	5	0	0	0	15	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	used new test kits for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	SAMMARY CHEPKORIR

## RTK FCDRR Report for Simbi Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Simbi Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	15575	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	2	0
County:	Bomet	PITC	8	RDT	Patients aged 5-14 yrs	5	0
Beginning:	01st July 2014	PMTCT	1		Patients <u>over</u> 14 years	7	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning Balance	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue		Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	77	0	9	9	0	0	0	0	0	0	0
Confirmatory - Unigold	50	19	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	9	9	0	0	0	441	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	9	20	0	0	0	0	0	29	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	used new test kits for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	WINNIE BII

### RTK FCDRR Report for Sotik Town VCT August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Sotik Town VCT	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	17880	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	177		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

Commodita	Unit of Beginning Quantity Quartity		Quantity	Tests	Laccon	Adjus	tments	Closing	Qty Expiring	Days	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Explaination	of Losses	s and Adjustme	used new test kits for the month of July 2014									
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):					0							
(2) F-CDRR for Laboratory Commodities (MOH 643):					0							
Compiled by:						GLADYS CHEBET						

### RTK FCDRR Report for Arroket Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Arroket Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14215	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	30	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	3		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:	0		Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue					LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	109	0	33	33	0	0	0	109	0	0	0
Confirmatory - Unigold	50	28	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	300	33	33	0	0	0	267	0	0	0
Confirmatory - First Response	50	0	30	3	3	0	0	0	27	0	0	0
Tie Breaker - Unigold	30	28	20	0	0	0	0	0	48	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Ised Done Losses	Tests Losses Adjustments Closing Expiring		_		Qty Expiring	Days	Qty
Commounty	Issue	Balance	Received	Used		Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	used new test kits for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	CAROLINE MOMBINYA

## RTK FCDRR Report for Sotik Health Centre August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Sotik Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15619	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	118		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	286	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	104		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
Specify Here: 0			Patients <u>over</u> 14 years	0	0					

Common addans	Unit of Issue	Beginning	Quantity	Quantity	Tests Done	T. a. a. a. a.	Adjus	tments	Closing	Qty Expiring	Days	Qty Requested
Commodity		Balance	Received	Used		Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	
Screening - Determine	100	368	0	508	508	0	0	0	368	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	750	508	508	0	0	0	242	0	0	0
Confirmatory - First Response	50	0	120	17	17	0	0	0	103	0	0	0
Tie Breaker - Unigold	30	17	20	0	0	0	0	0	37	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	used new test kits for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	DAVID MUTAI

## RTK FCDRR Report for Tarakwa Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Tarakwa Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	15710	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	28	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of	f Beginning	Quantity	Quantity	Tests	Losses	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	199	0	28	28	0	0	0	199	0	0	0
Confirmatory - Unigold	50	6	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	28	28	0	0	0	422	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	6	20	0	0	0	0	0	26	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	used new test kits for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JACKLINE MISOI

### RTK FCDRR Report for Chebirbelek Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Chebirbelek Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14297	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	12	0		
County:	Bomet	PITC	45	RDT	Patients aged 5-14 yrs	30	0		
Beginning:	01st July 2014	PMTCT	9		Patients <u>over</u> 14 years	63	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	2	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	1	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue			Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	160	0	54	54	0	0	0	160	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	54	54	0	0	0	396	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	20	40	0	0	0	0	0	60	0	0	0

Commodity	Unit of	J_ J	Quantity Received	Quantity Used	Tests Done	Lossos	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue					Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	used new test kits for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	FLORENCE CHELANGAT

## RTK FCDRR Report for Monirre Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Monirre Dispensary	Applicable to HIV Test	Kits Only		Applicable to Malaria Testing Only					
MFL Code:	15220	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	10	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	8		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
	Other (Please Specify) 0 Mic		Microscopy	Patients aged 5-14 yrs	0	0				
		Specify Here:	0		Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Lacasa	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue					Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	87	0	18	18	0	0	0	69	0	0	0
Confirmatory - Unigold	50	13	0	1	1	0	0	0	12	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	DAVID YEGON

## RTK FCDRR Report for Motiret Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Motiret Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	15233	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	3	0
County:	Bomet	PITC	57	RDT	Patients aged 5-14 yrs	10	0
Beginning:	01st July 2014	PMTCT	3		Patients over 14 years	29	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity Received	Quantity	Tests	Lococ	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance		Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	557	0	60	60	0	0	0	557	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	500	60	60	0	0	0	440	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	20	20	0	0	0	0	0	40	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	new test kits were used for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	ESTHER CHERUIYOT

### RTK FCDRR Report for Kimawit-Uswet Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kimawit-Uswet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	16671	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	11	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	3		Patients <u>over</u> 14 years	14	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning		Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	141	0	14	14	0	0	0	127	27	0	0
Confirmatory - Unigold	50	40	0	0	0	0	0	0	40	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0

Commodity	Unit of Beginning Issue Balance	Quantity (	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity		Balance R	Received Us	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	EMMY KILEL

## RTK FCDRR Report for Kapkures Dispensary (Sotik) August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kapkures Dispensary (Sotik)	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	16318	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	16	RDT	Patients aged 5-14 yrs	25	0		
Beginning:	01st July 2014	PMTCT	8		Patients over 14 years	70	0		

Ending: 31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Laccas		tments	Closing	Qty Expiring	Days	Qty Requested
Commodity	Issue	Balance	Received	Used	Done	Losses		Negative	Stock	in 6 Months	Out of Stock	
Screening - Determine	100	116	0	24	24	0	0	0	92	0	0	0
Confirmatory - Unigold	50	40	0	0	0	0	0	0	40	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	RICHARD YATOR

### **Health Commodities Management Platform**

Name of Facility:	Kapletundo Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	16317	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	20	13			
County:	Bomet	PITC	50	RDT	Patients aged 5-14 yrs	250	17			
Beginning:	01st July 2014	PMTCT	12		Patients over 14 years	330	10			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	7	2			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	10	6			
		Specify Here:	0		Patients <u>over</u> 14 years	44	12			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	11	0	62	62	0	0	0	11	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	62	62	0	0	0	388	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	37	20	0	0	0	0	0	57	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

new test kits were used for the month of July 2014

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	GEOFREY RUGUT

## RTK FCDRR Report for Kimolwet Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kimolwet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14875	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	35	0		
County:	Bomet	PITC	30	RDT	Patients aged 5-14 yrs	50	0		
Beginning:	01st July 2014	PMTCT	5		Patients <u>over</u> 14 years	101	1		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	56	1		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	140	1		
		Specify Here:	0		Patients <u>over</u> 14 years	290	7		

Commodity	Unit of Beginning Issue Balance		Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring in 6 Months	Days Out of Stock	Qty
Commounty			Received Used		Done	LUSSES		Negative	Stock			Requested
Screening - Determine	100	64	0	35	35	0	0	0	29	0	0	0
Confirmatory - Unigold	50	17	0	0	0	0	0	0	17	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests		Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

**Explaination of Losses and Adjustments** (1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642): 0

(2) F-CDRR for Laboratory Commodities (MOH 643): 0

Compiled by: VIOLA ROTICH



### RTK FCDRR Report for Oldepesi Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Oldepesi Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15391	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			

District:	Sotik	VCT	0		Patients <u>under</u> 5 years	25	0
County:	Bomet	PITC	8	RDT	Patients aged 5-14 yrs	15	0
Beginning:	01st July 2014	PMTCT	6		Patients <u>over</u> 14 years	32	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	277	0	14	14	0	0	0	277	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	14	14	0	0	0	436	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	20	20	0	0	0	0	0	40	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	new test kits were used for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	VICTOR BII

### RTK FCDRR Report for Cheptangulgei Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Cheptangulgei Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	17334	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	8	0		
County:	Bomet	PITC	7	RDT	Patients aged 5-14 yrs	21	0		
Beginning:	01st July 2014	PMTCT	2		Patients <u>over</u> 14 years	50	1		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients over 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	203	0	9	9	0	0	0	194	0	0	0
Confirmatory - Unigold	50	16	0	0	0	0	0	0	16	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	45	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	NAOMI MUTAI

## RTK FCDRR Report for Chebango Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Chebango Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14290	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	4	RDT	Patients aged 5-14 yrs	4	0		
Beginning:	01st July 2014	PMTCT	10		Patients <u>over</u> 14 years	10	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients over 14 years	0	0		

Common district	Unit of	Beginning	Quantity	Quantity	Tests	Tests Done Losses		tments	Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done			Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	28	0	14	14	0	0	0	28	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	14	14	0	0	0	436	0	0	0
Confirmatory - First Response	50	0	60	1	1	0	0	0	59	0	0	0
Tie Breaker - Unigold	30	20	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	new test kits were used for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	RICHARD MUTAI

## RTK FCDRR Report for Burgei Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Burgei Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	14273	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	26	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	9		Patients over 14 years	43	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here: 0			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of	Beginning	Quantity Received	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance		Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	132	0	35	35	0	0	0	97	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	ELIZABETH CHEBET

### RTK FCDRR Report for Grace Medical Clinic August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Grace Medical Clinic	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	18489	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue				Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	50	0	0	0	0	0	0	50	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used			Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	CAROLINE CHEMUTAI

## RTK FCDRR Report for Kanusin Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kanusin Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14688	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	5	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	7		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
	Specify Here: 0		Patients <u>over</u> 14 years	0	0				

C	Unit of	Beginning	Quantity	Quantity	Tests	T	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue Balance Received Used Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested				
Screening - Determine	100	231	0	12	12	0	0	0	219	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	REGINA ROTICH

# RTK FCDRR Report for Kapchumbe August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kapchumbe	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	17722	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	3	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	10		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	Lacons	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue			Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	7	0	13	13	0	0	0	7	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	13	13	0	0	0	437	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	13	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	used new test kits for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	GEOFREY LANGAT

### RTK FCDRR Report for Kaplomboi Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kaplomboi Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14740	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	6	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	3		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
	Other (Please Specify) 0		0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue			Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	173	0	9	9	0	0	0	173	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	9	9	0	0	0	441	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	20	20	0	0	0	0	0	20	0	0	0

Commodity	Unit of	3	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
	Issue						Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	new test kits were used for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	STEPHEN RONO

## RTK FCDRR Report for Solyot Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Solyot Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	15608	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Bomet	PITC	10	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st July 2014	PMTCT	8		Patients <u>over</u> 14 years	0	0	
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:	0		Patients <u>over</u> 14 years	0	0	

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests	Loccos	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue				Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	254	0	18	18	0	0	0	254	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	18	18	0	0	0	432	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	20	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	new test kits were used for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	KIPLANGAT ANUCIATE

### RTK FCDRR Report for Kipsonoi Health Centre August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kipsonoi Health Centre	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only
-------------------	---------------------------	----------------------------------	------------------------------------

MFL Code:	14920	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sotik	VCT	16		Patients <u>under</u> 5 years	32	0
County:	Bomet	PITC	184	RDT	Patients aged 5-14 yrs	75	0
Beginning:	01st July 2014	PMTCT	23		Patients <u>over</u> 14 years	90	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	20	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	30	0
		Specify Here:	0		Patients <u>over</u> 14 years	50	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Lossos	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty Requested
Commounty	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	
Screening - Determine	100	157	0	223	223	0	0	0	157	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	1050	223	223	0	0	0	827	0	0	0
Confirmatory - First Response	50	0	120	1	1	0	0	0	119	0	0	0
Tie Breaker - Unigold	30	30	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	used new test kits for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	AMOS BII

## RTK FCDRR Report for Saruchat Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Saruchat Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15532	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	18	1			
County:	Bomet	PITC	7	RDT	Patients aged 5-14 yrs	20	0			
Beginning:	01st July 2014	PMTCT	13		Patients <u>over</u> 14 years	60	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:	0		Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity Used	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received		Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	400	0	20	20	0	0	0	380	0	0	0
Confirmatory - Unigold	50	15	0	0	0	0	0	0	15	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	500	0	0	0	0	0	500	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0

Commodity	Unit of Beginning		Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance	Received	Used	Done	Lusses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JOAN SIGEI

# RTK FCDRR Report for Soymet Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Soymet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15624	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	17	0			
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	56	0			
Beginning:	01st July 2014	PMTCT	15		Patients <u>over</u> 14 years	73	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity Used	Tests	I access	Adjus	tments	Closing	Qty Expiring	Days	Qty
	Issue	Balance	Received		Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	132	0	15	15	0	0	0	117	0	0	0
Confirmatory - Unigold	50	19	0	0	0	0	0	0	19	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	MARY CHEBUKTO

## RTK FCDRR Report for Gorgor Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Gorgor Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	14531	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	8	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	8		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	ng Quantity	Quantity	Tests Done	Lossos	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used		Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	218	0	16	16	0	0	0	202	0	0	0
Confirmatory - Unigold	50	19	0	0	0	0	0	0	19	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	EMILY KETER

## RTK FCDRR Report for Kiptulwa Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kiptulwa Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14932	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	20	1		
County:	Bomet	PITC	32	RDT	Patients aged 5-14 yrs	20	0		
Beginning:	01st July 2014	PMTCT	31		Patients <u>over</u> 14 years	40	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	67	1		
		Other (Please Specify)	0 Microscopy		Patients aged 5-14 yrs	57	0		
		Specify Here:	0		Patients <u>over</u> 14 years	109	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue			Used			Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	238	0	63	63	0	0	0	175	0	0	0
Confirmatory - Unigold	50	11	0	1	1	0	0	0	10	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0

Commodity	Unit of	f Beginning Balance	Quantity Received	Quantity Used	Tests Done	ne Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue						Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	NANCY CHERUIYOT

## RTK FCDRR Report for Rongena Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Rongena Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15497	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	18	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	10		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
	Issue						Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	240	0	28	28	0	0	0	240	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	28	28	0	0	0	422	0	0	0
Confirmatory - First Response	50	0	60	1	1	0	0	0	59	0	0	0
Tie Breaker - Unigold	30	14	20	0	0	0	0	0	34	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	used new test kits for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	ABRAHAM MUTAI

## RTK FCDRR Report for Gelegele Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Gelegele Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	14505	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	21	0
County:	Bomet	PITC	8	RDT	Patients aged 5-14 yrs	78	0
Beginning:	01st July 2014	PMTCT	15		Patients over 14 years	101	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests Done	Lossos	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue			Used		Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	348	0	23	23	0	0	0	325	0	0	0
Confirmatory - Unigold	50	50	0	0	0	0	0	0	50	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	CHRISTOPHER CHIRCHIR

### RTK FCDRR Report for Kaptebengwo Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kaptebengwo Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14777	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	27		Patients <u>under</u> 5 years	28	0		
County:	Bomet	PITC	5	RDT	Patients aged 5-14 yrs	39	0		
Beginning:	01st July 2014	PMTCT	7		Patients <u>over</u> 14 years	95	2		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

Commodity		Beginning Balance	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
			Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock Reque	Requested
Screening - Determine	100	53	0	39	39	0	0	0	53	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	39	39	0	0	0	411	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	20	20	0	0	0	0	0	20	0	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	ne Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue						Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	new test kits were used for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	FANCY KOECH

# RTK FCDRR Report for Kapkelei August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kapkelei	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	17293	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	42	RDT	Patients aged 5-14 yrs	14	0			
Beginning:	01st July 2014	PMTCT	4		Patients over 14 years	42	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
	Ot		0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:	0		Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests	T. a. a. a. a.	Adjus	tments	Closing	Qty Expiring	Days	Qty Requested
	Issue				Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	
Screening - Determine	100	75	0	46	46	0	0	0	29	0	0	0
Confirmatory - Unigold	50	25	0	0	0	0	0	0	25	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JULIANA KOSKEI

### RTK FCDRR Report for Kaplong Hospital August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kaplong Hospital	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	14741	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sotik	VCT	199		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	84	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	46		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity		Beginning	Quantity Received	Quantity Used	Tests	Lancas	_	tments	Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance			Done	Losses		Negative	Stock	in 6 Months		Requested
Screening - Determine	100	61	0	329	329	0	0	0	61	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	750	329	329	0	0	0	421	0	0	0
Confirmatory - First Response	50	0	120	18	18	0	0	0	102	0	0	0
Tie Breaker - Unigold	30	14	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	new test kits were used for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	CLEMENT RONO

### RTK FCDRR Report for Kipsingei Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kipsingei Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14918	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	9		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:	00		Patients over 14 years	0	0			

Commodity	Unit of	Beginning	Quantity Received	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance		Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	122	0	9	9	0	0	0	113	0	0	0
Confirmatory - Unigold	50	17	0	0	0	0	0	0	17	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue						Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JOSEPH NGENO

# RTK FCDRR Report for Ndanai August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Ndanai	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15322	Type of Service	No. of Tests Done	No. of Tests Done Test		No. of Tests Performed	No. Positive		
District:	Sotik	VCT	145		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	49	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	73		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

C	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	Loccos	Adjus	tments	Closing	Qty Expiring	Days	Qty
Commodity	Issue			Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	0	0	267	267	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	750	267	267	0	0	0	483	0	0	0
Confirmatory - First Response	50	0	60	6	6	0	0	0	54	0	0	0
Tie Breaker - Unigold	30	29	20	0	0	0	0	0	49	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	new test kits were used for the month of July 2014
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JOHN KOECH

## RTK FCDRR Report for Grace Medical Clinic September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Grace Medical Clinic	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	18489	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
	Issue				Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	50	0	0	0	0	0	0	50	0	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	CAROLINE CHEMUTAI

### ×

## RTK FCDRR Report for Motiret Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Motiret Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15233	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	4	0		
County:	Bomet	PITC	3	RDT	Patients aged 5-14 yrs	4	0		
Beginning:	01st August 2014	PMTCT	5		Patients <u>over</u> 14 years	23	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
	Issue					Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	557	0	0	8	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	440	0	8	8	0	0	0	432	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0



### RTK FCDRR Report for Solyot Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Solyot Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15608	Type of Service No. of Tests Done Te		Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	15		Patients over 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
	'		0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance		Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested	
Screening - Determine	100	254	0	0	15	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	432	0	15	15	0	0	0	417	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0

Commodity	Unit of		Lossos	Adjustments Losses			Qty Expiring	Days Out of	Qty			
Commodity	Issue Balance	Received	Used	Done	LUSSES		Negative	Stock	in 6 Months	Stock	Requested	
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	KIPLANGAT ANUCIATE

## RTK FCDRR Report for Kimolwet Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kimolwet Dispensary	Applicable to HIV Test	Kits Only		Applicable to Ma	alaria Testing Only	
MFL Code:	14875	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	31	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	9		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	49	3
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	59	0
		Specify Here:	0		Patients <u>over</u> 14 years	262	14

Commodity	Unit of Beginning	Quantity Q	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	29	0	0	40	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	40	40	0	0	0	410	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	37	0	0	0	0	0	0	37	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	VIOLA ROTICH

# RTK FCDRR Report for Kiricha Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kiricha Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14938	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		

District:	Sotik	VCT	31		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	17	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	14		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	62	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	286	0	62	62	0	0	0	224	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	40	0	0	0	0	0	0	40	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	VICOTY CHEPKIRUI

### Ministry of Health Health Commodities Management Platform

Name of Facility:	Burgei Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14273	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	1	0			
County:	Bomet	PITC	27	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	5		Patients <u>over</u> 14 years	13	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning	Quantity	Quantity	Tests	T	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	97	0	32	32	0	0	0	65	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	ELIZABETH CHEBET

### RTK FCDRR Report for Oldepesi Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Oldepesi Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15391	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	5	0		
County:	Bomet	PITC	23	RDT	Patients aged 5-14 yrs	8	0		
Beginning:	01st August 2014	PMTCT	6		Patients <u>over</u> 14 years	17	1		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning Quantity Quantity Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty				
Commodity	Issue	Balance	Received	Used	Done	Done	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	29	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	436	0	29	29	0	0	0	407	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	VICTOR BII

# RTK FCDRR Report for Kapkures Dispensary (Sotik) September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kapkures Dispensary (Sotik)	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	16318	Type of Service No. of Tests Done		Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	5	0		
County:	Bomet	PITC	12	RDT	Patients aged 5-14 yrs	14	0		
Beginning:	01st August 2014	PMTCT	4		Patients <u>over</u> 14 years	25	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	pecify Here: 0		Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Tests Lossos		Adjustments Losses		Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	Done	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	92	0	16	16	0	0	0	76	0	0	0
Confirmatory - Unigold	20	40	0	0	0	0	0	0	40	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	40	0	0	0	0	0	0	40	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	RICHARD YATOR

# RTK FCDRR Report for Ndanai September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Ndanai	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	15322	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Sotik	VCT	161		Patients <u>under</u> 5 years	0	0	
County:	Bomet	PITC	118	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	33		Patients <u>over</u> 14 years	0	0	

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	23	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	213	0
		Specify Here:	0		Patients <u>over</u> 14 years	176	6

Commoditu	Unit of Begi	Beginning	Quantity	Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	312	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	483	0	312	312	0	0	0	171	0	0	1250
Confirmatory - First Response	30	54	0	0	0	0	0	0	54	0	0	0
Tie Breaker - Unigold	20	40	0	0	0	0	0	0	40	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JOHN KOECH



RTK FCDRR Report for Simbi Dispensary September 2014 Ministry of Health **Health Commodities Management Platform** 

Name of Facility:	Simbi Dispensary	Applicable to HIV Test	Kits Only		Applicable to N	Malaria Testing Only	
MFL Code:	15575	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	1	0
County:	Bomet	PITC	8	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	7		Patients <u>over</u> 14 years	5	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning	Beginning	Quantity Received	Quantity Used	Tests	Losses	Adjus	tments	Closing	Qty Expiring	Days	Qty Requested
Commodity	Issue	Balance			Done	LUSSES	Positive	Negative	Stock	in 6 Months	Out of Stock	
Screening - Determine	100	0	0	0	15	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	441	0	15	15	0	0	0	426	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	WINNIE BII

### RTK FCDRR Report for Kaplomboi Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kaplomboi Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14740	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	4	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Laccas	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	173	0	4	4	0	0	0	169	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	441	0	0	0	0	0	0	441	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	STEPHEN RONO

## RTK FCDRR Report for Chebilat Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chebilat Dispensary	Applicable to HIV Test	Kits Only		Applicable to Ma	alaria Testing Only	
MFL Code:	14295	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	28	1
County:	Bomet	PITC	146	RDT	Patients aged 5-14 yrs	27	1
Beginning:	01st August 2014	PMTCT	21		Patients <u>over</u> 14 years	90	2
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	4	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	4	1
		Specify Here:	0		Patients over 14 years	13	0

Commodity	Unit of Beginning		Quantity	Quantity	Tests	I NECEC	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue Balance	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	9	0	0	167	0	0	0	0	0	0	0
Confirmatory - Unigold	20	12	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of Beginning Issue Balance	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity		Balance	Received	Used	Done			Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	50	218	0	167	167	0	0	0	51	0	0	700
Confirmatory - First Response	30	48	0	7	7	0	0	0	41	0	0	0
Tie Breaker - Unigold	20	15	0	0	0	0	0	0	15	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	SAMMARY CHEPKORIR

## RTK FCDRR Report for Chebirbelek Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chebirbelek Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14297	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	5	0	
County:	Bomet	PITC	67	RDT	Patients aged 5-14 yrs	27	0	
Beginning:	01st August 2014	PMTCT	26		Patients <u>over</u> 14 years	40	0	

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:	0		Patients <u>over</u> 14 years	0	0	

0	Unit of	Beginning	Quantity	Quantity	Tests	Tests Done Losses P	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	160	0	93	93	0	0	0	67	0	0	0
Confirmatory - Unigold	20	20	0	3	3	0	0	0	17	0	0	0
Screening - KHB (Colloidal Gold)	50	420	0	0	0	0	0	0	420	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	FLORENCE CHELANGAT



## RTK FCDRR Report for Chebango Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Chebango Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14290	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	4	1			
County:	Bomet	PITC	4	RDT	Patients aged 5-14 yrs	11	0			
Beginning:	01st August 2014	PMTCT	11		Patients <u>over</u> 14 years	47	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:	0		Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Tests Lesses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Done Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	28	0	15	15	0	0	0	13	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	436	0	0	0	0	0	0	436	0	0	0
Confirmatory - First Response	30	59	0	0	0	0	0	0	59	0	0	0
Tie Breaker - Unigold	20	39	0	0	0	0	0	0	39	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	RICHARD MUTAI

### RTK FCDRR Report for Cheptangulgei Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Cheptangulgei Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	17334	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	2	0			
County:	Bomet	PITC	5	RDT	Patients aged 5-14 yrs	6	0			
Beginning:	01st August 2014	PMTCT	7		Patients <u>over</u> 14 years	12	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
	Specify Here: 0			Patients over 14 years	0	0				

Commodity	Unit of Beginnin	Beginning	ng Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	194	0	12	12	0	0	0	182	0	0	0
Confirmatory - Unigold	20	16	0	0	0	0	0	0	16	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	NAOMI MUTAI

## RTK FCDRR Report for Gelegele Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Gelegele Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14505	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	3	0			
County:	Bomet	PITC	25	RDT	Patients aged 5-14 yrs	8	0			
Beginning:	01st August 2014	PMTCT	10		Patients <u>over</u> 14 years	21	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	3	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	8	0			
	Specify Here: 0		0		Patients <u>over</u> 14 years	21	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	325	0	35	35	0	0	0	290	0	0	0
Confirmatory - Unigold	20	50	0	0	0	0	0	0	50	0	0	0

Commodity	Unit of Beginning Quantity Quantity Tests	Laccas	Adjustments		Closing	Qty Expiring	Days	Qty				
Commodity	Issue	Balance	Received	Used	Done	Done Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	CHRISTOPHER CHIRCHIR

# RTK FCDRR Report for Arroket Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Arroket Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14215	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	34	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	2		Patients <u>over</u> 14 years	0	0		

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:	0		Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Beginning	Quantity	Quantity	Tests	LOSSES	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	109	0	36	36	0	0	0	73	0	0	0
Confirmatory - Unigold	20	11	0	1	1	0	0	0	10	0	0	0
Screening - KHB (Colloidal Gold)	50	267	0	0	0	0	0	0	267	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	CAROLINE MOMBINYA



## RTK FCDRR Report for Kapletundo Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kapletundo Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	16317	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	33	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	18		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	95	3			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	195	8			
		Specify Here:	0		Patients <u>over</u> 14 years	200	10			

Commodity	Unit of Beginning	Quantity	Quantity	Tests	I Neche	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock Requested	Requested
Screening - Determine	100	11	0	0	51	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	388	0	51	51	0	0	0	337	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	GEOFREY RUGUT

### RTK FCDRR Report for Kapkelei September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kapkelei	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	17293	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	35	RDT	Patients aged 5-14 yrs	4	0			
Beginning:	01st August 2014	PMTCT	5		Patients <u>over</u> 14 years	10	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:	0		Patients over 14 years	0	0			

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Rounoctou
Screening - Determine	100	29	0	0	40	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	40	40	0	0	0	410	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JULIANA KOSKEI

## RTK FCDRR Report for Kapchumbe September 2014

## Ministry of Health Health Commodities Management Platform

Name of Facility:	Kapchumbe	Applicable to HIV Test	Kits Only		Applicable to N	Malaria Testing Only	
MFL Code:	17722	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	10	0
County:	Bomet	PITC	32	RDT	Patients aged 5-14 yrs	26	0
Beginning:	01st August 2014	PMTCT	11		Patients <u>over</u> 14 years	33	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients over 14 years	0	0

Commodity	Unit of Beginning		Quantity	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue Balance	Received	Positive				Negative	Stock	in 6 Months	Stock	Requested	
Screening - Determine	100	7	0	0	43	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
							Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	437	0	43	43	0	0	0	394	0	0	0
Confirmatory - First Response	30	60	0	6	6	0	0	0	54	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments			
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0		
(2) F-CDRR for Laboratory Commodities (MOH 643):	0		
Compiled by:	GEOFREY LANGAT		

## RTK FCDRR Report for Kimawit-Uswet Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kimawit-Uswet Dispensary Applicable to HIV Test Kits Only			Applicable to Malaria Testing Only				
MFL Code:	16671	Type of Service	Type of Service No. of Tests Done		Category	No. of Tests Performed	No. Positive	
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	7	0	
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	14	0	
Beginning:	01st August 2014	PMTCT	4		Patients <u>over</u> 14 years	38	0	

Ending: 31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjus	Adjustments		Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	127	0	4	4	0	0	0	123	0	0	0
Confirmatory - Unigold	20	40	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	EMMY KILEL



RTK FCDRR Report for Rongena Dispensary September 2014 Ministry of Health **Health Commodities Management Platform** 

Name of Facility:	Rongena Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15497	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	17	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	1st August 2014 PMTCT			Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014 Blood Screening		0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:	0		Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjus	Adjustments		Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	LOSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	240	0	29	29	0	0	0	211	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	422	0	0	0	0	0	0	422	0	0	0
Confirmatory - First Response	30	59	0	0	0	0	0	0	59	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	ABRAHAM MUTAI

### RTK FCDRR Report for Kipsonoi Health Centre September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kipsonoi Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14920	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	32		Patients <u>under</u> 5 years	28	0			
County:	Bomet	PITC	227	RDT	Patients aged 5-14 yrs	88	2			
Beginning:	01st August 2014	PMTCT	27		Patients over 14 years	100	3			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	20	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	30	2			
		Specify Here:	0		Patients <u>over</u> 14 years	70	3			

Commodity	Unit of Beginning	Beginning		Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance					Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	157	0	0	286	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	827	0	286	286	0	0	0	541	0	0	0
Confirmatory - First Response	30	119	0	2	2	0	0	0	117	0	0	0
Tie Breaker - Unigold	20	48	0	0	0	0	0	0	48	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	AMOS BII

## RTK FCDRR Report for Saruchat Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Saruchat Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15532	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	17	1			
County:	Bomet	PITC	5	RDT	Patients aged 5-14 yrs	23	1			
Beginning:	01st August 2014	gust 2014 PMTCT			Patients over 14 years	30	0			
Ending:	31st August 2014 Blood Screening		0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:	0		Patients over 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Lossos	Adjustments Losses		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	380	0	14	14	0	0	0	366	0	0	0
Confirmatory - Unigold	20	15	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		ments Closing		Days	Qty	
	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	500	0	0	0	0	0	0	500	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JOAN SIGEI

# RTK FCDRR Report for Gorgor Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Gorgor Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14531	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	20	0	
County:	Bomet	PITC	5	RDT	Patients aged 5-14 yrs	6	0	
Beginning:	01st August 2014	PMTCT	19		Patients <u>over</u> 14 years	57	6	

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:	0		Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Beginning	Beginning	Quantity	Quantity	Tests	Lossos	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	202	0	24	24	0	0	0	178	0	0	0
Confirmatory - Unigold	20	19	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	EMILY KETER



## RTK FCDRR Report for Kaplong Hospital September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kaplong Hospital	Applicable to HIV Test	Kits Only		Applicable to M	alaria Testing Only	
MFL Code:	14741	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sotik	VCT	89		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	58	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	57		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	-	Beginning	Quantity	Quantity Quantity Received Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity		Balance	Received			LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	61	0	0	204	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	421	0	204	204	0	0	0	217	0	0	600
Confirmatory - First Response	30	102	0	7	7	0	0	0	95	0	0	0
Tie Breaker - Unigold	20	20	0	2	2	0	0	0	18	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	CLEMENT RONO

### RTK FCDRR Report for Monirre Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Monirre Dispensary	Applicable to HIV Test	Kits Only		Applicable to Ma	alaria Testing Only	
MFL Code:	15220	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	13	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	2		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning	Beginning	Quantity	Quantity	Tests	T	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	15	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	15	15	0	0	0	435	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	33	0	0	0	0	0	0	33	0	0	0

Explaination of Losses and Adjustments

69 determine strips taken to sotik health centre

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	DAVID YEGON

## RTK FCDRR Report for Kiptulwa Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kiptulwa Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14932	Type of Service	No. of Tests Done	lest Category P		No. of Tests Performed	No. Positive	
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	13	0	
County:	Bomet	PITC	35	RDT	Patients aged 5-14 yrs	6	0	
Beginning:	01st August 2014	PMTCT	35		Patients <u>over</u> 14 years	23	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	35	1	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	16	0	
		Specify Here:	0		Patients <u>over</u> 14 years	50	0	

Commodity	Unit of Beginning		Quantity Quantity		Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue Balance	Balance	lance Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	70	0	0	175	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of Beginning Issue Balance	Quantity Quar	Quantity Tests	Losses	Adjustments		Closing	Qty Expiring	Days	Qty		
		Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	450	0	70	70	0	0	0	380	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	24	0	2	2	0	0	0	22	0	0	0

Explaination of Losses and Adjustments	175 determine strips taken to kipsonoi mobile vct
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	NANCY CHERUIYOT

# RTK FCDRR Report for Sotik Town VCT September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Sotik Town VCT	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	17880	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	266		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:	00		Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Beginning	Quantity Quan	Quantity	Quantity Tests	S Losses	Adjustments		Closing	Qty Expiring	Days	Qty	
	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	0	0	0	266	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	586	0	266	266	0	0	0	320	0	0	800
Confirmatory - First Response	30	118	0	0	0	0	0	0	118	0	0	0
Tie Breaker - Unigold	20	61	0	0	0	0	0	0	61	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	GLADYS CHEBET



## RTK FCDRR Report for Kaptebengwo Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kaptebengwo Dispensary	Applicable to HIV Test	Kits Only		Applicable to Ma	laria Testing Only		
MFL Code:	14777	Type of Service	Type of Service No. of Tests Done Test Category		Category	No. of Tests Performed	No. Positive	
District:	Sotik	VCT	25		Patients <u>under</u> 5 years	20	0	
County:	Bomet	PITC	5	RDT	Patients aged 5-14 yrs	16	0	
Beginning:	01st August 2014	PMTCT	4		Patients <u>over</u> 14 years	87	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:	0		Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Beginning	Quantity Qua	Quantity Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty		
Commounty	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	53	0	0	34	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	458	0	34	34	0	0	0	424	0	0	0
Confirmatory - First Response	30	60	0	1	1	0	0	0	59	0	0	0
Tie Breaker - Unigold	20	40	0	1	1	0	0	0	39	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	FANCY KOECH

### RTK FCDRR Report for Kipsingei Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kipsingei Dispensary	Applicable to HIV Test	Kits Only		Applicable to Ma	alaria Testing Only	
MFL Code:	14918	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	14		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	ease Specify) 0 Mi		Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Lagger	Adjustments		Closing	Qty Expiring	Days	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	113	0	14	14	0	0	0	99	0	0	0
Confirmatory - Unigold	20	17	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JOSEPH NGENO

## RTK FCDRR Report for Soymet Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Soymet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15624	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	10		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done			Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	117	0	10	10	0	0	0	107	0	0	0
Confirmatory - Unigold	20	19	0	1	1	0	0	0	18	0	0	0

Commoditu	Unit of	Beginning	Quantity	Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	MARY CHEBUKTO

## RTK FCDRR Report for Sotik Health Centre September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Sotik Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15619	Type of Service No. of Tests Done T		Test Category		No. of Tests Performed	No. Positive		
District:	Sotik	VCT	130		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	254	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	103		Patients <u>over</u> 14 years	0	0		

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
·		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity Unit	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	Pos		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	368	0	0	487	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	242	0	487	487	0	450	0	205	0	0	1800
Confirmatory - First Response	30	103	0	37	37	0	0	0	66	0	0	0
Tie Breaker - Unigold	20	60	0	0	0	0	0	0	60	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	DAVID MUTAI



Name of Facility:	Tarakwa Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15710	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	52	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	28		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:	0		Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Done	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	199	0	80	80	0	0	0	119	0	0	0
Confirmatory - Unigold	20	20	0	8	8	0	0	0	12	0	0	0
Screening - KHB (Colloidal Gold)	50	422	0	0	0	0	0	0	422	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JACKLINE BARIMEN

### RTK FCDRR Report for Kanusin Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kanusin Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only				
MFL Code:	14688	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Sotik	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Bomet	PITC	4	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	12		Patients <u>over</u> 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:	0		Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
							Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	219	0	16	16	0	0	0	203	0	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0				
(2) F-CDRR for Laboratory Commodities (MOH 643):	0				
Compiled by:	REGINA ROTICH				