Konoin district FCDRR-RTK Reports for August-2014



RTK FCDRR Report for Siomo Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Siomo Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15585	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Konoin	VCT	28		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	115	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	36		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	Tanana	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue			Used	Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	450	0	179	0	179	0	0	271	0	0	0
Confirmatory - Unigold	50	78	0	2	0	2	0	0	76	0	0	0
Tie Breaker	1	20	0	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of		Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue						Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	willy

RTK FCDRR Report for Chemamul Dispensary August 2014

Ministry of Health Health Commodities Management Platform

Name of Facility:	Chemamul Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14310	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Tonna	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue					Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	50	450	5	0	5	0	0	495	0	0	0
Confirmatory - Unigold	50	5	60	0	0	0	0	0	65	0	0	0
Tie Breaker	1	5	20	0	0	0	0	0	25	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	VICTORIA

RTK FCDRR Report for Chepchabas Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chepchabas Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	14331	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	96	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	15		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue			Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	22	450	111	111	0	0	0	361	0	0	0
Confirmatory - Unigold	50	8	60	4	4	0	0	0	64	0	0	0
Tie Breaker	1	8	20	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	SANG

RTK FCDRR Report for Koiwa Medical Clinic August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Koiwa Medical Clinic	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14971	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	40	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	11		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests		Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue			Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	361	0	51	51	0	0	0	307	0	0	0
Confirmatory - Unigold	50	35	0	2	2	0	0	0	33	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	one Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue						Positive	Negative	Stock	in h	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	IRINE

RTK FCDRR Report for Satiet Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Satiet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15533	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Konoin	VCT	4		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests	I	Adjus	tments	Closing	Qty Expiring	Days	Qty Requested
Commodity	Issue				Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	
Screening - Determine	100	537	0	4	4	0	0	83	450	0	0	0
Confirmatory - Unigold	50	30	0	0	0	0	0	0	30	0	0	0
Tie Breaker	1	40	0	0	0	0	0	0	40	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	WINNY

RTK FCDRR Report for Cheptabes Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Cheptabes Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	14365	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity Received	Quantity Used	Tests	Losses	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty Requested
Commounty	Issue	Balance			Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	
Screening - Determine	100	445	0	25	0	25	0	0	425	0	0	0
Confirmatory - Unigold	50	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker	1	20	0	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	BRIDGID

RTK FCDRR Report for Kapsinendet Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kapsinendet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14760	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	12	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	13		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue			Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	200	0	25	25	0	0	0	175	0	0	0
Confirmatory - Unigold	50	200	0	1	0	1	0	0	199	0	0	0
Tie Breaker	1	18	0	1	0	1	0	0	17	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance	Received				Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	W KOSKEI

RTK FCDRR Report for Chamalal Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chamalal Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14285	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	109	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	2		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjus	tments	Closing	Qty Expiring	Days	Qty Requested
	Issue					Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	
Screening - Determine	100	21	450	111	111	0	0	0	450	0	0	0
Confirmatory - Unigold	50	14	60	3	3	0	0	0	71	0	0	0
Tie Breaker	1	14	20	2	2	0	0	0	32	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	W BOSUBEN

RTK FCDRR Report for Kaptembwo Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kaptembwo Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	14780	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Konoin	VCT	54		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	126	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	3		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity Received	Quantity	Tests	Losses	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty Requested
	Issue	Balance		Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	
Screening - Determine	100	0	450	183	183	0	0	0	267	0	0	0
Confirmatory - Unigold	50	0	60	3	3	0	0	0	57	0	0	0
Tie Breaker	1	7	20	2	2	0	0	0	25	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	S SOI

RTK FCDRR Report for Simotwet Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Simotwet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15576	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Konoin	VCT	4		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	20	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	13		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue					LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	300	0	37	37	0	0	0	126	0	0	0
Confirmatory - Unigold	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker	1	10	20	2	2	0	0	0	28	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance					Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	R KIRUI

RTK FCDRR Report for Itare Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Itare Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14584	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Konoin	VCT	57		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	14		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commoditue	Unit of	Beginning	Quantity	Quantity	Tests	Tests	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	2	450	71	71	0	0	0	381	0	0	0
Confirmatory - Unigold	50	14	60	1	1	0	0	0	73	0	0	0
Tie Breaker	1	12	20	0	0	0	0	0	32	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	D MUTAI

RTK FCDRR Report for Kenyagoro Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kenyagoro Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	14828	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Konoin	VCT	42		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	89	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	8		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	LUSSES		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	45	450	139	139	0	0	0	446	0	0	900
Confirmatory - Unigold	50	9	60	1	1	0	0	0	68	0	0	60
Tie Breaker	1	0	20	0	0	0	0	0	20	0	0	20
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	C SANG

RTK FCDRR Report for Koiwa Health Centre August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Koiwa Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14970	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	95	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	43		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Tests Losses		Adjustments		Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Done	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	65	500	138	138	0	0	0	450	0	0	0
Confirmatory - Unigold	50	9	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	40	0	0	0	0	0	0	40	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjust		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used			Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	VICTOR

RTK FCDRR Report for Mogogosiek Health Centre August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Mogogosiek Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15195	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Konoin	VCT	157		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	249	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	68		Patients <u>over</u> 14 years	0	0		

Ending: 31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	0	0

Commoditu	Unit of B	Beginning	Quantity	Quantity	Tests	Lacasa		tments	Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive Negative	Stock	in 6 Months	Stock	Requested	
Screening - Determine	100	357	750	474	474	0	0	0	746	0	0	700
Confirmatory - Unigold	50	26	120	21	21	0	0	0	125	0	0	0
Tie Breaker	1	0	20	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	LILIAN

Health Commodities Management Platform

Name of Facility:	Kiptenden Dispensary (Buret)	Applicable to HIV Test	Kits Only		Applicable to Ma	alaria Testing Only	
MFL Code:	14927	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Begin	Beginning	Beginning Quantity	Quantity	Tests	Laccas	Adjus	Adjustments		Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	89	0	0	0	0	0	89	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	20	0	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

⁽¹⁾ Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	ALICE

RTK FCDRR Report for Cheptalal Sub-District Hospital August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Cheptalal Sub-District Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14366	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Konoin	VCT	60		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	50	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	90		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Lossos	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	100	3250	200	200	0	0	200	2950	0	0	0
Confirmatory - Unigold	50	1	420	3	3	0	0	60	358	0	0	0
Tie Breaker	1	3	40	0	0	0	0	0	43	0	0	0

Commodity	Unit of Beginning		Quantity	Quantity	Tests	sts Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JACKLINE

RTK FCDRR Report for Changoi Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Changoi Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14287	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	

District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
	Issue			Used	Done			Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Chebangang Health Centre August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Chebangang Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14289	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0	
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:	ecify Here:		Patients <u>over</u> 14 years	0	0	

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue			Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	50	10	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue						Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Chebitet Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chebitet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14298	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0	
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of	Beginning Balance	Quantity	Quantity	Tests	Lacas	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue		Received	Used	Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	50	11	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Embomos Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Embomos Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	18073	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Begin	Beginning Quantity Balance Received	Quantity	Tests	Lossos	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue		Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	399	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	50	18	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Kapset Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kapset Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14757	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of Beginning Issue Balance	Beginning	Quantity Received	Quantity Used	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty		Balance			Done	LUSSES		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Lossos	Adjus	tments	Closing	Qty Expiring	Days	Qty
	Issue 1	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Tenduet Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Tenduet Dispensary	Applicable to HIV Test	Kits Only		Applicable to Ma	alaria Testing Only	
MFL Code:	15717	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity Used	Tests	T. a. a. a. a.		tments	Closing	Qty Expiring	Days	Qty Requested
	Issue	Balance	Received		Done	Losses		Negative	Stock	in 6 Months	Out of Stock	
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Chamalal Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chamalal Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	14285	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Konoin	VCT	37		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	79	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	3		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning Issue Balance	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	450	0	119	119	0	0	0	331	0	0	0
Confirmatory - Unigold	20	71	0	4	4	0	0	0	67	0	0	0
Screening - KHB (Colloidal Gold)	50	32	0	1	1	0	0	0	31	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	BOSUBEN

×

RTK FCDRR Report for Chamalal Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chamalal Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14285	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodition	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - Unigold	20	71	0	0	0	0	0	0	71	0	0	0
Screening - KHB (Colloidal Gold)	50	32	0	0	0	0	0	0	32	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

(1) Daily Activity Register for	r Laboratory Reagents and
Consumables (MOH 642):	

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0



RTK FCDRR Report for Changoi Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Changoi Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14287	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients over 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tocte	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Done Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done			Negative	Stock	in 6 Months	Stock	Requested
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	sang

RTK FCDRR Report for Kiptenden Dispensary (Buret) September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kiptenden Dispensary (Buret)	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14927	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients over 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

0	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done			Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	20	0	0	0	0	0	0	20	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	ALICE

RTK FCDRR Report for Tenduet Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Tenduet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15717	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		

District:	Konoin	VCT	63		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	2	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
								Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	325	0	65	65	0	0	0	260	0	0	0
Confirmatory - Unigold	20	55	0	1	1	0	0	0	54	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	KIPROTICH

Ministry of Health Health Commodities Management Platform

Name of Facility:	Satiet Dispensary	Applicable to HIV Test	Kits Only		Applicable to Malaria Testing Only					
MFL Code:	15533	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Konoin	VCT	2		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of Beginning	Quantity	Quantity	Tests	I	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	450	0	3	2	1	0	0	446	0	0	0
Confirmatory - Unigold	20	30	0	1	1	0	0	0	29	0	0	0
Screening - KHB (Colloidal Gold)	50	40	0	1	1	0	0	0	39	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	WINNY

RTK FCDRR Report for Cheptabes Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Cheptabes Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14365	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	425	0	0	0	0	0	0	425	0	0	0
Confirmatory - Unigold	20	60	0	0	0	0	0	0	60	0	0	0
Screening - KHB (Colloidal Gold)	50	20	0	0	0	0	0	0	20	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JOHN

×

RTK FCDRR Report for Kenyagoro Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kenyagoro Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14828	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning		Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	446	0	132	132	0	0	0	314	0	0	0
Confirmatory - Unigold	20	68	0	4	4	0	0	0	64	0	0	0

Commodity	Unit of Beginning Balance	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done			Negative	Stock	in 6 Months	Stock	L UI Rominetad
Screening - KHB (Colloidal Gold)	50	20	0	0	0	0	0	0	20	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	COSMAS

RTK FCDRR Report for Kaptembwo Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kaptembwo Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14780	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Konoin	VCT	15		Patients <u>under</u> 5 years	0	0	
County:	Bomet	PITC	27	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	3		Patients <u>over</u> 14 years	0	0	

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commoditu	Unit of Begi	Beginning	Quantity	Quantity	Tests	Tests Done Losses P	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	267	0	45	45	0	0	0	222	0	0	0
Confirmatory - Unigold	20	57	0	0	0	0	0	0	57	0	0	0
Screening - KHB (Colloidal Gold)	50	25	0	0	0	0	0	0	25	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	SHARON



RTK FCDRR Report for Koiwa Medical Clinic September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Koiwa Medical Clinic	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14971	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	21	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	6		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done			Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	307	0	27	27	0	0	0	280	0	0	0
Confirmatory - Unigold	20	33	0	1	1	0	0	0	32	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	PAMELA

RTK FCDRR Report for Chepchabas Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Chepchabas Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14331	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	129	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	20		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of Beginnin	Beginning	ng Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	361	0	149	149	0	0	50	162	0	0	500
Confirmatory - Unigold	20	64	0	3	3	0	0	0	61	0	0	0
Screening - KHB (Colloidal Gold)	50	20	0	1	1	0	0	0	19	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	CARO

×

RTK FCDRR Report for Kapsinendet Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kapsinendet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14760	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	13	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	10		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing		Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	175	0	23	23	0	0	0	152	0	0	0
Confirmatory - Unigold	20	199	0	1	1	0	0	0	198	0	0	0

Commodity	Unit of	Beginning	Quantity	ntity Quantity Tests	Laccas	Adjustments		Closing	Qty Expiring	Days	Qty	
Commodity	Issue	Balance	Received	Used	Done	Done Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	17	0	1	1	0	0	0	16	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	KOSKEI

RTK FCDRR Report for Itare Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Itare Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14584	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Konoin	VCT	21		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	13		Patients <u>over</u> 14 years	0	0		

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning Issue Balance	Quantity	Quantity	Tests	sts Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	381	0	36	36	0	0	0	345	0	0	0
Confirmatory - Unigold	20	73	0	0	0	0	0	0	73	0	0	0
Screening - KHB (Colloidal Gold)	50	32	0	0	0	0	0	0	32	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	MUTAI



RTK FCDRR Report for Chemamul Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Chemamul Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14310	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Konoin	VCT	3		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	5		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning Issue Balance	Quantity	Quantity	Tests	sts Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	495	0	8	8	0	0	0	487	0	0	0
Confirmatory - Unigold	20	65	0	0	0	0	0	0	65	0	0	0
Screening - KHB (Colloidal Gold)	50	25	0	0	0	0	0	0	25	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	KETER

RTK FCDRR Report for Siomo Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Siomo Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15585	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Konoin	VCT	14		Patients <u>under</u> 5 years	0	0			
County:	Bomet	PITC	76	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	14		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of Beginning Balance	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	271	0	104	104	0	0	0	167	0	0	200
Confirmatory - Unigold	20	76	0	2	2	0	0	0	74	0	0	0
Screening - KHB (Colloidal Gold)	50	20	0	0	0	0	0	0	20	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	WINNY C

RTK FCDRR Report for Cheptalal Sub-District Hospital September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Cheptalal Sub-District Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14366	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Konoin	VCT	61		Patients <u>under</u> 5 years	0	0		
County:	Bomet	PITC	55	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	42		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
	Specify Here:				Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance	Received				Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	2950	0	158	158	0	0	500	2292	0	0	0
Confirmatory - Unigold	20	358	0	0	0	0	0	120	238	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Laccas	Adjus	tments	Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	43	0	0	0	0	0	0	43	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	500 KHB Kits and 120 first responce kits given to mogogosiek health centre.
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	CHEPKWONY

RTK FCDRR Report for Mogogosiek Health Centre September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Mogogosiek Health Centre	Applicable to HIV Test	Kits Only		Patients <u>under</u> 5 years 0 0		
MFL Code:	15195	Type of Service	No. of Tests Done	Test	Category		No. Positive
District:	Konoin	VCT	84		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	169	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	115		Patients <u>over</u> 14 years	0	0

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commoditue	Unit of	Beginning	Quantity	Quantity	Tests	Lanna	Adjus	tments	Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	746	500	253	253	0	500	0	1493	0	0	700
Confirmatory - Unigold	20	125	0	7	7	0	50	0	168	0	0	0
Screening - KHB (Colloidal Gold)	50	20	0	0	0	0	0	0	20	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	DIANA



RTK FCDRR Report for Embomos Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Embomos Dispensary	Applicable to HIV Test	Kits Only		Applicable to Ma	alaria Testing Only	
MFL Code:	18073	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Konoin	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Bomet	PITC	4	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	13		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjus	tments	Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	NGENO