Tharaka South district FCDRR-RTK Reports for August-2014



RTK FCDRR Report for Chiakariga H/C August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Chiakariga H/C	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	11969	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	31	0		
County:	Tharaka Nithi	PITC	52	RDT	Patients aged 5-14 yrs	19	0		
Beginning:	01st July 2014	PMTCT	29		Patients <u>over</u> 14 years	111	2		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	28	0		
	Other (Please Specify) 0		0	Microscopy	Patients aged 5-14 yrs	31	5		
		Specify Here:			Patients <u>over</u> 14 years	187	28		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue			Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	540	0	81	81	0	0	0	459	0	0	0
Confirmatory - Unigold	50	12	0	3	0	3	0	0	9	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	ne Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue						Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	IBRAHIM

RTK FCDRR Report for Tunyai Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Tunyai Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	12813	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Tharaka South	VCT	125	-	Patients <u>under</u> 5 years	10	0			
County:	Tharaka Nithi	PITC	20		Patients aged 5-14 yrs	20	0			
Beginning:	01st July 2014	PMTCT	60		Patients <u>over</u> 14 years	10	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	100	5			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	120	5			
		Specify Here:			Patients <u>over</u> 14 years	228	25			

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests		Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue				Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	103	400	300	205	95	0	0	398	0	0	0
Confirmatory - Unigold	50	20	40	10	10	0	0	0	50	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	27	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	TITUS MAKUNYI

RTK FCDRR Report for Kibunga Sub-District Hospital August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kibunga Sub-District Hospital	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only
-------------------	----------------------------------	----------------------------------	------------------------------------

MFL Code:	12289	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Tharaka Nithi	PITC	70	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	11	1
		Other (Please Specify)	ther (Please Specify) 0		Patients aged 5-14 yrs	13	6
		Specify Here:			Patients <u>over</u> 14 years	68	3

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity	Tests	Locos	Adjustments		Closing	Qty Expiring	Days Out of	Qty
				Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	1100	0	70	70	0	0	0	1030	0	0	0
Confirmatory - Unigold	50	47	0	0	0	0	0	0	47	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	NEW STAFF. 1100 DETERMINE AND 47 UNIGOLD WERE ADDED OVER TO HIM.
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JOHN KINYUA

RTK FCDRR Report for Nkondi Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Nkondi Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	12665	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Tharaka Nithi	PITC	7	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	7		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning	Beginning	Quantity Received	Quantity	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance		Used		LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	256	0	14	14	0	0	0	242	0	0	0
Confirmatory - Unigold	50	16	0	0	0	0	0	0	16	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of Beginning		g Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue Balance	Balance	Balance Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	ELIJAH

RTK FCDRR Report for St Orsola Mission Hospital August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	St Orsola Mission Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	12769	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Tharaka South	VCT	87		Patients <u>under</u> 5 years	0	0		
County:	Tharaka Nithi	PITC	71	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	19		Patients over 14 years	0	0		

Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	LUSSES		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	500	500	177	177	0	0	0	700	0	0	500
Confirmatory - Unigold	50	50	50	0	0	0	0	0	100	0	0	100
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	LOSS NOT EXPLAINED
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	GEORGE

Health Commodities Management Platform

Name of Facility:	P.C.E.A Karungaru Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	17444	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Tharaka Nithi	PITC	57	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	14	1			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	12	3			
		Specify Here:			Patients <u>over</u> 14 years	18	2			

Commodity	Unit of	Beginning		Quantity	Quantity Used Tests Done Lo	Laccas	Adjustments Losses		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance		Used		LUSSES		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	373	0	57	57	0	0	0	304	0	0	0
Confirmatory - Unigold	50	27	0	2	2	0	0	0	25	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

⁽¹⁾ Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	MISHECK

RTK FCDRR Report for Kanyuru Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kanyuru Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	12188	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	50	0			
County:	Tharaka Nithi	PITC	37	RDT	Patients aged 5-14 yrs	45	0			
Beginning:	01st July 2014	PMTCT	11		Patients <u>over</u> 14 years	65	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning Issue Balance		Quantity Tests	Adjust		tments	Closing	Qty Expiring	Days Out of	Qty		
		Balance Rece	Received	eived Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	133	0	48	48	0	0	0	96	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of Beginning	Quantity Q	Quantity	Tests	S Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	BERNARD

RTK FCDRR Report for Gatunga Health Centre August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Gatunga Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	12034	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			

District:	Tharaka South	VCT	23		Patients <u>under</u> 5 years	3	0
County:	Tharaka Nithi	PITC	2	RDT	Patients aged 5-14 yrs	37	0
Beginning:	01st July 2014	PMTCT	36		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients over 14 years	0	0

Commodity		Beginning	Quantity Received	Quantity	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance		Used		Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	100	200	61	61	0	0	0	239	0	0	0
Confirmatory - Unigold	50	14	0	3	0	3	0	0	11	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	EDWIN

×

RTK FCDRR Report for Josan Medical Clinic August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Josan Medical Clinic	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	12113	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Tharaka Nithi	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
	Other (Please Specify)		0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning	Quantity (Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	103303		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

NO HIV SERVICES OFFERED AT THE CLINIC

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Materi Girls Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Materi Girls Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	12481	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Tharaka Nithi	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning		Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue Balance	Balance	nce Received	Used Do	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of Beginning Issue Balance	Quantity Q	Quantity	Tests	S Losses	Adjustments		Closing	Qty Expiring	Days	Qty	
		Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	NO HIV SERVICES OFFERED AT THE CLINIC
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Rukenya Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Rukenya Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	16241	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Tharaka Nithi	PITC	13	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0	

Ending: 31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity		Beginning		Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
		Balance					Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	367	0	13	13	0	0	0	354	46	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	JOSEPH ARIMI



RTK FCDRR Report for Kamanyaki Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kamanyaki Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	12161	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Tharaka Nithi	PITC	4	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st July 2014	PMTCT	6		Patients <u>over</u> 14 years	0	0	
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
·		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of I Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
								Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	400	0	10	10	0	0	0	390	0	0	0
Confirmatory - Unigold	20	18	0	0	0	0	0	0	18	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	MARTIN

RTK FCDRR Report for Tharaka District Hospital September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Tharaka District Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	12795	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Tharaka Nithi	PITC	400	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	34		Patients over 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Beginning Issue Balance	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	800	0	500	434	300	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	50	50	0	600	100	450	0	0	0
Confirmatory - First Response	30	0	0	30	0	0	1230	360	840	0	0	0
Tie Breaker - Unigold	20	0	0	40	0	0	340	120	180	0	0	0

Explaination of Losses and Adjustments	600KHB AND 1230 FIRST RESPONSE AND 340 UNIGOLD SUPPLIED FOR TRAINING.360FIRST RESPONSE AND120 UNIGOL
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	william

RTK FCDRR Report for Chiakariga H/C September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chiakariga H/C	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	11969	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Tharaka South	VCT	46		Patients <u>under</u> 5 years	44	0	
County:	Tharaka Nithi	PITC	0	RDT	Patients aged 5-14 yrs	30	0	
Beginning:	01st August 2014	PMTCT	26		Patients <u>over</u> 14 years	147	1	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	75	0	
		Other (Please Specify)	149	Microscopy	Patients aged 5-14 yrs	50	1	
		Specify Here:	USED ON OUTREACH		Patients <u>over</u> 14 years	329	8	

Commodity	Unit of	f Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	459	0	221	221	0	0	0	238	0	0	0

Commodity	Unit of Beginning Issue Balance	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Confirmatory - Unigold	20	9	0	6	0	0	0	0	3	0	0	0
Screening - KHB (Colloidal Gold)	50	0	100	0	0	0	0	0	100	0	0	0
Confirmatory - First Response	30	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	0	40	0	0	0	0	0	40	0	0	0

Explaination of Losses and Adjustments	WE RECEIVED NEW KIT FROM THE DISTRICT HOSPITAL
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	ibrahim

RTK FCDRR Report for Kanyuru Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kanyuru Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	12188	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			

District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	21	0
County:	Tharaka Nithi	PITC	32	RDT	Patients aged 5-14 yrs	39	0
Beginning:	01st August 2014	PMTCT	16		Patients <u>over</u> 14 years	10	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	168	0	32	48	0	0	0	136	0	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	gitonga

Ministry of Health Health Commodities Management Platform

Name of Facility:	Tunyai Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	12813	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Tharaka South	VCT	151		Patients <u>under</u> 5 years	20	0			
County:	Tharaka Nithi	PITC	5	RDT	Patients aged 5-14 yrs	30	0			
Beginning:	01st August 2014	PMTCT	38		Patients <u>over</u> 14 years	30	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	124	10			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	214	20			
		Specify Here:			Patients <u>over</u> 14 years	310	15			

Commodity	Unit of Beginning	Beginning	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance					Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	398	0	194	194	0	0	0	204	0	0	0
Confirmatory - Unigold	20	50	0	0	10	0	0	0	50	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	TITUS

RTK FCDRR Report for Gakurungu Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Gakurungu Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	16738	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	2	0		
County:	Tharaka Nithi	PITC	73	RDT	Patients aged 5-14 yrs	4	0		
Beginning:	01st August 2014	PMTCT	2		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	600	0	75	75	0	0	0	525	126	0	0
Confirmatory - Unigold	20	34	0	0	0	0	0	14	20	20	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

NEG ADJUSTMENT NOT EXPLAINAED

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	PRISCILLA

×

RTK FCDRR Report for Kamanyaki Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kamanyaki Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	12161	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Tharaka Nithi	PITC	8	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	2		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	390	0	10	10	0	0	0	380	0	0	0
Confirmatory - Unigold	20	18	0	0	0	0	0	0	18	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	MARTIN

RTK FCDRR Report for P.C.E.A Karungaru Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	P.C.E.A Karungaru Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	17444	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Tharaka Nithi	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		

Ending: 3	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	8	1	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	18	3	
		Specify Here:			Patients <u>over</u> 14 years	26	6	

Commoditu	Unit of Beginning Quantity Quantity Tests	I	Adjustments		Closing	Qty Expiring	Days Out of	Qty				
Commodity	Issue	Balance	Received	Used	Done	Done Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	304	0	71	0	0	0	0	233	100	0	0
Confirmatory - Unigold	20	25	0	0	0	0	0	0	25	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	mischeck



RTK FCDRR Report for Marimanti Med Clinic September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Marimanti Med Clinic	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	17658	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Tharaka Nithi	PITC	17	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Adjus	Adjustments		Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	Done	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	15	100	17	17	0	0	16	82	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	nthumbi

RTK FCDRR Report for Nkondi Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Nkondi Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	12665	Type of Service No. of Tests Done Test		Test	Category	No. of Tests Performed	No. Positive		
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Tharaka Nithi	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014 Blood Screening		0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning	Quantity Q	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	242	0	25	0	0	0	0	217	0	0	0
Confirmatory - Unigold	20	16	0	0	0	0	0	0	16	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	MURIUKI

×

RTK FCDRR Report for Rukenya Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Rukenya Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	16241	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	12	0		
County:	Tharaka Nithi	PITC	25	RDT	Patients aged 5-14 yrs	14	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commodity	Unit of Beginning		Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue Balanc	Balance	nnce Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	354	0	25	25	0	0	0	329	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	ie Balance Received Used Done Losses	Losses		Negative	Stock	in 6 Months	Stock	Requested			
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	peter keria

RTK FCDRR Report for Josan Medical Clinic September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Josan Medical Clinic	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	12113	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Tharaka Nithi	PITC	0	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0	

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Beginning	Quantity	Quantity	Tests	LOSSES	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	NO HTC SERVICES OFFERED AT THE FACILITY
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	MWATHI



RTK FCDRR Report for Materi Girls Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Materi Girls Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	12481	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Tharaka South	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Tharaka Nithi	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
							Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	NO HTC SERVICES OFFERED AT THE FACILITY				
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0				
(2) F-CDRR for Laboratory Commodities (MOH 643):	0				
Compiled by:	william				