## Sabatia district FCDRR-RTK Reports for August-2014



#### RTK FCDRR Report for Bugina Health Centre August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Bugina Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15815	Type of Service	No. of Tests Done	Test Category No. of Tests Performed No.					
District:	Sabatia	VCT	98		Patients <u>under</u> 5 years	66	28		
County:	Vihiga	PITC	81	RDT	Patients aged 5-14 yrs	155	108		
Beginning:	01st July 2014	PMTCT	13		Patients <u>over</u> 14 years	153	61		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	177	78		
		Other (Please Specify)	2	Microscopy	Patients aged 5-14 yrs	438	277		
		Specify Here:	Outreach		Patients over 14 years	379	160		

Commodity	Unit of	Beginning	Quantity Received	Quantity Used	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance			Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	103	0	194	194	0	0	0	0	0	0	0
Confirmatory - Unigold	20	15	0	4	4	0	0	0	11	0	0	100
Screening - KHB (Colloidal Gold)	30	750	0	76	76	0	0	0	674	0	0	0
Confirmatory - First Response	50	90	0	2	2	0	0	0	88	0	0	0
Tie Breaker - Unigold	20	15	0	4	4	0	0	0	11	0	0	100

Explaination of Losses and Adjustments	Gave 120 Malaria RDTs to DMLT Sabatia and 120 RDTs to Vision Medicare Chavakali
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Emily Afandi

# RTK FCDRR Report for Carol Afandi Clinic August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Carol Afandi Clinic	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	15842	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Sabatia	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Vihiga	PITC	79	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st July 2014	PMTCT	1		Patients <u>over</u> 14 years	0	0	
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	ease Specify) 0 Microsco		Patients aged 5-14 yrs	0	0	
		Specify Here:	0		Patients <u>over</u> 14 years	0	0	

Commodity	Unit of	Beginning	Quantity	Quantity Quantity Tests Losses Adjus	242		Closing	Qty Expiring	Days Out of	Qty		
Commodity	Issue	Balance	Received	Used	Done	LUSSES		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	39	0	80	80	0	0	0	0	0	0	0

Commodity	Unit of Beginning		Quantity	Quantity	Tests	its Lossos	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Confirmatory - Unigold	20	14	0	0	0	0	0	0	14	0	0	0
Screening - KHB (Colloidal Gold)	30	268	300	80	80	0	0	0	488	0	0	0
Confirmatory - First Response	50	28	30	2	2	0	0	0	56	0	0	0
Tie Breaker - Unigold	20	14	0	0	0	0	0	0	14	0	0	0

Explaination of Losses and Adjustments	Received 300 Colloidal Gold Test Kits,30 First Response Test Kits and 20 Unigold Test Kits from KEMS
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Gladys Aleng'ana

# RTK FCDRR Report for Junction Medical Clinic August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Junction Medical Clinic	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only			
MFL Code:	16450	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive

District:	Sabatia	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Vihiga	PITC	14	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	6		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning Balance	Quantity	Quantity	Tests	sts Lossos	Adjustments		Closing	Qty Expiring	Days	Qty	
		Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	0	0	20	20	0	0	0	0	0	0	0
Confirmatory - Unigold	20	10	0	0	0	0	0	0	10	10	0	0
Screening - KHB (Colloidal Gold)	30	155	0	20	20	0	0	0	135	0	0	0
Confirmatory - First Response	50	30	0	3	3	0	0	0	27	0	0	0
Tie Breaker - Unigold	20	10	0	0	0	0	0	0	10	10	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	M. Yalwala

#### Ministry of Health Health Commodities Management Platform

Name of Facility:	Chamakanga Mission	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	15845	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Sabatia	VCT	0		Patients <u>under</u> 5 years	47	19	
County:	Vihiga	PITC	21	RDT	Patients aged 5-14 yrs	23	9	
Beginning:	01st July 2014	PMTCT	2		Patients <u>over</u> 14 years	114	61	
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
	Other (Please Specify) 0		Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients over 14 years	0	0	

Commodity	Unit of Beginning	Quantity Qu	Quantity	Tests	I	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	270	0	23	23	0	0	200	47	0	0	0
Confirmatory - Unigold	20	90	0	0	0	0	0	40	50	0	0	0
Screening - KHB (Colloidal Gold)	30	750	0	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	50	90	0	0	0	0	0	0	90	0	0	0
Tie Breaker - Unigold	20	90	0	0	0	0	0	40	50	0	0	0

Explaination of Losses and Adjustments	Gave 200 Determine test kits and 40 Unigold Test kits to DMLT Sabatia for redistribution.
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Sr. Hendrica

#### RTK FCDRR Report for Givudimbuli Health Centre August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Givudimbuli Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15889	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sabatia	VCT	78		Patients <u>under</u> 5 years	46	16		
County:	Vihiga	PITC	50	RDT	Patients aged 5-14 yrs	151	47		
Beginning:	01st July 2014	PMTCT	15		Patients over 14 years	119	21		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	149	68		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	317	163		
		Specify Here:	0		Patients <u>over</u> 14 years	307	173		

Commodity	Unit of Beginning	Quantity Q	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	143	143	0	0	0	0	0	0	0
Confirmatory - Unigold	20	9	0	0	0	0	0	0	9	9	0	60
Screening - KHB (Colloidal Gold)	30	184	0	143	143	0	0	0	41	0	0	700
Confirmatory - First Response	50	84	0	1	1	0	0	0	83	0	0	90
Tie Breaker - Unigold	20	9	0	0	0	0	0	0	9	9	0	60

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Alex Chanzu

## RTK FCDRR Report for Itando Mission Of Hope And Health Centre August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Itando Mission Of Hope And Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	18512	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sabatia	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Vihiga	PITC	12	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	30	12		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	46	25		
		Specify Here:	0		Patients <u>over</u> 14 years	207	77		

Commodity	Unit of Beginning		ginning Quantity Quantity Tests		Tests	Tests Losses		Adjustments		Qty Expiring	Days Out of	Qty
Commounty	Issue Balan	Balance Received	Used 1	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested	
Screening - Determine	100	12	0	12	12	0	54	0	54	0	0	0
Confirmatory - Unigold	20	15	0	3	3	0	0	0	12	0	0	0

Commodity	Unit of Beginning	Quantity Qu	Quantity Tes	Tests	Adjustments		Closing	Qty Expiring	Days	Qty		
Commodity	Issue	Balance	Received Used Done Losse	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested		
Screening - KHB (Colloidal Gold)	30	750	0	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	50	90	0	0	0	0	0	0	90	0	0	0
Tie Breaker - Unigold	20	15	0	3	3	0	0	0	12	0	0	0

Explaination of Losses and Adjustments	54 Test strips were borrowed from Munoywa Dispensary.
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Margaret Aketch

# RTK FCDRR Report for Inyali Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Inyali Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15903	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sabatia	VCT	11		Patients <u>under</u> 5 years	102	36		
County:	Vihiga	PITC	12	RDT	Patients aged 5-14 yrs	191	117		
Beginning:	01st July 2014	PMTCT	10		Patients <u>over</u> 14 years	190	52		

Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	93	48
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	149	86
		Specify Here:	0		Patients <u>over</u> 14 years	179	57

Commodity	Unit of Beginning	Quantity Q	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	33	33	0	0	0	0	0	0	0
Confirmatory - Unigold	20	4	40	0	0	0	0	0	44	0	0	0
Screening - KHB (Colloidal Gold)	30	294	300	33	33	0	0	0	561	0	0	0
Confirmatory - First Response	50	29	30	0	0	0	0	0	59	0	0	0
Tie Breaker - Unigold	20	4	40	0	0	0	0	0	44	0	0	0

Explaination of Losses and Adjustments	Received 300 Colloidal Gold Test kits,30 First Response Test kits and 40 Unigold Test kits from Kems
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Milly .M. Sande



Name of Facility:	Mijay Clinic	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	16017	Type of Service No. of Tests Don		Test	Category	No. of Tests Performed	No. Positive		
District:	Sabatia	VCT	1		Patients <u>under</u> 5 years	0	0		
County:	Vihiga	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients over 14 years	0	0		

Commodity		Beginning	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
		Balance					Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	189	0	1	1	0	0	100	88	88	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	20	0	0
Screening - KHB (Colloidal Gold)	30	300	0	0	0	0	0	0	300	0	0	0
Confirmatory - First Response	50	30	0	0	0	0	0	0	30	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	Gave 100 Determine test kits to DMLT Sabatia for redistribution.
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Marrion Mukaya

#### RTK FCDRR Report for Munoywa Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Munoywa Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	16044	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sabatia	VCT	7		Patients <u>under</u> 5 years	62	34		
County:	Vihiga	PITC	9	RDT	Patients aged 5-14 yrs	92	60		
Beginning:	01st July 2014	PMTCT	18		Patients <u>over</u> 14 years	102	47		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	63	23		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	86	53		
		Specify Here:	0		Patients <u>over</u> 14 years	100	22		

Commodity		Beginning	Quantity	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
		Balance	Received					Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	145	0	34	34	0	0	0	0	0	0	0
Confirmatory - Unigold	20	3	20	2	2	0	20	0	41	0	0	0
Screening - KHB (Colloidal Gold)	30	300	300	34	34	0	0	0	566	0	0	0
Confirmatory - First Response	50	30	30	3	3	0	0	0	57	0	0	0
Tie Breaker - Unigold	20	3	20	2	2	0	20	0	41	0	0	0

Explaination of Losses and Adjustments

Received 20 Unigold Test kits from the County Medical Laboratory Technologist.Received 300 Colloidal

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Clara Chauma

## RTK FCDRR Report for Kegondi Health Centre August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kegondi Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15928	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sabatia	VCT	0		Patients <u>under</u> 5 years	38	16		
County:	Vihiga	PITC	246	RDT	Patients aged 5-14 yrs	42	20		
Beginning:	01st July 2014	PMTCT	24		Patients <u>over</u> 14 years	63	23		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	317	122		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	314	141		
		Specify Here:	0		Patients <u>over</u> 14 years	383	124		

Commodity	Unit of	Beginning	Quantity	Quantity Quantity	Tests	Laccas	Adjustments		Closing	Qty Expiring in 6 Months	Days	Qty Requested
	Issue Bal	Balance Received	Used	Done	Losses	Positive	Negative	Stock	Out of Stock			
Screening - Determine	100	0	0	270	270	0	0	0	0	0	0	0
Confirmatory - Unigold	20	7	0	0	0	0	20	0	27	0	0	20

Commodity		Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
							Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	30	420	0	270	270	0	0	0	150	0	0	400
Confirmatory - First Response	50	86	0	7	7	0	0	0	79	0	0	100
Tie Breaker - Unigold	20	7	0	0	0	0	20	0	27	0	0	20

Explaination of Losses and Adjustments	Received 20 Unigold Test kits from Sabatia Health Center.
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Peter Atyang,

### RTK FCDRR Report for Nadanya Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Nadanya Dispensary	Applicable to HIV Test	Kits Only		Applicable to Malaria Testing Only					
MFL Code:	16060	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sabatia	VCT	0		Patients <u>under</u> 5 years	249	92			
County:	Vihiga	PITC	45	RDT	Patients aged 5-14 yrs	307	172			
Beginning:	01st July 2014	PMTCT	10		Patients <u>over</u> 14 years	296	125			

Ending: 31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	181	160
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	301	288
	Specify Here:	0		Patients <u>over</u> 14 years	308	249

Commodity	Unit of Begi	Beginning	Quantity	Quantity	Tests	Losses	Adjustments	Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	55	55	0	0	0	0	0	0	0
Confirmatory - Unigold	20	20	0	2	2	0	0	0	18	0	0	0
Screening - KHB (Colloidal Gold)	30	181	0	55	55	0	0	0	126	0	0	0
Confirmatory - First Response	50	17	0	2	2	0	0	0	15	0	0	0
Tie Breaker - Unigold	20	20	0	2	2	0	0	0	18	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Ronald Luvai



### RTK FCDRR Report for Sabatia Health Centre August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Sabatia Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	16098	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Sabatia	VCT	44	RDT	Patients <u>under</u> 5 years	0	4			
County:	Vihiga	PITC	145		Patients aged 5-14 yrs	0	4			
Beginning:	01st July 2014	PMTCT	78		Patients <u>over</u> 14 years	0	1			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	143			
		Other (Please Specify)	75	Microscopy	Patients aged 5-14 yrs	0	204			
		Specify Here:	Medical Camp		Patients <u>over</u> 14 years	0	264			

Commodity	Unit of Beginning	Quantity Q	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	37	0	342	342	0	500	0	195	0	0	0
Confirmatory - Unigold	20	7	0	17	17	0	40	0	30	0	0	0
Screening - KHB (Colloidal Gold)	30	550	0	163	163	0	0	0	387	0	0	0
Confirmatory - First Response	50	60	0	40	40	0	0	0	20	0	0	20
Tie Breaker - Unigold	20	7	0	17	17	0	40	0	30	0	0	0

Explaination of Losses and Adjustments	Received 500 Determine Test kits and 40 Unigold Test kits from the Sabatia Subcounty Medical Labora
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Chumo Simon

#### ×

## RTK FCDRR Report for Bugina Health Centre September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Bugina Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15815	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District: County:	Sabatia	VCT	51		Patients <u>under</u> 5 years	91	45			
	Vihiga	PITC	174	RDT	Patients aged 5-14 yrs	150	101			
Beginning:	01st August 2014	PMTCT	21		Patients <u>over</u> 14 years	180	93			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	181	76			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	286	205			
		Specify Here:	0		Patients <u>over</u> 14 years	356	137			

Commodity	Unit of Begi		Quantity		Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue		Received				Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	246	0	0	0	0	0	0	0
Confirmatory - Unigold	20	11	20	0	0	0	0	0	31	11	0	0
Screening - KHB (Colloidal Gold)	50	674	750	246	246	0	0	0	1178	0	0	0
Confirmatory - First Response	30	88	90	8	8	0	0	0	170	0	0	0
Tie Breaker - Unigold	20	11	20	0	0	0	0	0	31	11	0	0

Explaination of Losses and Adjustments

Received 750 Colloidal Gold Test Kits,90 First Response Test Kits and 20 Unigold Test Kits from KEMS

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	1
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Lilian Wambura

# RTK FCDRR Report for Bugina Health Centre September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Bugina Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15815	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District: County:	Sabatia	VCT	51		Patients <u>under</u> 5 years	91	45			
	Vihiga	PITC	174	RDT	Patients aged 5-14 yrs	150	101			
Beginning:	01st August 2014	PMTCT	21		Patients <u>over</u> 14 years	180	93			
Ending:	31st August 2014	gust 2014 Blood Screening			Patients <u>under</u> 5 years	181	76			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	286	205			
		Specify Here:	0		Patients <u>over</u> 14 years	356	137			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses A	Adjus	Adjustments		Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	246	0	0	0	0	0	0	0
Confirmatory - Unigold	20	11	20	0	0	0	0	0	31	11	0	0

Commodity	Unit of Beginning	Quantity Q	Quantity	Tests	Laccas	Adjus	tments	Closing	Qty Expiring	Days	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	674	750	246	246	0	0	0	1178	0	0	0
Confirmatory - First Response	30	88	90	8	8	0	0	0	170	0	0	0
Tie Breaker - Unigold	20	11	20	0	0	0	0	0	31	11	0	0

Explaination of Losses and Adjustments	Received 750 Colloidal Gold Test Kits,90 First Response Test Kits and 20 Unigold Test Kits from KEMS
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	1
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Lilian Wambura

# RTK FCDRR Report for Carol Afandi Clinic September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Carol Afandi Clinic	Applicable to HIV Test	Kits Only		Applicable to Malaria Testing Only			
MFL Code:	15842	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Sabatia	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Vihiga	PITC	111	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	10		Patients over 14 years	0	0	

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	27	27
	Other (Please Specify) 0	Microscopy	Patients aged 5-14 yrs	29	19		
		Specify Here:	0		Patients <u>over</u> 14 years	27	27

Commodity	Unit of Beginning Issue Balance	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	121	0	0	0	0	0	0	0
Confirmatory - Unigold	20	14	20	0	0	0	0	0	34	0	0	0
Screening - KHB (Colloidal Gold)	50	488	0	121	121	0	0	0	367	0	0	0
Confirmatory - First Response	30	56	0	1	1	0	0	0	55	0	0	0
Tie Breaker - Unigold	20	14	20	0	0	0	0	0	34	0	0	0

Explaination of Losses and Adjustments	In the month of July 2014 we Received 20 Unigold Test kits from KEMSA.
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	G.Aleng'ana



### RTK FCDRR Report for Chamakanga Mission September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Chamakanga Mission	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	15845	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Sabatia	VCT	0		Patients <u>under</u> 5 years	26	11	
County:	Vihiga	PITC	26	RDT	Patients aged 5-14 yrs	31	23	
Beginning:	01st August 2014	PMTCT	7		Patients <u>over</u> 14 years	73	41	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
'		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:	0		Patients <u>over</u> 14 years	0	0	

Commodity		Beginning	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
		Balance					Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	47	0	33	33	0	0	0	14	0	0	0
Confirmatory - Unigold	20	50	0	0	0	0	0	0	50	0	0	0
Screening - KHB (Colloidal Gold)	50	750	0	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	30	90	0	0	0	0	0	0	90	0	0	0
Tie Breaker - Unigold	20	50	0	0	0	0	0	0	50	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Sr. Hendrica

### RTK FCDRR Report for Givudimbuli Health Centre September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Givudimbuli Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	15889	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Sabatia	VCT	95		Patients <u>under</u> 5 years	45	17	
County:	Vihiga	PITC	60	RDT	Patients aged 5-14 yrs	72	52	
Beginning:	01st August 2014	PMTCT	20		Patients over 14 years	95	48	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	48	25	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	60	39	
			0		Patients <u>over</u> 14 years	96	53	

Commodity		Beginning	9	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
		Balance					Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	175	0	0	0	0	0	0	0
Confirmatory - Unigold	20	9	20	0	0	0	0	0	29	0	0	0
Screening - KHB (Colloidal Gold)	50	41	750	175	175	0	0	0	616	0	0	0
Confirmatory - First Response	30	83	90	1	1	0	0	0	172	0	0	0
Tie Breaker - Unigold	20	9	20	0	0	0	0	0	29	0	0	0

Explaination of Losses and Adjustments	Received 750 Colloidal Gold Test Kits,90 First Response Test Kits and 20 Unigold Test Kits from KEMS
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Moses Inyanje

# RTK FCDRR Report for Itando Mission Of Hope And Health Centre September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Itando Mission Of Hope And Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	18512	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Sabatia	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Vihiga	PITC	40	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	2		Patients <u>over</u> 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	41	17	
- 1		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	63	28	
		Specify Here:	0		Patients <u>over</u> 14 years	107	68	

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	54	0	42	42	0	0	0	12	0	0	0
Confirmatory - Unigold	20	12	20	7	7	0	0	0	25	0	0	0
Screening - KHB (Colloidal Gold)	50	750	750	0	0	0	0	0	1500	0	0	0
Confirmatory - First Response	30	90	90	0	0	0	0	0	180	0	0	0
Tie Breaker - Unigold	20	12	20	7	7	0	0	0	25	0	0	0

Explaination of Losses and Adjustments	Received 750 Colloidal Gold Test Kits,90 First Response Test Kits and 20 Unigold Test Kits from KEMS
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Margaret Aketch

### RTK FCDRR Report for Inyali Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Inyali Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15903	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		

District:		Sabatia	VCT	16		Patients <u>under</u> 5 years	129	58
County:		Vihiga	PITC	9	RDT	Patients aged 5-14 yrs	191	95
В	Beginning:	01st August 2014	PMTCT	8		Patients <u>over</u> 14 years	287	93
	Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	41	19
			Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	42	24
			Specify Here:	0		Patients <u>over</u> 14 years	80	23

Commodition	Unit of	Beginning	Quantity	Quantity	Tests	Lanna	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	33	0	0	0	0	0	0	0
Confirmatory - Unigold	20	44	0	1	1	0	0	0	43	0	0	0
Screening - KHB (Colloidal Gold)	50	561	0	33	33	0	0	0	528	0	0	0
Confirmatory - First Response	30	59	0	4	4	0	0	0	55	0	0	0
Tie Breaker - Unigold	20	44	0	1	1	0	0	0	43	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Milly .M. Sande

#### Ministry of Health Health Commodities Management Platform

Name of Facility:	Chavogere Mission	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15847	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sabatia	VCT	22		Patients <u>under</u> 5 years	0	0		
County:	Vihiga	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	6		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients over 14 years	0	0		

Commoditu	Unit of	Beginning	Quantity	Quantity	Tests	T	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	417	0	28	28	0	0	150	239	0	0	200
Confirmatory - First Response	30	60	0	1	1	0	0	30	29	0	0	60
Tie Breaker - Unigold	20	11	0	0	0	0	0	0	11	11	0	20

Explaination of Losses and Adjustments	Gave out 100 KHB Test Kits and 10 First Response Test Kits to Sabatia Health Center ,Gave out 50 KHB
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	1
(2) F-CDRR for Laboratory Commodities (MOH 643):	1
Compiled by:	Enid Amagove

#### RTK FCDRR Report for Mijay Clinic September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Mijay Clinic	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	16017	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sabatia	VCT	5		Patients <u>under</u> 5 years	0	0		
County:	Vihiga	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	88	0	5	5	0	0	20	63	63	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	20	0	0
Screening - KHB (Colloidal Gold)	50	300	0	0	0	0	0	0	300	0	0	0
Confirmatory - First Response	30	30	0	0	0	0	0	0	30	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	20	0	0

Explaination of Losses and Adjustments

Gave 20 Determine Test Kits to Jasho Clinic

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	1
Compiled by:	Marrion Mukaya

# RTK FCDRR Report for Junction Medical Clinic September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Junction Medical Clinic	Applicable to HIV Test	Kits Only		Applicable to Ma	alaria Testing Only	
MFL Code:	16450	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sabatia	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Vihiga	PITC	65	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	4		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	her (Please Specify) 0		Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjus	tments	Closing	Qty Expiring	Days Out of Stock	Qty Requested
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months		
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	10	0	1	1	0	0	0	9	9	0	0

Commodity	Unit of Beginning Quantity Quantity Tests	Adjustments		Closing	Qty Expiring	Days	Qty					
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	135	300	65	65	0	0	0	370	0	0	370
Confirmatory - First Response	30	27	30	4	4	0	0	0	53	0	0	53
Tie Breaker - Unigold	20	10	0	1	1	0	0	0	9	9	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	1
Compiled by:	Margaret Yalwala

# RTK FCDRR Report for Munoywa Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Munoywa Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	16044	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Sabatia	VCT	1		Patients <u>under</u> 5 years	68	26	
County:	Vihiga	PITC	8	RDT	Patients aged 5-14 yrs	55	43	
Beginning:	01st August 2014	PMTCT	20		Patients <u>over</u> 14 years	71	49	

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	23	10
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	29	18
		Specify Here:	0		Patients <u>over</u> 14 years	36	5

Commodity	Unit of Beginning	Quantity	Quantity	Tests	ts Losses –	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	145	0	0	0	45	0	0	100	0	0	0
Confirmatory - Unigold	20	41	0	0	0	0	0	0	41	0	0	0
Screening - KHB (Colloidal Gold)	50	566	0	29	29	0	0	0	537	0	0	0
Confirmatory - First Response	30	57	0	0	0	0	0	0	57	0	0	0
Tie Breaker - Unigold	20	41	0	0	0	0	0	0	41	0	0	0

Explaination of Losses and Adjustments	45 Determine Test Kits expired in the month of June hence the balance is 100 Determine Test Kits.
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Clara Chauma



Name of Facility:	Nadanya Dispensary	Applicable to HIV Test	Applicable to HIV Test Kits Only Applicable to Malaria Testing Only					
MFL Code:	16060	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Sabatia	VCT	0		Patients <u>under</u> 5 years	185	106	
County:	Vihiga	PITC	29	RDT	Patients aged 5-14 yrs	171	102	
Beginning:	01st August 2014	PMTCT	11		Patients <u>over</u> 14 years	293	60	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	344	154	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	224	140	
		Specify Here:	0		Patients <u>over</u> 14 years	279	174	

Commodity	Unit of Beginning	Beginning	Quantity	Quantity	Tests	Laccas	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	18	20	0	0	0	0	0	38	0	0	0
Screening - KHB (Colloidal Gold)	50	126	300	40	40	0	0	0	386	0	0	0
Confirmatory - First Response	30	15	30	1	1	0	0	0	44	0	0	0
Tie Breaker - Unigold	20	18	20	0	0	0	0	0	38	0	0	0

Explaination of Losses and Adjustments	Received 300 Colloidal Gold Test Kits,30 First Response Test Kits and 20 Unigold Test Kits from KEMS
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Ronald Luvai

#### ×

## RTK FCDRR Report for Xposha VCT Centre September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Xposha VCT Centre	Applicable to HIV Test	Kits Only		Applicable to M	alaria Testing Only	
MFL Code:	18492	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Sabatia	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Vihiga	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	ock Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	36	0	0	0	0	0	0	36	0	0	0
Screening - KHB (Colloidal Gold)	50	1081	0	0	0	0	0	0	1081	0	0	0
Confirmatory - First Response	30	119	0	0	0	0	0	0	119	0	0	0
Tie Breaker - Unigold	20	36	0	0	0	0	0	0	36	0	0	0

Explaination of Losses and Adjustments

In the month of July 2014, Received 500 Colloidal Gold Test Kits, 60 First Response Test Kits and 20  $\rm U$ 

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	1
(2) F-CDRR for Laboratory Commodities (MOH 643):	1
Compiled by:	Jackline Akali

## RTK FCDRR Report for Kegondi Health Centre September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kegondi Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15928	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Sabatia	VCT	294		Patients <u>under</u> 5 years	0	0		
County:	Vihiga	PITC	32	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	15		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	RRI and Outreach 293		Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue						Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	400	0	293	293	0	75	0	182	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Laccas	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Confirmatory - Unigold	20	47	20	8	8	0	0	0	59	0	0	0
Screening - KHB (Colloidal Gold)	50	150	800	341	341	0	0	0	609	0	0	800
Confirmatory - First Response	30	79	60	8	8	0	0	0	131	0	0	60
Tie Breaker - Unigold	20	47	20	8	8	0	0	0	59	0	0	0

Explaination of Losses and Adjustments	75 Determine Test kits were brought from Sabatia which were used in the outreach at Lusala. Received
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Kevin Alovi

## RTK FCDRR Report for Sabatia Health Centre September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Sabatia Health Centre	Applicable to HIV Test	Kits Only		Applicable to Malaria Testing Only					
MFL Code:	16098	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			

District:	Sabatia	VCT	103		Patients <u>under</u> 5 years	15	9
County:	Vihiga	PITC	146	RDT	Patients aged 5-14 yrs	9	6
Beginning:	01st August 2014	PMTCT	68		Patients <u>over</u> 14 years	24	12
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	327	132
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	219	116
		Specify Here:	0		Patients <u>over</u> 14 years	663	281

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjustments	tments	Closing	Qty Expiring	Days Out of Stock	Qty
	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months		Requested
Screening - Determine	100	247	1300	283	283	0	0	0	1264	0	0	0
Confirmatory - Unigold	20	36	120	6	6	0	0	0	150	0	0	0
Screening - KHB (Colloidal Gold)	50	390	550	34	34	0	0	0	906	0	0	0
Confirmatory - First Response	30	20	60	18	18	0	0	0	62	0	0	0
Tie Breaker - Unigold	20	36	120	6	6	0	0	0	150	0	0	0

Explaination of Losses and Adjustments	Received 550 Colloidal Gold Test Kits,60 First Response Test Kits from KEMSA.Received 1,300 Determin
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Chumo Simon