## Turkana North district FCDRR-RTK Reports for August-2014



#### RTK FCDRR Report for Kataboi Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kataboi Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14814	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Turkana North	VCT	3		Patients <u>under</u> 5 years	21	3		
County:	Turkana	PITC	6	RDT	Patients aged 5-14 yrs	16	1		
Beginning:	01st July 2014	PMTCT	29		Patients <u>over</u> 14 years	77	8		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue			Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	945	0	38	38	0	0	0	907	0	0	0
Confirmatory - Unigold	50	48	0	3	3	0	0	0	45	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of		Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue						Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	GEOFFREY KIBET

# RTK FCDRR Report for Kaaleng Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kaaleng Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14604	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Turkana North	VCT	13		Patients <u>under</u> 5 years	77	28		
County:	Turkana	PITC	239	RDT	Patients aged 5-14 yrs	73	31		
Beginning:	01st July 2014	PMTCT	65		Patients <u>over</u> 14 years	86	30		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	T	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue					Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	1869	0	317	317	0	0	0	1552	0	0	0
Confirmatory - Unigold	50	49	0	0	0	0	0	0	49	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	ignatus imoni

## RTK FCDRR Report for Kanakurudio Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kanakurudio Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	14681	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Turkana North	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Turkana	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	Loccos	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue			Used	Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	600	0	200	0	200	0	0	400	0	0	0
Confirmatory - Unigold	50	36	0	2	2	0	0	0	34	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	antony njeri

## RTK FCDRR Report for Kaikor Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kaikor Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14643	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Turkana North	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Turkana	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	Specify) 0 Microsco		Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests		Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue			Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	300	0	0	0	0	0	0	0	300	0	500
Confirmatory - Unigold	50	18	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity Quantity Received Used	Tests Done	Tests Losses		Adjustments		Qty Expiring	Days Out of	Qty
	Issue	Balance	Received			LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	mishi abudallah

# RTK FCDRR Report for Nachukui Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Nachukui Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15271	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Turkana North	VCT	2		Patients <u>under</u> 5 years	0	0		
County:	Turkana	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	13		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	I access	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue					Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	581	0	15	15	0	0	0	566	68	0	0
Confirmatory - Unigold	50	40	0	2	2	0	0	0	38	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	0
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	PARTRICIA KAPOKO

## RTK FCDRR Report for Koyasa Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Koyasa Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	14996	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Turkana North	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Turkana	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity Received	Quantity	Tests	Lossos		tments	Closing	Qty Expiring	Days Out of	Qty Requested
Commounty	Issue	Balance		Used	Done	Losses		Negative	Stock	in 6 Months	Stock	
Screening - Determine	100	660	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	50	18	0	0	0	0	0	0	18	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	0
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	SHADRACK EKIDOR

## RTK FCDRR Report for Nariokotome Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Nariokotome Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15310	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Turkana North	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Turkana	PITC	16	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	36		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	21	4			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	8	0			
		Specify Here:	0		Patients <u>over</u> 14 years	16	2			

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	I NECAC -	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue			Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	2811	0	52	52	0	1480	0	1279	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Tests Locaci	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	GEOFFREY KOSGEI

## RTK FCDRR Report for Lokitaung District Hospital August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Lokitaung District Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15062	Type of Service No. of Tests Done T		Test	Category	No. of Tests Performed	No. Positive		
District:	Turkana North	VCT	21		Patients <u>under</u> 5 years	0	0		
County:	Turkana	PITC	361	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	21		Patients over 14 years	0	0		

Ending: 31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	145	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:	VMMC		Patients <u>over</u> 14 years	0	0

o !!!	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	2479	0	548	548	0	0	0	1931	400	0	0
Confirmatory - Unigold	20	172	0	4	4	0	0	0	168	0	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	0
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	EKIRU JENS BARJONA



## RTK FCDRR Report for Lowarengak Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Lowarengak Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15096	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Turkana North	VCT	63		Patients <u>under</u> 5 years	0	0		
County:	Turkana	PITC	32	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	116		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

0 19	Unit of	Beginning	Quantity	Quantity	Tests	Tests Done Losses Po	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	1680	0	211	211	0	0	0	1469	1469	0	0
Confirmatory - Unigold	20	84	0	2	2	0	0	0	82	82	0	0
Screening - KHB (Colloidal Gold)	30	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	FRED OMOL

#### RTK FCDRR Report for Kaeris Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kaeris Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14637	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Turkana North	VCT	0		Patients <u>under</u> 5 years	10	2		
County:	Turkana	PITC	0	RDT	Patients aged 5-14 yrs	4	1		
Beginning:	01st August 2014	PMTCT	2		Patients <u>over</u> 14 years	12	3		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

C	Unit of	Beginning	Quantity	Quantity	Tests	One Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	344	500	2	2	0	0	0	842	342	0	0
Confirmatory - Unigold	20	40	40	0	0	0	0	0	80	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

500 determine tests and 40 unigold tests received from KEMSA. 344 determine test expirying in Dec, 2

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	KIPROP SERONEI

## RTK FCDRR Report for Kanakurudio Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kanakurudio Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14681	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Turkana North	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Turkana	PITC	88	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	0		Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	, ,	Quantity Used	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance			Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	400	500	90	88	2	0	0	808	400	0	0
Confirmatory - Unigold	20	34	40	4	4	0	0	0	70	0	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue						Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	5
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

# RTK FCDRR Report for Kanakurudio Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kanakurudio Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14681	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Turkana North	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Turkana	PITC	88	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		

Ending: 31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	400	500	90	0	2	0	0	808	400	0	0
Confirmatory - Unigold	20	34	40	4	4	0	0	0	70	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	500 determine tests and $40$ unigold tests received from KEMSA. $400$ determine test expirying in Dec, $2$
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	ANTHONY NJERU



Name of Facility:	Lokitaung District Hospital	Applicable to HIV Test	Kits Only		Applicable to Ma	laria Testing Only	
MFL Code:	15062	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Turkana North	VCT	67		Patients <u>under</u> 5 years	0	0
County:	Turkana	PITC	583	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	39		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	-	Other (Please Specify)	49	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	ere: VMMC		Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning Balance	Beginning	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity		Balance				Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	1931	3000	738	738	0	0	1600	2593	1931	0	0
Confirmatory - Unigold	20	168	160	9	9	0	0	20	299	60	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	Received 3000 and 160 determine and unigold tests respectively from KEMSA. 1931 determine tests and
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	EKIRU JENS BARJONA

#### RTK FCDRR Report for Kataboi Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kataboi Dispensary	Applicable to HIV Test	Kits Only		Applicable to Ma	llaria Testing Only	
MFL Code:	14814	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Turkana North	VCT	13		Patients <u>under</u> 5 years	35	27
County:	Turkana	PITC	77	RDT	Patients aged 5-14 yrs	30	22
Beginning:	01st August 2014	PMTCT	22		Patients <u>over</u> 14 years	40	7
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	Lusses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	907	500	112	112	0	0	0	1295	795	0	0
Confirmatory - Unigold	20	45	40	0	0	0	0	0	85	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

received 500 and 40 tests of determine and unigold respectively from KEMSA.

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	GEOFFREY KIBET

#### ×

## RTK FCDRR Report for Lowarengak Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Lowarengak Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15096	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Turkana North	VCT	141		Patients <u>under</u> 5 years	16	0			
County:	Turkana	PITC	52	RDT	Patients aged 5-14 yrs	8	3			
Beginning:	01st August 2014	PMTCT	53		Patients <u>over</u> 14 years	26	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	3	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:	0		Patients over 14 years	3	0			

Commodity	Unit of Beginning		Quantity Quantit		itity Tests		Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue Balance	Received	Used Don	Done	Done Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested	
Screening - Determine	100	1589	0	0	0	0	0	800	543	523	0	0
Confirmatory - Unigold	20	82	0	4	4	0	0	0	78	78	0	0

Commodity			Quantity		Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	issued 700 and 100 tests of determine to lodwar refferal hospital and impact respectively.
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	fred omol

# RTK FCDRR Report for Nariokotome Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Nariokotome Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15310	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Turkana North	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Turkana	PITC	96	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	57		Patients <u>over</u> 14 years	0	0		

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	0		Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning		Quantity		Losses	Adjustments		Closing	Qty Expiring	Days	Qty	
Commodity	Issue	Balance	Received	Used	Done	LUSSUS	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	1200	1500	153	153	0	0	0	2547	347	0	0
Confirmatory - Unigold	20	160	100	5	5	0	0	0	255	55	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	received 1500 and 100 tests of determine and unigold respectively from kemsa.
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	geoffrey



Name of Facility:	Nachukui Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15271	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Turkana North	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Turkana	PITC	5	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	3		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:	0		Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning		Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	566	0	8	8	0	0	0	558	60	0	0
Confirmatory - Unigold	20	38	0	3	3	0	0	0	35	5	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	partiricia kapoko