Marakwet West district FCDRR-RTK Reports for August-2014



RTK FCDRR Report for Sangurur Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Sangurur Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15530	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	T	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue			Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	387	0	0	0	0	0	0	387	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0

Commodity	Unit of	<u> </u>	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue						Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	2
Compiled by:	gladys kiplagat

RTK FCDRR Report for kaptoror dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	kaptoror dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	17254	Type of Service	Type of Service No. of Tests Done Test Category		No. of Tests Performed	No. Positive			
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	20	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests	T	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue				Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	373	0	20	20	0	0	200	153	0	0	0
Confirmatory - Unigold	50	48	0	1	1	0	0	0	46	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	200 deternine given to kapswar hospital
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	florah ngetich

RTK FCDRR Report for Kapkata Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kapkata Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	14705	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	27	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	3		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue			Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	385	0	0	0	0	0	0	350	0	0	0
Confirmatory - Unigold	50	19	0	0	0	0	0	0	19	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	justus limo

RTK FCDRR Report for Cheptongei Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Cheptongei Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14373	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	36		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	12		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning		Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	367	0	48	48	0	0	0	319	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	82	0	1	1	0	0	0	81	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0

Commodity	Unit of Beginning		Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue Balance	Balance	ce Received	Used	Done	Lusses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	betty chebet

RTK FCDRR Report for Kaptiony Dispensary (Marakwet) August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kaptiony Dispensary (Marakwet)	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14786	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	39	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	17		Patients over 14 years	0	0		

Ending: 31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Lanna	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	275	0	56	56	0	0	0	215	0	0	0
Confirmatory - Unigold	50	19	0	2	2	0	0	0	15	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	jacklin

Health Commodities Management Platform

Name of Facility:	Kapsowar Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14768	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	18	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	417	0	18	18	0	0	0	409	0	0	0
Confirmatory - Unigold	50	19	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	BEATRICE KIBET

RTK FCDRR Report for Arror Health Centre August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Arror Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14216	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet West	VCT	17		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	47	RDT Patients aged 5-14 yrs		0	0			
Beginning:	01st July 2014	PMTCT	25		Patients over 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning		Quantity Qua	Quantity Tests	LASSES	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received		Done	Jone	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	325	0	89	89	0	0	0	236	0	0	0
Confirmatory - Unigold	50	31	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
	Issue	Balance	Received	Used	Done	LUGGCG	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	john k.

RTK FCDRR Report for Chesubet Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facil	ty: Chesubet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14388	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			

District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	15	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Laccas	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	190	0	18	15	3	0	0	172	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	prisca

RTK FCDRR Report for Kondabilet Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kondabilet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14984	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	21	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity		Beginning		Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	127	0	21	21	0	0	0	0	0	0	0
Confirmatory - Unigold	50	19	0	1	1	0	0	0	17	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0

Commodity	Unit of	Unit of Beginning Quantity Quantity Tests Issue Balance Received Used Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty				
Commodity	Issue Bal		Used D	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested	
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	joan suter

RTK FCDRR Report for Koitugum Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Koitugum Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14969	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	8	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity Used	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received		Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	227	0	8	8	0	0	0	219	0	0	0
Confirmatory - Unigold	50	58	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	30	0	0	0	0	0	30	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	gilian

RTK FCDRR Report for Kimnai Dispensary August 2014 Ministry of Health

Health Commodities Management Platform

Name of Facility:	Kimnai Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only
Ivallie of Pacifity.	Killilai Dispelisary	Applicable to Tilv Test Kits Olly	Applicable to Malaria Testing Only

MFL Code:	14874	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet West	VCT	12		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	14	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	13		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	143	0	39	39	0	0	0	104	0	0	0
Confirmatory - Unigold	50	62	0	5	5	0	0	0	52	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	betty cheruyot

RTK FCDRR Report for Kaplenge Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kaplenge Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14739	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	4		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:	Here:		Patients over 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	y Tests Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	412	0	4	4	0	0	0	408	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Tests Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	edward chelanga

RTK FCDRR Report for Chebulbai Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chebulbai Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14303	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	4	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
	Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	T	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	476	0	4	4	0	0	100	372	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	100l to hope worldwide
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Jacklin

RTK FCDRR Report for Nerkwo Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Nerkwo Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	15333	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	5	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	185	0	5	5	0	0	0	180	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	philaris rutto

RTK FCDRR Report for Kapsait Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kapsait Dispensary	Applicable to HIV Test	Kits Only		Applicable to Malaria Testing Only					
MFL Code:	14750	Type of Service	Type of Service No. of Tests Done Te		Category	No. of Tests Performed	No. Positive			
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	2	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses Po	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	372	0	2	2	0	0	0	370	200	0	0
Confirmatory - Unigold	50	18	0	0	0	0	0	0	18	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Tests Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Lusses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	kipyatich

RTK FCDRR Report for Kaptalamwa Health Centre August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kaptalamwa Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14774	Type of Service No. of Tests Done		Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	80	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	70		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodition	Unit of	Beginning	Quantity	Quantity	Tests	T	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	150	0	150	150	0	0	0	0	0	0	0
Confirmatory - Unigold	50	40	0	2	2	0	0	0	38	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	750	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	50	0	120	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	jemeli cheruyot

RTK FCDRR Report for Korongoi Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Korongoi Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	14992	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	7	RDT	Patients aged 5-14 yrs	2	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	2	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	473	0	8	7	1	0	100	364	165	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	10	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	sheila kiptuyei

RTK FCDRR Report for Kapcherop Health Centre August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kapcherop Health Centre	Applicable to HIV Test	Kits Only		Applicable to Malaria Testing Only				
MFL Code:	14695	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	79		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	105	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	102		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	LUSSES		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	1028	0	286	286	0	0	0	0	0	0	0
Confirmatory - Unigold	50	6	0	0	0	0	0	0	6	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	750	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	50	0	150	0	0	0	0	0	150	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Lossos	Adjus	tments	Closing	Qty Expiring	Days Out of Stock	Qty Requested
Commounty	Commodity Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months		
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	2
Compiled by:	rotich ben

RTK FCDRR Report for Matira Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Matira Dispensary	Applicable to HIV Test	Kits Only		Applicable to Malaria Testing Only					
MFL Code:	15155	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC 25 RDT		RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	4		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	8	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses		tments	Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses		Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	252	0	29	29	0	0	0	0	0	0	0
Confirmatory - Unigold	50	18	0	1	1	0	0	0	16	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	ALICEcherop

RTK FCDRR Report for Kaptabuk Dispensary (Marakwet) August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kaptabuk Dispensary (Marakwet)	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only
-------------------	-----------------------------------	----------------------------------	------------------------------------

MFL Code:	14771	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	45	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity Received	Quantity	Tests Done	Lacas	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance		Used		Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	216	0	45	45	0	0	0	171	0	0	0
Confirmatory - Unigold	50	16	0	0	0	0	0	0	16	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	ALICE

RTK FCDRR Report for Kamoi Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kamoi Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14675	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet West	VCT	28		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	18		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning		Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance		Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	122	0	46	46	0	0	0	76	0	0	0
Confirmatory - Unigold	50	19	0	0	0	0	0	0	19	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0

Commodity			Beginning Quantity		Tests	Lossos	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	B.T. Kisoo

RTK FCDRR Report for Bungwet Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Bungwet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14272	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	8	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity Used	Tests Done	Lancas	Adjus	tments	Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received			Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	327	0	8	8	0	0	0	319	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	60	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	j. cheptile

RTK FCDRR Report for Kiplobotwo Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kiplobotwo Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	17299	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet West	VCT	8		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	-	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	38	0	8	8	0	0	0	30	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	450	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	0	30	0	0	0	0	0	30	0	0	0
Tie Breaker - Unigold	30	0	20	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	gilian

RTK FCDRR Report for Chebororwa Health Centre August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Chebororwa Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14301	Type of Service No. of Tests Done Te		Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	15	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	60		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
	Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginnin	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Po	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	269	75	75	0	75	0	194	194	0	0	0
Confirmatory - Unigold	50	20	2	2	0	2	0	0	18	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	750	0	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	50	120	0	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	0	20	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	sed Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used		Lusses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	kimeto

RTK FCDRR Report for Katee Dispensary August 2014 Ministry of Health

Health Commodities Management Platform

Name of Facility:	Katee Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14816	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	5	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
	Specify Here:			Patients <u>over</u> 14 years	0	0			

Commonditue	Unit of	Beginning	Quantity	Quantity	Tests	Loccos	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue Balance Received Used Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested				
Screening - Determine	100	311	5	5	0	5	300	0	0	0	0	0
Confirmatory - Unigold	50	35	0	0	0	0	0	35	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	450	0	0	0	0	0	450	0	0	0	0
Confirmatory - First Response	50	30	0	0	0	0	0	30	0	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	20	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	petalin

RTK FCDRR Report for Tunyo Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Tunyo Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	15752	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	11	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue Balance Received Used Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested				
Screening - Determine	100	567	11	11	0	11	0	556	0	0	0	0
Confirmatory - Unigold	50	19	0	0	0	0	0	19	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	450	0	0	0	0	0	450	0	0	0	0
Confirmatory - First Response	50	60	0	0	0	0	0	60	0	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	20	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	wilson cheboi

RTK FCDRR Report for Kibigos Dispensary August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kibigos Dispensary	y Applicable to HIV Test Kits Only			Applicable to Malaria Testing Only					
MFL Code:	14850	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	2		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	July 2014 Blood Screening 0			Patients <u>under</u> 5 years	0	0			
·		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
							Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	271	2	2	0	2	0	269	0	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	20	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	450	0	0	0	0	0	450	0	0	0	0
Confirmatory - First Response	50	30	0	0	0	0	0	30	0	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	20	0	0	0	0

Commodity	Unit of	Beginning	inning Quantity		Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	chepkurui f.

RTK FCDRR Report for Sumbeiywet Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Sumbeiywet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15683	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	I access	_	tments	Closing	Qty Expiring	Days Out of	Qty Requested
	Issue					Losses		Negative	Stock	in 6 Months	Stock	
Screening - Determine	100	456	0	0	0	0	0	456	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	winnie biwtt

RTK FCDRR Report for Tenden Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Tenden Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	15716	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years		0
County:	Elgeyo Marakwet	PITC	76	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests	Losses	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty Requested
	Issue				Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	
Screening - Determine	100	103	76	76	0	76	0	37	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	chelegei

RTK FCDRR Report for Kapsowar (AIC) Hospital August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kapsowar (AIC) Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14767	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	13		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	66	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	141		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue				Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	526	220	220	0	220	0	0	306	0	0	0
Confirmatory - Unigold	50	20	2	2	0	2	0	0	16	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	750	0	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	50	120	0	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	0	20	0	0	0

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
	Issue						Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	jackson yegon

RTK FCDRR Report for Sisiya Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Sisiya Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15595	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	46	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commodition	Unit of	Beginning	Quantity	Quantity	Tests	LUCCOC	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	230	46	46	0	46	0	184	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	450	0	0	0	0	0	450	0	0	0	0
Confirmatory - First Response	50	60	0	0	0	0	0	60	0	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	20	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	edwi cherop

RTK FCDRR Report for Kipsaiya Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kipsaiya Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	14909	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	10	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Tests Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	279	10	10	0	10	0	0	269	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	alfred

RTK FCDRR Report for Chebiemit District Hospital August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Chebiemit District Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14294	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	20		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	11	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	85		Patients over 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	INCCAC	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	1635	116	116	0	116	0	1519	0	0	0	0
Confirmatory - Unigold	50	271	10	10	0	10	0	261	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	5000	0	0	0	0	0	5000	0	0	0	0
Confirmatory - First Response	50	750	0	0	0	0	0	750	0	0	0	0
Tie Breaker - Unigold	30	40	0	0	0	0	0	40	0	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Tests Legges	Adjustments Losses		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Lusses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	mourice chepkiyeng

RTK FCDRR Report for Kipkundul Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kipkundul Dispensary	Applicable to HIV Test	Kits Only		Applicable to Ma	laria Testing Only	
MFL Code:	18186	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	7	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	I	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock 0 0 0 0 0 0	Requested
Screening - Determine	100	174	7	7	0	7	0	167	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	450	0	0	0	0	0	450	0	0	0	0
Confirmatory - First Response	50	60	0	0	0	0	0	60	0	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	20	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	ronald kanda

RTK FCDRR Report for Kapsait Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kapsait Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	14750	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	44	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	0		Patients over 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning	Beginning	Quantity	INCOM	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty		
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	370	0	44	44	0	0	0	326	0	0	0
Confirmatory - Unigold	20	18	0	1	1	0	0	0	17	0	0	0
Screening - KHB (Colloidal Gold)	50	400	0	0	0	0	0	0	400	0	0	0
Confirmatory - First Response	30	60	0	1	1	0	0	0	59	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	2
Compiled by:	kipyatich

×

RTK FCDRR Report for Kaptalamwa Health Centre September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kaptalamwa Health Centre	Applicable to HIV Test	Kits Only		Applicable to Mal	aria Testing Only	
MFL Code:	14774	Type of Service No. of Tests Done Test (Stegory		No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	10	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	25		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	-	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning	Beginning	Quantity	Quantity	Tests	Adju Losses	Adjus	Adjustments		Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	0	0	35	35	0	0	0	0	0	0	0
Confirmatory - Unigold	20	38	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	750	0	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	30	120	0	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by: jemeli



RTK FCDRR Report for Koitugum Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Koitugum Dispensary	Applicable to HIV Test	Kits Only		Applicable to Ma	laria Testing Only	
MFL Code:	14969	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	10	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	3		Patients over 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	3	Quantity	Quantity	Tests	Losses	Adjus	tments		Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	219	0	13	13	0	0	0	206	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	10	10	0	0	0	440	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Lossos	Adjustments	Closing	Closing		Qty	
Commounty	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Tie Breaker - Unigold	20	30	0	0	0	0	0	0	30	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	agnes chebii

RTK FCDRR Report for Kimnai Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kimnai Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14874	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marakwet West	VCT	5		Patients <u>under</u> 5 years	0	0	
County:	Elgeyo Marakwet	PITC	8	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	24		Patients <u>over</u> 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity		Beginning	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
		Balance					Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	104	0	37	37	0	0	0	67	0	0	0
Confirmatory - Unigold	20	25	0	0	0	0	0	0	25	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	betty

RTK FCDRR Report for Arror Health Centre September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Arror Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14216	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	

District:	Marakwet West	VCT	15		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	33	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	17		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	6	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning Issue Balance	Beginning	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
		Balance					Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	236	0	71	71	0	0	0	165	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	keb john

Ministry of Health Health Commodities Management Platform

Name of Facility:	Bungwet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14272	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Elgeyo Marakwet	PITC	9	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	0		Patients over 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients over 14 years	0	0	

Commodity	Unit of Beginning Balance	Beginning	Quantity Received	Quantity Used	Tests Done	T	Adjustments		Closing	Qty Expiring	Days Out of	Qty
		Balance				Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	319	0	9	9	0	0	0	310	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	30	0	0	0	0	0	0	30	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	j. cheptile

RTK FCDRR Report for Kapsowar (AIC) Hospital September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kapsowar (AIC) Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14767	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marakwet West	VCT	23	RDT	Patients <u>under</u> 5 years	0	0	
County:	Elgeyo Marakwet	PITC	41		Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	181		Patients <u>over</u> 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of Beginning	Quantity Quar	Quantity	Tests Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty		
Commodity	Issue	Balance	Received	Used	Done	LUSSES		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	306	0	245	245	0	0	0	61	0	0	0
Confirmatory - Unigold	20	16	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	750	0	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	30	120	0	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	eliab

RTK FCDRR Report for Kondabilet Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kondabilet Dispensary	Applicable to HIV Test	Kits Only		Applicable to Mal	laria Testing Only	
MFL Code:	14984	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	20	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	6		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients over 14 years	0	0

Commodity	Unit of Beginning		Quantity Quantity		Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue Balance	Received Used	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested	
Screening - Determine	100	0	0	0	26	0	0	0	0	0	0	0
Confirmatory - Unigold	20	17	0	0	0	0	0	0	17	0	0	0

Commodity	Unit of Beginning Issue Balance	Quantity Qu	Quantity Test	Tests Losses	Adjustments		Closing	Qty Expiring	Days	Qty		
		Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	450	0	26	26	0	0	0	424	0	0	0
Confirmatory - First Response	30	60	0	1	0	0	0	0	59	0	0	0
Tie Breaker - Unigold	20	40	0	2	0	0	0	0	38	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	

RTK FCDRR Report for Kondabilet Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kondabilet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14984	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	20	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	6		Patients <u>over</u> 14 years	0	0		

Ending: 31st	August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity		Quantity Q	Quantity	Tests	ests Losses –	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	26	0	0	0	0	0	0	0
Confirmatory - Unigold	20	17	0	0	0	0	0	0	17	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	26	26	0	0	0	424	0	0	0
Confirmatory - First Response	30	60	0	1	0	0	0	0	59	0	0	0
Tie Breaker - Unigold	20	20	0	2	0	0	0	0	18	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	joan suter



RTK FCDRR Report for Katee Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Katee Dispensary	Applicable to HIV Test	Kits Only		Applicable to N	Malaria Testing Only	
MFL Code:	14816	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	10	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning	Quantity (Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	10	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	10	10	0	0	0	440	0	0	0
Confirmatory - First Response	30	30	0	0	0	0	0	0	30	0	0	0
Tie Breaker - Unigold	20	40	0	0	0	0	0	0	40	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	betalin

RTK FCDRR Report for Sangurur Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Sangurur Dispensary	Applicable to HIV Test	Applicable to Malaria Testing Only					
MFL Code:	15530	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Elgeyo Marakwet	PITC	1	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	387	0	1	1	0	0	0	386	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	winnie

RTK FCDRR Report for Chebiemit District Hospital September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Chebiemit District Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14294	Type of Service No. of Tests Done		Test	Category	No. of Tests Performed	No. Positive	
District:	Marakwet West	VCT	21		Patients <u>under</u> 5 years	0	0	
County:	Elgeyo Marakwet	PITC	27	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	50		Patients <u>over</u> 14 years	0	0	
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commodity	Unit of	Beginning	Quantity	Quantity	•	Lossos	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	3984	0	98	98	0	0	0	3886	0	0	0

0	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Confirmatory - Unigold	20	301	0	12	12	0	0	0	289	0	0	0
Screening - KHB (Colloidal Gold)	50	5000	0	0	0	0	0	0	5000	0	0	0
Confirmatory - First Response	30	750	0	0	0	0	0	0	750	0	0	0
Tie Breaker - Unigold	20	40	0	0	0	0	0	0	40	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and	Λ
Consumables (MOH 642):	U

(2) F-CDRR for Laboratory Commodities (MOH 643): 0

Compiled by: maurice

RTK FCDRR Report for Chebulbai Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Chebulbai Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14303	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	

District:	Marakwet West	VCT	47		Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	1	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	3		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

C	Unit of B	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	372	0	51	51	0	0	0	321	0	0	0
Confirmatory - Unigold	20	20	0	3	3	0	0	0	17	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	bety

Ministry of Health Health Commodities Management Platform

Name of Facility:	Kapkata Dispensary	Applicable to HIV Test	Applicable to Malaria Testing Only						
MFL Code:	14705	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	4		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	54	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	4		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Lacas	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	350	0	62	62	0	0	0	288	0	0	0
Confirmatory - Unigold	20	15	0	3	3	0	0	0	12	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	titus limo

RTK FCDRR Report for Tunyo Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Tunyo Dispensary	Applicable to HIV Test	Kits Only		Applicable to Malaria Testing Only					
MFL Code:	15752	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	25	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Laccas	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	555	0	25	25	0	0	355	175	0	0	0
Confirmatory - Unigold	20	19	0	1	0	0	0	0	18	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments

355 determine given mogil h/c,

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	wilson

×

RTK FCDRR Report for Kaptabuk Dispensary (Marakwet) September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kaptabuk Dispensary (Marakwet)	Applicable to HIV Test	Kits Only		Applicable to Malaria Testing Only					
MFL Code:	14771	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet West	VCT	6		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	34	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	6		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning		Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue B	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	171	0	46	46	0	0	0	125	0	0	0
Confirmatory - Unigold	20	16	0	0	0	0	0	0	16	0	0	0

Commoditu	Unit of Beginning		Quantity	Quantity	Tests Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	ALICE

RTK FCDRR Report for Sumbeiywet Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Sumbeiywet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	15683	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Elgeyo Marakwet	PITC	2	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	1		Patients <u>over</u> 14 years	0	0	

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0	
		Specify Here:			Patients <u>over</u> 14 years	0	0	

Commoditu	Unit of Beginning	Beginning	Quantity	Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	387	0	3	3	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	84 expired
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	g. kiplagat



RTK FCDRR Report for Matira Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Matira Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	15155	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	13	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning Quantity Quantity Tests	Locos	Adjustments		Closing	Qty Expiring	Days Out of	Qty				
Commounty	Issue	Balance	Received	Used	Done	Losses P	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	315	0	13	13	0	0	0	302	0	0	0
Confirmatory - Unigold	20	16	0	0	0	0	0	0	16	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	alice cherop

RTK FCDRR Report for Kibigos Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kibigos Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14850	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Locac	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	Done Losses P	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	269	0	0	0	0	0	0	269	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	chepkurui

RTK FCDRR Report for Kapterit Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kapterit Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	18185	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	28	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing		Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	362	0	28	28	0	0	0	334	0	0	0
Confirmatory - Unigold	20	18	0	0	0	0	0	0	18	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Adjustments		Closing	Qty Expiring	Days	Qty	
Commodity	Issue	Balance	Received	Used	Done	Done Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	BEATRICE

RTK FCDRR Report for Kipsaiya Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kipsaiya Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14909	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Elgeyo Marakwet	PITC	12	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	1		Patients <u>over</u> 14 years	0	0	

Ending: 31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	0	0

Commoditu			Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity							Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	269	0	13	13	0	0	0	256	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	1	0	0	0	0	59	0	0	0
Tie Breaker - Unigold	20	20	0	1	0	0	0	0	19	0	0	0

Explaination of Losses and Adjustments					
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0				
(2) F-CDRR for Laboratory Commodities (MOH 643):	0				
Compiled by:	amdany				



RTK FCDRR Report for Kamoi Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Kamoi Dispensary	Applicable to HIV Test	Kits Only		Applicable to Malaria Testing Only					
MFL Code:	14675	Type of Service No. of Tests Done To		Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet West	VCT	51		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	9	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	18		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning Quantity Quantity Tests Issue Balance Received Used Done Losse	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty		LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested				
Screening - Determine	100	122	0	78	78	0	0	0	44	0	0	0
Confirmatory - Unigold	20	19	0	0	0	0	0	0	19	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	kisoo

RTK FCDRR Report for Kapcherop Health Centre September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kapcherop Health Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14695	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	244		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	36	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodita	Unit of Beginning	Quantity Qu	Quantity	Tests	Losses	Adjus	tments	Closing	Qty Expiring	Days Out of	Qty	
Commodity	Issue	Balance	Received	Used	Done	lone	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	742	0	280	280	0	0	0	462	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	750	0	0	0	0	0	0	750	0	0	0
Confirmatory - First Response	30	120	0	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	20	40	0	11	11	0	0	0	29	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	joyce

×

RTK FCDRR Report for Kaplenge Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kaplenge Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14739	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	7		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
	-	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
	Specify Here:				Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning		Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue B	Balance	Received	Used	Done			Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	408	0	7	7	0	0	0	401	0	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	0	0	0	0

C	Unit of Beginning		Quantity Qu	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	MITT	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	40	0	0	0	0	0	0	40	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	edward

RTK FCDRR Report for Kapsowar Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kapsowar Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	14768	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Elgeyo Marakwet	PITC	28	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0	

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

C	Unit of	Beginning	Quantity	Quantity	Tests	Tests Done Losses P	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	362	0	28	28	0	0	0	334	0	0	0
Confirmatory - Unigold	20	18	0	0	0	0	0	0	18	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	BEATRICE



RTK FCDRR Report for Chesubet Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Chesubet Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14388	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	11	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning Quantity Quantity Tests	Laccas	Adjustments		Closing	Qty Expiring	Days Out of	Qty				
Commodity	Issue	Balance	Received	Used	Done	I Vecte	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	172	0	15	11	0	0	50	107	0	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	prisca kanda

RTK FCDRR Report for Kaptiony Dispensary (Marakwet) September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Kaptiony Dispensary (Marakwet)	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	14786	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	3	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	25		Patients over 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning Quantity Quantity Tests	Losses	Adjustments Losses		Closing	Qty Expiring	Days Out of	Qty				
Commounty	Issue	Balance	Received	Used	Done	Done Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	215	0	28	28	0	0	0	187	0	0	0
Confirmatory - Unigold	20	15	0	0	0	0	0	0	15	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	kilimo

×

RTK FCDRR Report for kaptoror dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	kaptoror dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	17254	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0			
County:	Elgeyo Marakwet	PITC	19	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	153	0	19	19	0	0	0	134	0	0	0
Confirmatory - Unigold	20	46	0	0	0	0	0	0	0	0	0	0

Commodite	Unit of	Beginning	Quantity	Quantity	Tests	Done Losses	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used	Done			Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	flora

RTK FCDRR Report for Kiplobotwo Dispensary September 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kiplobotwo Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	17299	Type of Service	No. of Tests Done	Test Category		No. of Tests Performed	No. Positive	
District:	Marakwet West	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Elgeyo Marakwet	PITC	4	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0	

Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

0 19	Unit of Bed	Beginning	Quantity	Quantity	Tests Done Losses		Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
Commodity	Issue	Balance	Received	Used		Positive	Negative					
Screening - Determine	100	500	0	4	4	0	0	0	496	300	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	gillian



RTK FCDRR Report for Tenden Dispensary September 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Tenden Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	15716	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	52		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	83	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	31		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning Quantity Quantity Tests Los	Adjustments Losses		Closing	Qty Expiring	Days Out of	Qty					
Commounty	Issue	Balance	Received	Used	Done	Done	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	300	0	166	166	7	0	0	127	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	30	0	0	0	0	0	0	30	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	chelegei

RTK FCDRR Report for Cheptongei Dispensary September 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Cheptongei Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	14373	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Marakwet West	VCT	47		Patients <u>under</u> 5 years	0	0		
County:	Elgeyo Marakwet	PITC	1	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st August 2014	PMTCT	3		Patients <u>over</u> 14 years	0	0		
Ending:	31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning	Beginning	ning Quantity	Quantity	Tests	Locos	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	319	0	51	51	0	0	0	268	0	0	0
Confirmatory - Unigold	20	61	0	3	3	0	0	0	58	0	0	0
Screening - KHB (Colloidal Gold)	50	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	40	0	0	0	0	0	0	40	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	betty chebet