Mvita district FCDRR-RTK Reports for August-2014



RTK FCDRR Report for Railway Dispensary August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Railway Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	18211	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Mvita	VCT	27		Patients <u>under</u> 5 years	28	4		
County:	Mombasa	PITC	24	RDT	Patients aged 5-14 yrs	35	1		
Beginning:	01st July 2014	PMTCT	9		Patients <u>over</u> 14 years	49	1		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity Received	Quantity	Tests	Laccas	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue			Used	Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	101	0	60	60	0	0	0	41	0	0	0
Confirmatory - Unigold	50	13	0	7	7	0	0	0	6	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of		Quantity Received	Quantity Used	Tests Done	Tests Losses		Adjustments		Qty Expiring	Days Out of	Qty
Commodity	Issue					Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Nickodemus Ondiek

RTK FCDRR Report for Kuze Health Care August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kuze Health Care	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	16541	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Mvita	VCT	22		Patients <u>under</u> 5 years	0	0		
County:	Mombasa	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning Balance	Quantity	Quantity	Tests	Lacas	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue		Received	Used	Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	22	22	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	50	0	22	22	0	0	7	21	0	0	0
Confirmatory - First Response	50	30	0	0	0	0	0	0	30	0	0	0
Tie Breaker - Unigold	30	13	0	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	7 KHB GIVEN TO ANOTHER FACILITY
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	J. Nyaata

RTK FCDRR Report for State House Dispensary (Mombasa) August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	State House Dispensary (Mombasa)	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only
-------------------	-------------------------------------	----------------------------------	------------------------------------

MFL Code:	11831	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Mvita	VCT	460		Patients <u>under</u> 5 years	0	0
County:	Mombasa	PITC	20	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	10		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients over 14 years	0	0

Commodity	Unit of	Beginning	Quantity Received	Quantity	Tests	Laccas	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance		Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	1	0	490	490	0	500	0	11	0	0	0
Confirmatory - Unigold	50	4	0	2	2	0	0	0	2	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Rosebell Gideon

×

RTK FCDRR Report for Mombasa Polytechnic Clinic August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Mombasa Polytechnic Clinic	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	17627	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Mvita	VCT	3		Patients <u>under</u> 5 years	0	0		
County:	Mombasa	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients over 14 years	0	0		

Commodity	3		Quantity	-	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	LUSSES		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	3	3	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	436	0	3	3	0	0	140	293	0	0	0
Confirmatory - First Response	50	30	0	0	0	0	0	0	30	0	0	0
Tie Breaker - Unigold	30	38	0	0	0	0	0	0	38	0	0	0

Commodity	Unit of Beginning Balance	Quantity	Quantity	Tests	Lossos	Adjustments		Closing	Qty Expiring	Days	Qty	
		Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	140 determine strips given to majengo clinic
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Edward Kaingu

RTK FCDRR Report for Kingorani Prison Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kingorani Prison Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	11303	Type of Service	No. of Tests Done	Test	Test Category No. of Tests Performed N				
District:	Mvita	VCT	87		Patients <u>under</u> 5 years	38	3		
County:	Mombasa	PITC	13	RDT	Patients aged 5-14 yrs	41	6		
Beginning:	01st July 2014	PMTCT	24		Patients over 14 years	132	8		

Ending: 3	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	4	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	6	1
		Specify Here:			Patients <u>over</u> 14 years	44	2

Commoditue	Unit of	Beginning	Quantity	Quantity	Tests Done	T	Adjustments		Closing	Qty Expiring	Days	Qty
Commodity	Issue	Balance	Received	Used		Losses		Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	0	0	124	124	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	530	0	124	124	0	0	20	386	0	0	0
Confirmatory - First Response	50	55	0	8	8	0	0	0	47	0	0	0
Tie Breaker - Unigold	30	18	0	4	4	0	0	0	14	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	20KHB given to Mvita Clinic
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	R. Muli

Health Commodities Management Platform

Name of Facility:	KWS VCT	Applicable to HIV Test	Kits Only		Applicable to	Malaria Testing Only	
MFL Code:	18450	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Mvita	VCT	15		Patients <u>under</u> 5 years	0	0
County:	Mombasa	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	LUSSES		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	209	0	15	15	0	0	194	0	0	0	0
Confirmatory - Unigold	50	18	0	0	0	0	0	18	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	450	0	0	0	0	0	0	450	0	0	0
Confirmatory - First Response	50	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

194 Determine and 18 unigold given to Egpath

0

(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Mshemanga M.

RTK FCDRR Report for Kaderboy Medical Clinic (Old Town) August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kaderboy Medical Clinic (Old Town)	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	11446	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Mvita	VCT	95		Patients <u>under</u> 5 years	0	0		
County:	Mombasa	PITC	10	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning Issue Balance	Quantity Qua	Quantity	Quantity Tests	ts Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
		Balance	Balance Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	105	105	0	0	0	0	0	0	0
Confirmatory - Unigold	50	7	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of Beginning	Quantity (Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days	Qty	
	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - KHB (Colloidal Gold)	1	493	0	105	105	0	0	0	388	0	0	0
Confirmatory - First Response	50	60	0	4	4	0	0	0	56	0	0	0
Tie Breaker - Unigold	30	25	0	0	0	0	0	10	15	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	10 unigold given to Amani counselling Centre
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Liberaya Sua

RTK FCDRR Report for Tononoka Administration Police Dispensary & VCT August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Tononoka Administration Police Dispensary & VCT	Applicable to HIV Test	Kits Only		Applicable to Malaria Testing Only			
MFL Code:	11854	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	

District:	Mvita	VCT	117		Patients <u>under</u> 5 years	0	0
County:	Mombasa	PITC	35	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	4		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	LUSSES		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	219	0	156	156	0	0	0	63	0	0	0
Confirmatory - Unigold	50	25	0	7	5	2	0	0	18	0	0	0
Tie Breaker	1	22	0	0	0	0	0	0	22	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Simon Njoka

RTK FCDRR Report for Tuonane VCT August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Tuonane VCT	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	17620	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Mvita	VCT	37		Patients <u>under</u> 5 years	0	0			
County:	Mombasa	PITC	0	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity		Beginning		Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	1280	0	37	37	0	0	0	0	0	0	0
Confirmatory - Unigold	50	120	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	39	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	1215	0	37	37	0	0	0	1178	0	0	0
Confirmatory - First Response	50	120	0	0	0	0	0	0	120	0	0	0
Tie Breaker - Unigold	30	39	0	0	0	0	0	0	39	0	0	0

Commodity	Unit of	Beginning	Quantity Quantity Tests	Adjustments		Closing	Qty Expiring	Days Out of	Qty			
Commodity	Issue Ba	Balance Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested	
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Titus Chibua

RTK FCDRR Report for Mvita Dispensary August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Mvita Dispensary	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	11679	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Mvita	VCT	117		Patients <u>under</u> 5 years	0	0			
County:	Mombasa	PITC	2	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	5		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
	Other (Please Spe		0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning		Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	124	124	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	278	0	129	129	0	2	0	151	0	0	0
Confirmatory - First Response	50	30	0	6	6	0	0	0	24	0	0	0
Tie Breaker - Unigold	30	20	0	1	1	0	0	0	19	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Salim Akida

RTK FCDRR Report for Mbaraki Police VCT August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Mbaraki Police VCT	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only

MFL Code:	17622	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Mvita	VCT	15		Patients <u>under</u> 5 years	0	0
County:	Mombasa	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Lossos	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	300	0	15	15	0	0	0	285	0	0	0
Confirmatory - Unigold	50	27	0	0	0	0	0	0	27	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	300	0	0	0	0	0	0	300	0	0	0
Confirmatory - First Response	50	30	0	0	0	0	0	0	30	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Mudambi

RTK FCDRR Report for Mwembe Tayari Staff Clinic August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Mwembe Tayari Staff Clinic	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	11697	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Mvita	VCT	45		Patients <u>under</u> 5 years	0	0		
County:	Mombasa	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity Received	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
	Issue	Balance		Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	45	45	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	299	0	45	45	0	0	0	254	0	0	0
Confirmatory - First Response	50	25	0	2	2	0	0	0	23	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	0	20	0	0	0

Commodity	Unit of	Beginning	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance					Positive	Negative	Stock	in 6 Months	Stock	Requested
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Keziah Kitonga

RTK FCDRR Report for Family Health Options Kenya (FHOK) Mombasa August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Family Health Options Kenya (FHOK) Mombasa	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	11375	Type of Service No. of Tests Done		Test	Category	No. of Tests Performed	No. Positive		
District:	Mvita	VCT	143		Patients <u>under</u> 5 years	0	0		
County:	Mombasa	PITC	0 RD		Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	14 PMTCT 0			Patients over 14 years	0	0		

Ending: 31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Laccas	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	143	143	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	1681	0	143	143	0	0	0	1538	0	0	0
Confirmatory - First Response	50	178	0	3	3	0	0	0	175	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Alex Mwanyika

Health Commodities Management Platform

Name of Facility:	Pandya Memorial Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	11734	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Mvita	VCT	6		Patients <u>under</u> 5 years	0	0		
County:	Mombasa	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	ests		Adjustments		Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	7	0	6	6	0	0	0	1	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

⁽¹⁾ Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Sis. Nderitu

RTK FCDRR Report for Gurunanak Medical Clinic August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Gurunanak Medical Clinic	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	18213	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Mvita	VCT	36		Patients <u>under</u> 5 years	0	0		
County:	Mombasa	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	1		Patients over 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	er (Please Specify) 0 Micr		Patients aged 5-14 yrs	0	0		
	Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Laccac	Adjustments		Closing	Qty Expiring	Days	Qty
Commounty	Issue	Balance	Received	Used	Done	Done Losses P	Positive	Negative	Stock	in 6 Months	Out of Stock	Requested
Screening - Determine	100	248	0	37	37	0	0	0	211	0	0	0
Confirmatory - Unigold	50	30	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	20	0	0	0	0	0	0	20	0	0	0

Commodity	Unit of Beginning	Beginning	Quantity	Quantity	Tests	Tests Done Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0

(2) F-CDRR for Laboratory Commodities (MOH 643): 0

Compiled by: Yaa Cornelius



RTK FCDRR Report for Seaside Nursing Home August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Seaside Nursing Home	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	17630	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		

District:	Mvita	VCT	82		Patients <u>under</u> 5 years	0	0
County:	Mombasa	PITC	8	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	8		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	4		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Beginning Quantity Quantity Tests		Lossos	Adjustments		Closing	Qty Expiring	Days Out of	Qty			
Commodity	Issue	Balance	Received	Used	Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	102	102	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	176	0	102	102	0	0	5	69	0	0	0
Confirmatory - First Response	50	10	0	5	5	0	0	0	5	0	0	0
Tie Breaker - Unigold	30	15	0	3	3	0	0	0	12	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Calvin Omar

RTK FCDRR Report for Saifee Foundation Medical Centre August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Saifee Foundation Medical Centre	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	11765	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Mvita	VCT	0		Patients <u>under</u> 5 years	0	0	
County:	Mombasa	PITC	0	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0	
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0	
	Other (Please Specify) 0 Specify Here:		Microscopy	Patients aged 5-14 yrs	0	0		
				Patients <u>over</u> 14 years	0	0		

Commodity	Unit of Beginning	Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	300	0	0	0	0	0	0	300	0	0	0
Confirmatory - First Response	50	30	0	0	0	0	0	0	30	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	0	20	0	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	ests one Losses	tments	Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	e Received Used Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested		
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Matano

RTK FCDRR Report for Kenya Ports Authority Staff Clinic August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kenya Ports Authority Staff Clinic	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only				
MFL Code:	18212	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive	
District:	Mvita	VCT	186		Patients <u>under</u> 5 years	0	0	
County:	Mombasa	PITC	39	RDT	Patients aged 5-14 yrs	0	0	
Beginning:	01st July 2014	PMTCT	21		Patients over 14 years	0	0	

Ending: 31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	0	0

Commoditu	Unit of	Beginning	Quantity	Quantity	Tests	Lancas	Adjus	tments	Closing	Qty Expiring	Days	Qty	
Commodity	Issue	Balance	Received	Used	Done	Losses	Positive	Negative	Stock	in 6 Months	Out of Stock		
Screening - Determine	100	0	0	246	246	0	0	0	0	0	0	0	
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0	
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0	
Screening - KHB (Colloidal Gold)	1	710	0	246	246	0	0	0	464	0	0	0	
Confirmatory - First Response	50	83	0	4	4	0	0	0	79	0	0	0	
Tie Breaker - Unigold	30	20	0	0	0	0	0	0	20	0	0	0	
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0	

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Ruth Wambua

Health Commodities Management Platform

Name of Facility:	Marie Stopes Mombasa Nursing Home	Applicable to HIV Test	Kits Only		Applicable to Ma	alaria Testing Only	
MFL Code:	11570	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Mvita	VCT	0		Patients <u>under</u> 5 years	0	0
County:	Mombasa	PITC	87	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	52		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:	re:		Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity	Tests	Laccas	_	Adjustments		Qty Expiring	Days Out of	Qty
Commodity	Issue	Balance	Received	Used	Done	Losses		Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	943	0	139	139	0	0	0	804	0	0	0
Confirmatory - Unigold	50	44	0	2	2	0	0	0	42	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	500	0	0	0	0	0	0	500	0	0	0
Confirmatory - First Response	50	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

⁽¹⁾ Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Michael

RTK FCDRR Report for Tudor Health Care August 2014 **Ministry of Health Health Commodities Management Platform**

Name of Facility:	Tudor Health Care	Applicable to HIV Test	Kits Only		Applicable to Ma	Applicable to Malaria Testing Only			
MFL Code:	11862	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Mvita	VCT	45		Patients <u>under</u> 5 years	0	0		
County:	Mombasa	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0		
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0		
		Other (Please Specify)	Specify) 0 Microscop		Patients aged 5-14 yrs	0	0		
		Specify Here:			Patients <u>over</u> 14 years	0	0		

Commodity	_		Quantity	Quantity	Tests	Tests Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done		Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	0	0	45	45	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing Stock	Qty Expiring	Days Out of Stock	Qty Requested	
Commodity	Issue	ssue Balance Received Used Done	Done	ne	Positive	Negative	in 6 Months					
Screening - KHB (Colloidal Gold)	1	723	0	45	45	0	0	400	278	0	0	0
Confirmatory - First Response	50	54	0	5	5	0	0	0	49	0	0	0
Tie Breaker - Unigold	30	10	0	3	3	0	0	0	7	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Boniface Kabiru

RTK FCDRR Report for Mary Immaculate Cottage Hospital (Mombasa) August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Mary Immaculate Cottage Hospital (Mombasa)	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	11573	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			

District:	Mvita	VCT	35		Patients <u>under</u> 5 years	0	0
County:	Mombasa	PITC	0	RDT	Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	20		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of	Beginning	Quantity	Quantity		Losses	Adjus	tments	Closing		Days Out of	Qty
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	652	0	55	55	0	0	0	597	0	0	0
Confirmatory - Unigold	50	30	0	4	4	0	0	0	26	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Catherine

RTK FCDRR Report for Mewa Hospital August 2014 Ministry of Health **Health Commodities Management Platform**

Name of Facility:	Mewa Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	11600	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Mvita	VCT	44		Patients <u>under</u> 5 years	0	0			
County:	Mombasa	PITC	123	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
'		Other (Please Specify) 0		Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients <u>over</u> 14 years	0	0			

Commodity	Unit of Beginning	Quantity	Quantity	Tests	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty	
Commounty	Issue	Balance	Received	Used	Done	LUSSES	Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	103	0	167	167	0	0	103	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	1600	0	167	167	0	0	0	1433	0	0	0
Confirmatory - First Response	50	143	0	7	7	0	0	0	136	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	0	20	0	0	0

Commodity	Unit of	Beginning	Quantity Quantity Tests Lossos Adjustments	tments	Closing	Qty Expiring	Days Out of	Qty				
Commounty	Issue	Balance	Received	Used	Done Losses	Positive	Negative	Stock	in 6 Months	Stock	Requested	
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	103 determine to Tudor D. Hosp.
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Najma Said

RTK FCDRR Report for Zennith Community Project August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Zennith Community Project	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only					
MFL Code:	18517	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive		
District:	Mvita	VCT	300		Patients <u>under</u> 5 years	0	0		
County:	Mombasa	PITC	0	RDT	Patients aged 5-14 yrs	0	0		
Beginning:	01st July 2014	PMTCT	0		Patients over 14 years	0	0		

Ending: 31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commodity								Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	300	0	300	300	0	0	0	0	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	300	0	0	0	0	0	0	300	0	0	0
Confirmatory - First Response	50	30	0	0	0	0	0	0	30	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	0	20	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments	
(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Gideon Osweta

Health Commodities Management Platform

Name of Facility:	Al Farooq Hospital	Applicable to HIV Test	Kits Only	Applicable to Malaria Testing Only						
MFL Code:	11208	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive			
District:	Mvita	VCT	18		Patients <u>under</u> 5 years	0	0			
County:	Mombasa	PITC	8	RDT	Patients aged 5-14 yrs	0	0			
Beginning:	01st July 2014	PMTCT	6		Patients over 14 years	0	0			
Ending:	31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0			
		Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0			
		Specify Here:			Patients over 14 years	0	0			

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing	Qty Expiring	Days Out of	Qty
Commounty							Positive	Negative	Stock	in 6 Months	Stock	Requested
Screening - Determine	100	198	0	32	32	0	0	3	163	0	0	0
Confirmatory - Unigold	50	36	0	10	10	0	0	0	26	0	0	0
Tie Breaker	1	12	0	5	5	0	0	0	7	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphillis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

Explaination of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	Margaret Njoroge