

# Keiyo district FCDRR-RTK Reports for August-2014



## RTK FCDRR Report for Kapkoi Health Centre August 2014 Ministry of Health Health Commodities Management Platform

Name of Facility:	Kapkoi Health Centre	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	14721	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	11	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	9		Patients <u>over</u> 14 years	26	0
Ending:	31st July 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	750	0	20	20	0	0	0	730	0	0	0
Confirmatory - First Response	50	120	0	0	0	0	0	0	20	0	0	0
Tie Breaker - Unigold	30	20	0	0	0	0	0	0	20	0	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

w.cheserem



### RTK FCDRR Report for Tambach Sub-District Hospital August 2014

Ministry of Health  
Health Commodities Management Platform

Name of Facility:	Tambach Sub-District Hospital	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	15703	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	52	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	19		Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	42		Patients <u>over</u> 14 years	0	0

Ending: 31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	312	23

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	1316	0	113	113	0	0	0	1203	0	0	0
Confirmatory - Unigold	50	73	0	13	13	0	0	0	60	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

W.CHEREM



### Health Commodities Management Platform

Name of Facility:	Toror Medical Clinic	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	16675	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

0

W.CHESEREM



Name of Facility:	Rimoi Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	15485	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	0	RDT	Patients <u>under</u> 5 years	12	4
County:	Elgeyo Marakwet	PITC	7		Patients aged 5-14 yrs	6	5
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	15	9
Ending:	31st July 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

[illegible]

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

5

(2) F-CDRR for Laboratory Commodities (MOH 643):

3

Compiled by:

W.CHEREM



### RTK FCDRR Report for Kapteren Health Centre August 2014

#### Ministry of Health

#### Health Commodities Management Platform

Name of Facility:	Kapteren Health Centre	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	14781	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive

District:	Keiyo	VCT	19	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	26		Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	24		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	90	5

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	99	400	69	69	0	0	0	430	0	0	0
Confirmatory - Unigold	50	46	60	0	0	0	0	0	106	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

4

Compiled by:

W.CHEREM



**RTK FCDRR Report for Msekekwa Health Centre August 2014**  
**Ministry of Health**  
**Health Commodities Management Platform**

Name of Facility:	Msekekwa Health Centre	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	15238	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	13	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	30		Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	55		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	50	8
		Specify Here:			Patients <u>over</u> 14 years	0	0

[illegible]



Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

W.CHEREM



### RTK FCDRR Report for Kapchebar Dispensary August 2014

#### Ministry of Health

#### Health Commodities Management Platform

Name of Facility:	Kapchebar Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	14690	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	7	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	20	5
Ending:	31st July 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	87	0	7	7	0	0	0	80	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

4

(2) F-CDRR for Laboratory Commodities (MOH 643):

4

Compiled by:

w.cheserem



### RTK FCDRR Report for Assumption Sisters Dispensary August 2014

#### Ministry of Health

#### Health Commodities Management Platform

Name of Facility:	Assumption Sisters Dispensary	Applicable to HIV Test Kits Only	Applicable to Malaria Testing Only
-------------------	-------------------------------	----------------------------------	------------------------------------

MFL Code:	14218	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	0	RDT	Patients <u>under</u> 5 years	38	3
County:	Elgeyo Marakwet	PITC	52		Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	61	3
Ending:	31st July 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	52	0	25	25	0	0	0	27	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

5

(2) F-CDRR for Laboratory Commodities (MOH 643):

5

Compiled by:

w.cheserem



Name of Facility:	Kapchela Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	14692	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	16		Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

[illegible]

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

4

(2) F-CDRR for Laboratory Commodities (MOH 643):

4

Compiled by:

w.cheserem



### RTK FCDRR Report for Sergoit Dispensary (Keiyo) August 2014

Ministry of Health  
Health Commodities Management Platform

Name of Facility:	Sergoit Dispensary (Keiyo)	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	15554	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	8	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0

Ending: 31st July 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	16	2

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	100	0	8	8	0	0	0	102	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	5
(2) F-CDRR for Laboratory Commodities (MOH 643):	5
Compiled by:	w.cheserem



### Health Commodities Management Platform

Name of Facility:	Iten District Hospital	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	14586	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	214	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	218		Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	93		Patients <u>over</u> 14 years	0	0
Ending:	31st July 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	138	400	525	525	0	0	0	13	0	0	0
Confirmatory - Unigold	50	60	0	12	1	11	0	0	0	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

Compiled by:	
--------------	--



Name of Facility:	Chegilet Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	14306	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	20	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	18	0
Ending:	31st July 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

[illegible]



Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - KHB (Colloidal Gold)	1	350	0	20	20	0	0	0	320	0	0	0
Confirmatory - First Response	50	60	0	0	0	0	0	0	600	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

w.cheserem



### RTK FCDRR Report for Kapkessum Dispensary August 2014

#### Ministry of Health

#### Health Commodities Management Platform

Name of Facility:	Kapkessum Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	17284	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive

District:	Keiyo	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	01st July 2014	PMTCT	0		Patients <u>over</u> 14 years	16	0
Ending:	31st July 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	278	300	0	0	0	0	0	578	0	0	0
Confirmatory - Unigold	50	20	0	0	0	0	0	0	20	0	0	0
Tie Breaker	1	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	1	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	50	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	30	0	0	0	0	0	0	0	0	0	0	0
Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

3

(2) F-CDRR for Laboratory Commodities (MOH 643):

3

Compiled by:

w.cheserem

[illegible]

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Rapid Syphilis Test (RPR)	1	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

1

(2) F-CDRR for Laboratory Commodities (MOH 643):

1

Compiled by:

w.cheserem



### RTK FCDRR Report for Tambach Sub-District Hospital September 2014

#### Ministry of Health

#### Health Commodities Management Platform

Name of Facility:	Tambach Sub-District Hospital	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	15703	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	12	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0

Ending: 31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	112	15

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	700	300	12	12	0	0	0	988	0	0	0
Confirmatory - Unigold	20	60	0	2	2	0	0	0	58	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

w.cheserem



**RTK FCDRR Report for Chegilet Dispensary September 2014**  
**Ministry of Health**  
**Health Commodities Management Platform**

Name of Facility:	Chegilet Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	14306	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	50	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	50		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	34	5

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	200	250	100	100	0	0	0	350	0	0	0
Confirmatory - Unigold	20	12	20	10	10	0	0	0	22	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

w.cheserem



**RTK FCDRR Report for Msekekwa Health Centre September 2014**  
**Ministry of Health**  
**Health Commodities Management Platform**

Name of Facility:	Msekekwa Health Centre	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	15238	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	18	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	59		Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	39		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	5	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	8	3
		Specify Here:			Patients <u>over</u> 14 years	36	6

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	652	0	116	116	0	0	0	536	0	0	0
Confirmatory - Unigold	20	118	0	6	6	0	0	0	112	0	0	0
Screening - KHB (Colloidal Gold)	50	20	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	w.cheserem



**RTK FCDRR Report for Iten District Hospital September 2014**  
**Ministry of Health**  
**Health Commodities Management Platform**

Name of Facility:	Iten District Hospital	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	14586	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	538	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	68		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	6	2
		Other (Please Specify)	0		Patients aged 5-14 yrs	70	5
		Specify Here:			Patients <u>over</u> 14 years	422	11

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	13	600	606	606	0	0	0	7	0	0	0
Confirmatory - Unigold	20	36	0	14	0	0	0	0	22	0	0	0



Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

w.cheserem



### RTK FCDRR Report for Rimoi Dispensary September 2014

#### Ministry of Health

#### Health Commodities Management Platform

Name of Facility:	Rimoi Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	15485	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	14		Patients aged 5-14 yrs	4	2
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	10	8

Ending: 31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	543	0	14	14	0	0	0	529	0	0	0
Confirmatory - Unigold	20	39	0	0	0	0	0	0	39	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

w.cheserem



**RTK FCDRR Report for Toror Medical Clinic September 2014**  
**Ministry of Health**  
**Health Commodities Management Platform**

Name of Facility:	Toror Medical Clinic	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	16675	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	0	0	0	0	0	0	0	0	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

w.cheserem



**RTK FCDRR Report for Kapteren Health Centre September 2014**  
**Ministry of Health**  
**Health Commodities Management Platform**

Name of Facility:	Kapteren Health Centre	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	14781	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	7	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	6	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	41	5
		Specify Here:			Patients <u>over</u> 14 years	48	3

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	430	500	7	7	0	0	0	923	0	0	0
Confirmatory - Unigold	20	60	0	3	3	0	0	0	57	0	0	0
Screening - KHB (Colloidal Gold)	50	0	650	88	88	0	0	0	562	0	0	0
Confirmatory - First Response	30	0	120	2	0	0	0	0	118	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	w.cheserem



**RTK FCDRR Report for Assumption Sisters Dispensary September 2014**  
**Ministry of Health**  
**Health Commodities Management Platform**

Name of Facility:	Assumption Sisters Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	14218	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	33		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	6	2

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	121	0	33	33	0	0	0	88	0	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - KHB (Colloidal Gold)	50	441	0	33	33	0	0	0	408	0	0	0
Confirmatory - First Response	30	49	0	21	0	0	0	0	28	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

w.cheserem



### RTK FCDRR Report for Kapkessum Dispensary September 2014

#### Ministry of Health

#### Health Commodities Management Platform

Name of Facility:	Kapkessum Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	17284	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	0	RDT	Patients <u>under</u> 5 years	2	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	5	0

Ending: 31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	578	0	0	0	0	0	0	578	0	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:



**RTK FCDRR Report for Kapchebar Dispensary September 2014**  
**Ministry of Health**  
**Health Commodities Management Platform**

Name of Facility:	Kapchebar Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	14690	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	9	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	8	0
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	34	2
Ending:	31st August 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	80	0	9	9	0	0	0	71	0	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

0

Compiled by:

w.chese





**RTK FCDRR Report for Kapchelal Dispensary September 2014**  
**Ministry of Health**  
**Health Commodities Management Platform**

Name of Facility:	Kapchelal Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	14692	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	10	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	20	4
Ending:	31st August 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	184	0	10	10	0	0	0	174	0	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):	0
(2) F-CDRR for Laboratory Commodities (MOH 643):	0
Compiled by:	w.cheserem



**RTK FCDRR Report for Sergoit Dispensary (Keiyo) September 2014**  
**Ministry of Health**  
**Health Commodities Management Platform**

Name of Facility:	Sergoit Dispensary (Keiyo)	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	15554	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0
Ending:	31st August 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	170	15

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	102	0	0	0	0	0	0	102	0	0	0
Confirmatory - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - KHB (Colloidal Gold)	50	400	0	142	0	0	0	0	258	0	0	0
Confirmatory - First Response	30	60	0	0	0	0	0	0	60	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

5

Compiled by:

w.cheserem



### RTK FCDRR Report for Kipsoen Dispensary September 2014

#### Ministry of Health

#### Health Commodities Management Platform

Name of Facility:	Kipsoen Dispensary	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	17283	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	0	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	0		Patients <u>over</u> 14 years	0	0

Ending: 31st August 2014	Blood Screening	0		Patients <u>under</u> 5 years	0	0
	Other (Please Specify)	0	Microscopy	Patients aged 5-14 yrs	0	0
	Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	300	0	0	0	0	0	0	300	0	0	0
Confirmatory - Unigold	20	120	0	0	0	0	0	0	120	0	0	0
Screening - KHB (Colloidal Gold)	50	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - First Response	30	0	0	0	0	0	0	0	0	0	0	0
Tie Breaker - Unigold	20	0	0	0	0	0	0	0	0	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

5

Compiled by:

w.cheserem



**RTK FCDRR Report for Kapkoi Health Centre September 2014**  
**Ministry of Health**  
**Health Commodities Management Platform**

Name of Facility:	Kapkoi Health Centre	Applicable to HIV Test Kits Only		Applicable to Malaria Testing Only			
MFL Code:	14721	Type of Service	No. of Tests Done	Test	Category	No. of Tests Performed	No. Positive
District:	Keiyo	VCT	40	RDT	Patients <u>under</u> 5 years	0	0
County:	Elgeyo Marakwet	PITC	0		Patients aged 5-14 yrs	0	0
Beginning:	01st August 2014	PMTCT	20		Patients <u>over</u> 14 years	20	2
Ending:	31st August 2014	Blood Screening	0	Microscopy	Patients <u>under</u> 5 years	0	0
		Other (Please Specify)	0		Patients aged 5-14 yrs	0	0
		Specify Here:			Patients <u>over</u> 14 years	0	0

Commodity	Unit of Issue	Beginning Balance	Quantity Received	Quantity Used	Tests Done	Losses	Adjustments		Closing Stock	Qty Expiring in 6 Months	Days Out of Stock	Qty Requested
							Positive	Negative				
Screening - Determine	100	0	0	0	0	0	0	0	0	0	0	0
Confirmatory - Unigold	20	10	0	1	0	0	0	0	9	0	0	0
Screening - KHB (Colloidal Gold)	50	1350	0	60	60	0	0	0	1290	0	0	0
Confirmatory - First Response	30	120	0	10	0	0	0	0	110	0	0	0
Tie Breaker - Unigold	20	20	0	0	0	0	0	0	20	0	0	0

#### Explanation of Losses and Adjustments

(1) Daily Activity Register for Laboratory Reagents and Consumables (MOH 642):

0

(2) F-CDRR for Laboratory Commodities (MOH 643):

5

Compiled by:

w.cheserem

---