

# A DATA-DRIVEN EARLY WARNING SYSTEM FOR MINING ACCIDENTS


Yu Luo, Ashutosh Nanda, Shivaram Rajgopal, Vinay Ramesh,  
Zhizun Zhang, Catherine Zhao, and Venkat Venkatasubramanian

Chemical Engineering, Computer Science, and Business School  
Columbia University

3/27/2017

- 1 MINE SAFETY: A DATA-DRIVEN APPROACH
- 2 METHODS: DATA SOURCES AND MODEL PRELIMINARIES
- 3 RESULTS AND DISCUSSION
- 4 CONCLUSION

# COMPLEX, RESILIENT, INTELLIGENT SYSTEMS (CRIS LAB)



# SYSTEMIC RISK

- Systemic disasters

# SYSTEMIC RISK

- Systemic disasters
  - SARS (2003)




# SYSTEMIC RISK

- Systemic disasters
  - SARS (2003)
  - Northeast Blackout (2003)




# SYSTEMIC RISK

- Systemic disasters
  - SARS (2003)
  - Northeast Blackout (2003)
  - Subprime Crisis (2008)



# SYSTEMIC RISK


- Systemic disasters
  - SARS (2003)
  - Northeast Blackout (2003)
  - Subprime Crisis (2008)
  - Deepwater Horizon (2010)






# SYSTEMIC RISK

- Systemic disasters
  - SARS (2003)
  - Northeast Blackout (2003)
  - Subprime Crisis (2008)
  - Deepwater Horizon (2010)
- Emerging systemic risks




# SYSTEMIC RISK

- Systemic disasters
  - SARS (2003)
  - Northeast Blackout (2003)
  - Subprime Crisis (2008)
  - Deepwater Horizon (2010)
- Emerging systemic risks
  - Climate change



# SYSTEMIC RISK

- Systemic disasters
  - SARS (2003)
  - Northeast Blackout (2003)
  - Subprime Crisis (2008)
  - Deepwater Horizon (2010)
- Emerging systemic risks
  - Climate change
  - Income/wealth inequality



# SYSTEMIC RISK

- Systemic disasters
  - SARS (2003)
  - Northeast Blackout (2003)
  - Subprime Crisis (2008)
  - Deepwater Horizon (2010)
- Emerging systemic risks
  - Climate change
  - Income/wealth inequality
  - Cyber-physical security



# SYSTEMIC RISK

- Systemic disasters
  - SARS (2003)
  - Northeast Blackout (2003)
  - Subprime Crisis (2008)
  - Deepwater Horizon (2010)
- Emerging systemic risks
  - Climate change
  - Income/wealth inequality
  - Cyber-physical security
- Fast-paced and connected




# SYSTEMIC RISK

- Systemic disasters
  - SARS (2003)
  - Northeast Blackout (2003)
  - Subprime Crisis (2008)
  - Deepwater Horizon (2010)
- Emerging systemic risks
  - Climate change
  - Income/wealth inequality
  - Cyber-physical security
- Fast-paced and connected
- Prevent systemic disasters



# SYSTEMIC RISK

- Systemic disasters
  - SARS (2003)
  - Northeast Blackout (2003)
  - Subprime Crisis (2008)
  - Deepwater Horizon (2010)
- Emerging systemic risks
  - Climate change
  - Income/wealth inequality
  - Cyber-physical security
- Fast-paced and connected
- Prevent systemic disasters
- Go beyond one-off accidents



# UPPER BIG BRANCH MINE DISASTER (2010)

- April 5, 2010, Raleigh County, West Virginia, owned by Massey Energy



# UPPER BIG BRANCH MINE DISASTER (2010)

- April 5, 2010, Raleigh County, West Virginia, owned by Massey Energy
- 29 deaths, the worst mining in the United States since 1970

# UPPER BIG BRANCH MINE DISASTER (2010)

- April 5, 2010, Raleigh County, West Virginia, owned by Massey Energy
- 29 deaths, the worst mining in the United States since 1970
- MSHA cites corporate culture as root cause of Upper Big Branch Mine disaster

# SAGO MINE DISASTER (2006)

- January 2, 2006, Sago, West Virginia, owned by Anker West Virginia Mining

# SAGO MINE DISASTER (2006)

- January 2, 2006, Sago, West Virginia, owned by Anker West Virginia Mining
- 13 miners were trapped for nearly two days; only one survived

# SAGO MINE DISASTER (2006)

- January 2, 2006, Sago, West Virginia, owned by Anker West Virginia Mining
- 13 miners were trapped for nearly two days; only one survived
- Fatality number was exceeded by the Upper Big Branch Mine disaster

# SAGO MINE DISASTER (2006)

- January 2, 2006, Sago, West Virginia, owned by Anker West Virginia Mining
- 13 miners were trapped for nearly two days; only one survived
- Fatality number was exceeded by the Upper Big Branch Mine disaster
- MSHA reports prior history of safety violations and fatalities

# MINE SAFETY AND HEALTH ADMINISTRATION (MSHA)

- Formed in 1977, agency of the U.S. Department of Labor

# MINE SAFETY AND HEALTH ADMINISTRATION (MSHA)

- Formed in 1977, agency of the U.S. Department of Labor
- Mission



# MINE SAFETY AND HEALTH ADMINISTRATION (MSHA)

- Formed in 1977, agency of the U.S. Department of Labor
- Mission
  - Prevent death, illness, and injury from mining

# MINE SAFETY AND HEALTH ADMINISTRATION (MSHA)

- Formed in 1977, agency of the U.S. Department of Labor
- Mission
  - Prevent death, illness, and injury from mining
  - Promote safe and healthful workplaces for U.S. miners

# MINE SAFETY AND HEALTH ADMINISTRATION (MSHA)

- Formed in 1977, agency of the U.S. Department of Labor
- Mission
  - Prevent death, illness, and injury from mining
  - Promote safe and healthful workplaces for U.S. miners
  - Develop and enforce safety and health rules


# MINE SAFETY AND HEALTH ADMINISTRATION (MSHA)

- Formed in 1977, agency of the U.S. Department of Labor
- Mission
  - Prevent death, illness, and injury from mining
  - Promote safe and healthful workplaces for U.S. miners
  - Develop and enforce safety and health rules
  - Provide technical, educational, and other types of assistance

# MINE SAFETY AND HEALTH ADMINISTRATION (MSHA)

- Formed in 1977, agency of the U.S. Department of Labor
- Mission
  - Prevent death, illness, and injury from mining
  - Promote safe and healthful workplaces for U.S. miners
  - Develop and enforce safety and health rules
  - Provide technical, educational, and other types of assistance
- A constantly improving industry in terms of safety

# FATALITY TREND SINCE 1983



# CAN WE FURTHER IMPROVE MINE SAFETY?

- Process MSHA safety data

# CAN WE FURTHER IMPROVE MINE SAFETY?

- Process MSHA safety data
- Understand the underlying causal relationships



# CAN WE FURTHER IMPROVE MINE SAFETY?

- Process MSHA safety data
- Understand the underlying causal relationships
- Develop early warning systems based on past behaviors

# CAN WE FURTHER IMPROVE MINE SAFETY?

- Process MSHA safety data
- Understand the underlying causal relationships
- Develop early warning systems based on past behaviors
- Credit rating/score analogy

# CAN WE FURTHER IMPROVE MINE SAFETY?

- Process MSHA safety data
- Understand the underlying causal relationships
- Develop early warning systems based on past behaviors
- Credit rating/score analogy
  - Predict default probability within 18 months

# CAN WE FURTHER IMPROVE MINE SAFETY?

- Process MSHA safety data
- Understand the underlying causal relationships
- Develop early warning systems based on past behaviors
- Credit rating/score analogy
  - Predict default probability within 18 months
  - Accidents: defaults a month or a year prior to application

# CAN WE FURTHER IMPROVE MINE SAFETY?

- Process MSHA safety data
- Understand the underlying causal relationships
- Develop early warning systems based on past behaviors
- Credit rating/score analogy
  - Predict default probability within 18 months
  - Accidents: defaults a month or a year prior to application
  - Violations: missed payments, late payments, etc.

# CAN WE FURTHER IMPROVE MINE SAFETY?

- Process MSHA safety data
- Understand the underlying causal relationships
- Develop early warning systems based on past behaviors
- Credit rating/score analogy
  - Predict default probability within 18 months
  - Accidents: defaults a month or a year prior to application
  - Violations: missed payments, late payments, etc.
- Can we develop a “credit score” for mine safety?

# DEPARTMENT OF LABOR ENFORCEMENT DATA

- Link: [https://enforcedata.dol.gov/views/data\\_\\_catalogs.php](https://enforcedata.dol.gov/views/data__catalogs.php)

# DEPARTMENT OF LABOR ENFORCEMENT DATA

- Link: [https://enforcedata.dol.gov/views/data\\_\\_catalogs.php](https://enforcedata.dol.gov/views/data__catalogs.php)
- Updated daily or weekly



# DEPARTMENT OF LABOR ENFORCEMENT DATA

- Link: [https://enforcedata.dol.gov/views/data\\_\\_catalogs.php](https://enforcedata.dol.gov/views/data__catalogs.php)
- Updated daily or weekly
- Publicly available

# DEPARTMENT OF LABOR ENFORCEMENT DATA

- Link: [https://enforcedata.dol.gov/views/data\\_\\_catalogs.php](https://enforcedata.dol.gov/views/data__catalogs.php)
- Updated daily or weekly
- Publicly available
  - Department of Labor: MSHA, OSHA, etc.

# DEPARTMENT OF LABOR ENFORCEMENT DATA

- Link: [https://enforcedata.dol.gov/views/data\\_\\_catalogs.php](https://enforcedata.dol.gov/views/data__catalogs.php)
- Updated daily or weekly
- Publicly available
  - Department of Labor: MSHA, OSHA, etc.
  - Other departments: EPA, FDA, DOJ, etc.

# MSHA DATA: SOURCES

- Mine accidents table: “msha\_accident.csv”

# MSHA DATA: SOURCES

- Mine accidents table: “msha\_accident.csv”
  - 681,386 rows

# MSHA DATA: SOURCES

- Mine accidents table: “msha\_\_accident.csv”
  - 681,386 rows
  - Retrieved 1/26/2017, from  
[https://enforcedata.dol.gov/views/data\\_summary.php](https://enforcedata.dol.gov/views/data_summary.php)

# MSHA DATA: SOURCES

- Mine accidents table: “msha\_\_accident.csv”
  - 681,386 rows
  - Retrieved 1/26/2017, from  
[https://enforcedata.dol.gov/views/data\\_summary.php](https://enforcedata.dol.gov/views/data_summary.php)
- MSHA assessed violations table: “AssessedViolations.csv”

# MSHA DATA: SOURCES

- Mine accidents table: “msha\_accident.csv”
  - 681,386 rows
  - Retrieved 1/26/2017, from  
[https://enforcedata.dol.gov/views/data\\_summary.php](https://enforcedata.dol.gov/views/data_summary.php)
- MSHA assessed violations table: “AssessedViolations.csv”
  - 2,169,804 rows



# MSHA DATA: SOURCES

- Mine accidents table: “msha\_\_accident.csv”
  - 681,386 rows
  - Retrieved 1/26/2017, from  
[https://enforcedata.dol.gov/views/data\\_summary.php](https://enforcedata.dol.gov/views/data_summary.php)
- MSHA assessed violations table: “AssessedViolations.csv”
  - 2,169,804 rows
  - Retrieved 12/10/2016, from  
<https://arlweb.msha.gov/OpenGovernmentData/OGIMSHA.asp>

# MSHA DATA: ADVANTAGES

- Each mine has a unique mine ID, e.g., Upper Big Branch (4608436)

# MSHA DATA: ADVANTAGES

- Each mine has a unique mine ID, e.g., Upper Big Branch (4608436)
- Rich details: e.g., classification, description, and severity

# MSHA DATA: ADVANTAGES

- Each mine has a unique mine ID, e.g., Upper Big Branch (4608436)
- Rich details: e.g., classification, description, and severity
- Selected attributes from the accidents table (omitting 42 attributes)

##	[1]	"mine_id"	"controller_id"	"cal_yr"
##	[4]	"cal_qtr"	"ai_dt"	"inj_degr_desc"
##	[7]	"ai_class_desc"	"ai_occ_desc"	"ai_acty_desc"
##	[10]	"exper_tot_calc"	"exper_mine_calc"	"exper_job_calc"
##	[13]	"ai_narr"	"accident_type_cd"	"no_injuries"
##	[16]	"days_restrict"	"days_lost"	

# MSHA DATA: CHALLENGES

- Missing data, human errors

# MSHA DATA: CHALLENGES

- Missing data, human errors
- No information about inactive/nonoperating mines

# MSHA DATA: CHALLENGES

- Missing data, human errors
- No information about inactive/nonoperating mines
- Most data are not numeric

# MSHA DATA: CHALLENGES

- Missing data, human errors
- No information about inactive/nonoperating mines
- Most data are not numeric
- Lots of zeros, few severe accidents ( $\sim 0.5\%$ )



# CONSOLIDATED DATA

- Group and summarize accidents/violations by mines

# CONSOLIDATED DATA

- Group and summarize accidents/violations by mines
- 664,128 rows, 10,377 unique mines

# CONSOLIDATED DATA

- Group and summarize accidents/violations by mines
- 664,128 rows, 10,377 unique mines
- From 2000 to 2015

# CONSOLIDATED DATA

- Group and summarize accidents/violations by mines
- 664,128 rows, 10,377 unique mines
- From 2000 to 2015
- Each row represents data for a unique combination of mine, year, and quarter

# CONSOLIDATED DATA

- Group and summarize accidents/violations by mines
- 664,128 rows, 10,377 unique mines
- From 2000 to 2015
- Each row represents data for a unique combination of mine, year, and quarter
  - e.g., Upper Big Branch Mine in the second quarter of 2010

# CONSOLIDATED DATA

- Group and summarize accidents/violations by mines
- 664,128 rows, 10,377 unique mines
- From 2000 to 2015
- Each row represents data for a unique combination of mine, year, and quarter
  - e.g., Upper Big Branch Mine in the second quarter of 2010
- Each row contains both current and past information

# CONSOLIDATED DATA

- Group and summarize accidents/violations by mines
- 664,128 rows, 10,377 unique mines
- From 2000 to 2015
- Each row represents data for a unique combination of mine, year, and quarter
  - e.g., Upper Big Branch Mine in the second quarter of 2010
- Each row contains both current and past information
  - i.e., current quarter, past quarter, past year, and past three years

# CONSOLIDATED DATA

## ■ All 25 attributes of the consolidated data

##	[1]	"mine_id"	"mine.name"
##	[3]	"year"	"quarter"
##	[5]	"active"	"num.days.lost"
##	[7]	"last.quarter.lost"	"last.year.lost"
##	[9]	"last.three.years.lost"	"num.days.restrict"
##	[11]	"last.quarter.restrict"	"last.year.restrict"
##	[13]	"last.three.years.restrict"	"num.death"
##	[15]	"last.quarter.death"	"last.year.death"
##	[17]	"last.three.years.death"	"num.dis"
##	[19]	"last.quarter.dis"	"last.year.dis"
##	[21]	"last.three.years.dis"	"viol.quantity"
##	[23]	"last.quarter.viol"	"last.year.viol"
##	[25]	"last.three.years.viol"	



# TOP 10 FATAL ACCIDENTS SINCE 2005

## ■ Query the consolidated data on the deadliest accidents

##	mine.name	mine_id	year	quarter	num.death
## 1	Upper Big Branch Mine-South	4608436	2010	2	29
## 2	Sago Mine	4608791	2006	1	12
## 3	Crandall Canyon Mine	4201715	2007	3	9
## 4	Darby Mine No 1	1518185	2006	2	5
## 5	Gibson Mine	1202215	2007	3	3
## 6	Affinity Mine	4608878	2013	1	2
## 7	Aracoma Alma Mine #1	4608801	2006	1	2
## 8	Black Stallion UG Mine	4609086	2014	2	2
## 9	Cucumber Mine	4609066	2007	1	2
## 10	D-14 Stillhouse	1517165	2005	3	2


# TOP 10 FATAL ACCIDENTS SINCE 2005

## ■ Query the consolidated data on the deadliest accidents


##	mine.name	mine_id	year	quarter	num.death
## 1	Upper Big Branch Mine-South	4608436	2010	2	29
## 2	Sago Mine	4608791	2006	1	12
## 3	Crandall Canyon Mine	4201715	2007	3	9
## 4	Darby Mine No 1	1518185	2006	2	5
## 5	Gibson Mine	1202215	2007	3	3
## 6	Affinity Mine	4608878	2013	1	2
## 7	Aracoma Alma Mine #1	4608801	2006	1	2
## 8	Black Stallion UG Mine	4609086	2014	2	2
## 9	Cucumber Mine	4609066	2007	1	2
## 10	D-14 Stillhouse	1517165	2005	3	2

## ■ Plot violation trends prior to disasters

# VIOLATION TREND: UPPER BIG BRANCH



# VIOLATION TREND: SAGO MINE



# PREDICTIVE MODEL

- Rising violation trends before disasters

# PREDICTIVE MODEL

- Rising violation trends before disasters
- Develop a disaster classifier based on historical data

# PREDICTIVE MODEL

- Rising violation trends before disasters
- Develop a disaster classifier based on historical data
- Define a **severe** accident as one with death or permanent disability

```
## # A tibble: 2 × 3
##   severe      n perc
##   <lgl>   <int> <dbl>
## 1  FALSE 477077 99.46
## 2   TRUE  2608  0.54
```

# FIXED-MINE EFFECTS

- Biostatisticians and epidemiologists call it “conditional logistic regression” (`survival::clogit`)



# FIXED-MINE EFFECTS

- Biostatisticians and epidemiologists call it “conditional logistic regression” (`survival::clogit`)
- Suitable for **panel data** (e.g., longitudinal data, our consolidated data)

# FIXED-MINE EFFECTS

- Biostatisticians and epidemiologists call it “conditional logistic regression” (`survival::clogit`)
- Suitable for **panel data** (e.g., longitudinal data, our consolidated data)
- Model includes mine-specific biases

# FIXED-MINE EFFECTS

- Biostatisticians and epidemiologists call it “conditional logistic regression” (`survival::clogit`)
- Suitable for **panel data** (e.g., longitudinal data, our consolidated data)
- Model includes mine-specific biases
- Logistic function (for every mine)

$$\Pr(Y = 1|\mathbf{X}) = \frac{1}{1 + e^{-(\alpha + \beta\mathbf{X})}}$$

# FIXED-MINE EFFECTS

- Biostatisticians and epidemiologists call it “conditional logistic regression” (`survival::clogit`)
- Suitable for **panel data** (e.g., longitudinal data, our consolidated data)
- Model includes mine-specific biases
- Logistic function (for every mine)

$$\Pr(Y = 1|\mathbf{X}) = \frac{1}{1 + e^{-(\alpha + \beta\mathbf{X})}}$$

- Logistic function with fixed effects (for the  $i$ -th mine)

$$\Pr(Y = 1|\mathbf{X}, i) = \frac{1}{1 + e^{-(\alpha_i + \beta\mathbf{x})}}$$

# LOGISTIC REGRESSION WITHOUT FIXED EFFECTS

## ■ In-sample model

##	Reference					
##	Prediction	FALSE	TRUE			
##	FALSE	477011	2600			
##	TRUE	66	8			
##	Accuracy	Sensitivity	Specificity	Precision	F1	
##	0.9944	0.0031	0.9999	0.1081	0.0060	

# LOGISTIC REGRESSION WITHOUT FIXED EFFECTS

## ■ In-sample model

##                      Reference

## Prediction    FALSE    TRUE

##            FALSE 477011    2600

##            TRUE        66        8

##       Accuracy Sensitivity Specificity    Precision                      F1

##           0.9944            0.0031            0.9999            0.1081            0.0060

## ■ $\text{Accuracy} = (\text{TP} + \text{TN}) / (\text{P} + \text{N})$

# LOGISTIC REGRESSION WITHOUT FIXED EFFECTS

## ■ In-sample model

##                      Reference

## Prediction   FALSE   TRUE

##        FALSE 477011   2600

##        TRUE        66        8

##       Accuracy   Sensitivity   Specificity   Precision                      F1

##       0.9944            0.0031            0.9999            0.1081            0.0060

■  $\text{Accuracy} = (\text{TP} + \text{TN}) / (\text{P} + \text{N})$

■  $\text{Sensitivity/recall} = \text{TP} / \text{P}$

# LOGISTIC REGRESSION WITHOUT FIXED EFFECTS

## ■ In-sample model

##                      Reference

## Prediction    FALSE    TRUE

##            FALSE 477011    2600

##            TRUE        66        8

##        Accuracy Sensitivity Specificity    Precision                      F1

##            0.9944            0.0031            0.9999            0.1081            0.0060

■  $\text{Accuracy} = (\text{TP} + \text{TN}) / (\text{P} + \text{N})$

■  $\text{Sensitivity/recall} = \text{TP} / \text{P}$

■  $\text{Specificity} = \text{TN} / \text{N}$



# LOGISTIC REGRESSION WITHOUT FIXED EFFECTS

## ■ In-sample model

##                      Reference

## Prediction    FALSE    TRUE

##            FALSE 477011    2600

##            TRUE        66        8

##       Accuracy Sensitivity Specificity    Precision                      F1

##           0.9944            0.0031            0.9999            0.1081            0.0060

■  $\text{Accuracy} = (\text{TP} + \text{TN}) / (\text{P} + \text{N})$

■  $\text{Sensitivity/recall} = \text{TP} / \text{P}$

■  $\text{Specificity} = \text{TN} / \text{N}$

■  $\text{Precision} = \text{TP} / (\text{TP} + \text{FP})$

# LOGISTIC REGRESSION WITHOUT FIXED EFFECTS

## ■ In-sample model

##                      Reference

## Prediction    FALSE    TRUE

##            FALSE 477011    2600

##            TRUE        66        8

##       Accuracy Sensitivity Specificity    Precision                      F1

##            0.9944            0.0031            0.9999            0.1081            0.0060

■  $\text{Accuracy} = (\text{TP} + \text{TN}) / (\text{P} + \text{N})$

■  $\text{Sensitivity/recall} = \text{TP} / \text{P}$

■  $\text{Specificity} = \text{TN} / \text{N}$

■  $\text{Precision} = \text{TP} / (\text{TP} + \text{FP})$

■ F1: harmonic mean of sensitivity and precision

# LOGISTIC REGRESSION WITHOUT FIXED EFFECTS

## ■ Fails to predict top 10 deadliest disasters

##	mine.name	year	quarter	severe	pred
## 1	Upper Big Branch Mine-South	2010	2	TRUE	FALSE
## 2	Sago Mine	2006	1	TRUE	FALSE
## 3	Crandall Canyon Mine	2007	3	TRUE	FALSE
## 4	Darby Mine No 1	2006	2	TRUE	FALSE
## 5	Gibson Mine	2007	3	TRUE	FALSE
## 6	Affinity Mine	2013	1	TRUE	FALSE
## 7	Aracoma Alma Mine #1	2006	1	TRUE	FALSE
## 8	Black Stallion UG Mine	2014	2	TRUE	FALSE
## 9	Cucumber Mine	2007	1	TRUE	FALSE
## 10	D-14 Stillhouse	2005	3	TRUE	FALSE

# LOGISTIC REGRESSION WITHOUT FIXED EFFECTS

- List of false positive predictions based on predicted probability

##	mine.name	year	quarter	severe	pred
## 1	The American Coal Company New Era Mine	2008	3	FALSE	TRUE
## 2	The American Coal Company New Era Mine	2008	2	FALSE	TRUE
## 3	The American Coal Company New Era Mine	2007	4	FALSE	TRUE
## 4	The American Coal Company New Era Mine	2008	4	FALSE	TRUE
## 5	The American Coal Company New Era Mine	2008	1	FALSE	TRUE
## 6	The American Coal Company New Era Mine	2009	1	TRUE	TRUE
## 7	The American Coal Company New Era Mine	2007	3	FALSE	TRUE
## 8	The American Coal Company New Era Mine	2006	1	FALSE	TRUE
## 9	The American Coal Company New Era Mine	2005	4	FALSE	TRUE
## 10	The American Coal Company New Era Mine	2006	2	TRUE	TRUE

# LOGISTIC REGRESSION WITH FIXED EFFECTS

- Out-of-sample model (randomly select half of the data to train and the other half to test)

##	Reference					
##	Prediction	FALSE	TRUE			
##	FALSE	141332	483			
##	TRUE	97167	852			
##	Accuracy	Sensitivity	Specificity	Precision	F1	
##	0.5928	0.6382	0.5926	0.0087	0.0172	

# LOGISTIC REGRESSION WITH FIXED EFFECTS

## ■ Successfully predicts top 10 deadliest disasters

##		mine.name	year	quarter	severe	pred
## 1		Sago Mine	2006	1	TRUE	TRUE
## 2		Crandall Canyon Mine	2007	3	TRUE	TRUE
## 3		Darby Mine No 1	2006	2	TRUE	TRUE
## 4		Cucumber Mine	2007	1	TRUE	TRUE
## 5		Dotiki Mine	2010	2	TRUE	TRUE
## 6		Equality	2011	4	TRUE	TRUE
## 7		Meikle Mine	2010	3	TRUE	TRUE
## 8		Nanuuq Gold Project	2007	3	TRUE	TRUE
## 9	4 J's Gravel Crushing Plant 2		2011	3	TRUE	TRUE
## 10		Adams	2006	3	TRUE	TRUE

# LOGISTIC REGRESSION WITH FIXED EFFECTS

- Still has a lot of false positive predictions

# LOGISTIC REGRESSION WITH FIXED EFFECTS

- Still has a lot of false positive predictions
- List of false positive predictions based on predicted probability

##	mine.name	year	quarter	severe	pred
## 1	The American Coal Company New Era Mine	2006	1	FALSE	TRUE
## 2	Upper Big Branch Mine-South	2009	3	FALSE	TRUE
## 3	Upper Big Branch Mine-South	2009	1	FALSE	TRUE
## 4	Upper Big Branch Mine-South	2006	4	FALSE	TRUE
## 5	Upper Big Branch Mine-South	2005	1	FALSE	TRUE
## 6	The American Coal Company New Era Mine	2005	3	FALSE	TRUE
## 7	The American Coal Company New Era Mine	2008	1	FALSE	TRUE
## 8	The American Coal Company New Era Mine	2007	4	FALSE	TRUE
## 9	Upper Big Branch Mine-South	2006	1	FALSE	TRUE
## 10	Upper Big Branch Mine-South	2006	3	FALSE	TRUE



# LOGISTIC REGRESSION WITH FIXED EFFECTS

- Still has a lot of false positive predictions
- List of false positive predictions based on predicted probability

##	mine.name	year	quarter	severe	pred
## 1	The American Coal Company New Era Mine	2006	1	FALSE	TRUE
## 2	Upper Big Branch Mine-South	2009	3	FALSE	TRUE
## 3	Upper Big Branch Mine-South	2009	1	FALSE	TRUE
## 4	Upper Big Branch Mine-South	2006	4	FALSE	TRUE
## 5	Upper Big Branch Mine-South	2005	1	FALSE	TRUE
## 6	The American Coal Company New Era Mine	2005	3	FALSE	TRUE
## 7	The American Coal Company New Era Mine	2008	1	FALSE	TRUE
## 8	The American Coal Company New Era Mine	2007	4	FALSE	TRUE
## 9	Upper Big Branch Mine-South	2006	1	FALSE	TRUE
## 10	Upper Big Branch Mine-South	2006	3	FALSE	TRUE

- What happened in the New Era Mine?

# NEW ERA MINE

- Among the worst mines by number of days lost due to accidents

##	mine.name	year	quarter	days.lost
## 1	The American Coal Company New Era Mine	2005	2	2940
## 2	The American Coal Company New Era Mine	2003	2	2914
## 3	The American Coal Company New Era Mine	2005	3	2874
## 4	Mathies	2002	1	2840
## 5	The American Coal Company New Era Mine	2004	3	2613
## 6	The American Coal Company New Era Mine	2004	1	2591
## 7	Monongalia County Mine	2013	3	2563
## 8	The American Coal Company New Era Mine	2005	4	2487
## 9	Powhatan No. 6 Mine	2013	1	2409
## 10	Maple Creek	2001	1	2030


# NEW ERA MINE

- Among the worst mines by number of days lost due to accidents

##	mine.name	year	quarter	days.lost
## 1	The American Coal Company New Era Mine	2005	2	2940
## 2	The American Coal Company New Era Mine	2003	2	2914
## 3	The American Coal Company New Era Mine	2005	3	2874
## 4	Mathies	2002	1	2840
## 5	The American Coal Company New Era Mine	2004	3	2613
## 6	The American Coal Company New Era Mine	2004	1	2591
## 7	Monongalia County Mine	2013	3	2563
## 8	The American Coal Company New Era Mine	2005	4	2487
## 9	Powhatan No. 6 Mine	2013	1	2409
## 10	Maple Creek	2001	1	2030

- Rising violation trend from 2000 to 2005

# NEW ERA MINE



# NEW LABELS INCLUDING DAYS LOST

- Updated severe accident label

# NEW LABELS INCLUDING DAYS LOST

- Updated severe accident label
  - Previously defined criteria plus days lost  $> 300$

# NEW LABELS INCLUDING DAYS LOST

- Updated severe accident label
  - Previously defined criteria plus days lost  $> 300$
- Redo out-of-sample model

##	Reference					
##	Prediction	FALSE	TRUE			
##	FALSE	148496	1267			
##	TRUE	88426	1645			
##	Accuracy	Sensitivity	Specificity	Precision	F1	
##	0.626	0.565	0.627	0.018	0.035	

# NEW LABELS INCLUDING DAYS LOST

- Updated severe accident label
  - Previously defined criteria plus days lost  $> 300$
- Redo out-of-sample model

##	Reference					
##	Prediction	FALSE	TRUE			
##	FALSE	148496	1267			
##	TRUE	88426	1645			
##	Accuracy	Sensitivity	Specificity	Precision	F1	
##	0.626	0.565	0.627	0.018	0.035	

- Worse true positive rate, improved F1 score



# NEW LABELS INCLUDING DAYS LOST

- Successfully predicts 9 out of top 10 deadliest accidents

##		mine.name	year	quarter	severe	pred
## 1		Sago Mine	2006	1	TRUE	TRUE
## 2		Crandall Canyon Mine	2007	3	TRUE	TRUE
## 3		Darby Mine No 1	2006	2	TRUE	TRUE
## 4		Cucumber Mine	2007	1	TRUE	TRUE
## 5		Dotiki Mine	2010	2	TRUE	TRUE
## 6		Equality	2011	4	TRUE	TRUE
## 7		Meikle Mine	2010	3	TRUE	TRUE
## 8		Nanuuq Gold Project	2007	3	TRUE	TRUE
## 9	4 J's Gravel Crushing Plant 2		2011	3	TRUE	TRUE
## 10		Adams	2006	3	TRUE	FALSE

# NEW LABELS INCLUDING DAYS LOST

- Accidents of the New Era mine are now true positives

##	mine.name	year	quarter	severe	pred
## 1	The American Coal Company New Era Mine	2006	1	TRUE	TRUE
## 2	The American Coal Company New Era Mine	2005	3	TRUE	TRUE
## 3	The American Coal Company New Era Mine	2005	1	TRUE	TRUE
## 4	Monongalia County Mine	2014	3	TRUE	TRUE
## 5	Powhatan No. 6 Mine	2013	3	TRUE	TRUE
## 6	Powhatan No. 6 Mine	2013	4	TRUE	TRUE
## 7	Marshall County Mine	2015	4	TRUE	TRUE
## 8	The American Coal Company New Era Mine	2008	1	TRUE	TRUE
## 9	Willow Lake Portal	2008	2	TRUE	TRUE
## 10	Powhatan No. 6 Mine	2013	1	TRUE	TRUE

# CONCLUSION

- Summary

# CONCLUSION

- Summary

- Two deadliest mine accidents in the last decade: Upper Big Branch & Sago

# CONCLUSION

## ■ Summary

- Two deadliest mine accidents in the last decade: Upper Big Branch & Sago
- Rich MSHA data that need clean-up

# CONCLUSION

## ■ Summary

- Two deadliest mine accidents in the last decade: Upper Big Branch & Sago
- Rich MSHA data that need clean-up
- Supervised predictive model

# CONCLUSION

## ■ Summary

- Two deadliest mine accidents in the last decade: Upper Big Branch & Sago
- Rich MSHA data that need clean-up
- Supervised predictive model

## ■ Application

# CONCLUSION

## ■ Summary

- Two deadliest mine accidents in the last decade: Upper Big Branch & Sago
- Rich MSHA data that need clean-up
- Supervised predictive model

## ■ Application

- “Credit score” for mine safety



# CONCLUSION

## ■ Summary

- Two deadliest mine accidents in the last decade: Upper Big Branch & Sago
- Rich MSHA data that need clean-up
- Supervised predictive model

## ■ Application

- “Credit score” for mine safety
- Regulators, mines, stakeholders

# CONCLUSION

## ■ Summary

- Two deadliest mine accidents in the last decade: Upper Big Branch & Sago
- Rich MSHA data that need clean-up
- Supervised predictive model

## ■ Application

- “Credit score” for mine safety
- Regulators, mines, stakeholders

## ■ Future

# CONCLUSION

## ■ Summary

- Two deadliest mine accidents in the last decade: Upper Big Branch & Sago
- Rich MSHA data that need clean-up
- Supervised predictive model

## ■ Application

- “Credit score” for mine safety
- Regulators, mines, stakeholders

## ■ Future

- Improve model performance

# CONCLUSION

## ■ Summary

- Two deadliest mine accidents in the last decade: Upper Big Branch & Sago
- Rich MSHA data that need clean-up
- Supervised predictive model

## ■ Application

- “Credit score” for mine safety
- Regulators, mines, stakeholders

## ■ Future

- Improve model performance
- Unsupervised clustering, neural nets, etc.

# CONCLUSION

## ■ Summary

- Two deadliest mine accidents in the last decade: Upper Big Branch & Sago
- Rich MSHA data that need clean-up
- Supervised predictive model

## ■ Application

- “Credit score” for mine safety
- Regulators, mines, stakeholders

## ■ Future

- Improve model performance
- Unsupervised clustering, neural nets, etc.
- Expand data: OSHA, EPA, etc.

# APPENDIX: SIMPLE LINEAR MODEL

■ Adjusted  $R^2 = 0.36$

##	Estimate	Std. Error	t value	Pr(> t )
## (Intercept)	0.5243	0.06725	7.8	6.4e-15
## last.quarter.lost	0.0566	0.00179	31.6	2.9e-218
## last.year.lost	0.0724	0.00093	77.8	0.0e+00
## last.three.years.lost	0.0338	0.00032	105.6	0.0e+00
## last.quarter.restrict	-0.0173	0.00461	-3.8	1.7e-04
## last.year.restrict	-0.0123	0.00243	-5.1	3.9e-07
## last.three.years.restrict	0.0072	0.00085	8.4	3.8e-17
## last.quarter.viol	0.3083	0.01095	28.1	3.5e-174
## last.year.viol	0.1352	0.00490	27.6	2.1e-167
## last.three.years.viol	-0.0346	0.00141	-24.7	4.2e-134
## last.quarter.death	-5.7149	1.09783	-5.2	1.9e-07
## last.year.death	-3.6943	0.64330	-5.7	9.3e-09
## last.three.years.death	-0.5155	0.33261	-1.5	1.2e-01

## APPENDIX: UNSUPERVISED CLUSTERING

- Apply  $k$ -means clustering to consolidated data on all 20 features

## APPENDIX: UNSUPERVISED CLUSTERING

- Apply  $k$ -means clustering to consolidated data on all 20 features
- 3 clusters: low-risk, mid-risk, and high-risk



# APPENDIX: UNSUPERVISED CLUSTERING

- Apply  $k$ -means clustering to consolidated data on all 20 features
- 3 clusters: low-risk, mid-risk, and high-risk
- Selected cluster centers (omitting 17 features)

##	num.days.lost	num.days.restrict	num.death
## low	5.3	2.1	0.0013
## mid	100.5	18.6	0.0164
## high	508.4	32.7	0.0431

# APPENDIX: UNSUPERVISED CLUSTERING

- Apply  $k$ -means clustering to consolidated data on all 20 features
- 3 clusters: low-risk, mid-risk, and high-risk
- Selected cluster centers (omitting 17 features)

##	num.days.lost	num.days.restrict	num.death
## low	5.3	2.1	0.0013
## mid	100.5	18.6	0.0164
## high	508.4	32.7	0.0431

- Cluster sizes

##	low	mid	high
## size	465203	13299	1183

# APPENDIX: MARKOV CHAIN

## ■ Overall transition matrix

##		low	mid	high
## low		0.997	0.003	0.000
## mid		0.087	0.906	0.006
## high		0.000	0.072	0.928

# APPENDIX: MARKOV CHAIN

## ■ Overall transition matrix

##		low	mid	high
## low		0.997	0.003	0.000
## mid		0.087	0.906	0.006
## high		0.000	0.072	0.928

## ■ Steady-state distribution

##		low	mid	high
## [1,]		0.97	0.028	0.003