
Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Initializing...
Registered S3 method overwritten by 'sensitivity':
method from
print.src dplyr


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 1%
Registered S3 method overwritten by 'sensitivity':
method from
print.src dplyr


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 3%
Registered S3 method overwritten by 'sensitivity':
method from
print.src dplyr


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 4%
Registered S3 method overwritten by 'sensitivity':
method from
print.src dplyr


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 5%
Registered S3 method overwritten by 'sensitivity':
method from
print.src dplyr


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 7%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 8%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 9%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 11%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 13%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 14%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 15%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 17%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 18%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 20%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 21%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 23%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 24%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 26%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 27%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 29%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 30%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 32%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 33%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 35%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 36%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 38%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 40%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 41%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 42%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 44%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 45%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 47%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 49%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 50%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 52%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 53%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 55%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 56%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 58%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 59%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 61%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 63%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 64%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 66%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 67%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 69%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 70%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 72%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 74%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 75%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 77%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 79%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 81%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 82%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 84%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 85%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 87%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 89%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 90%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 92%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 94%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 95%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 97%


Thermosimfit
Data import
DBA (const. host) model
DBA (const. dye) model
GDA model
IDA model
Info
Parameter
Host conc. [M]
0.000001
Dye conc. [M]
0.000001
K_a(HD) [1/M]
3000000
Advanced options
Boundaries
Help
K_a(HG) value lower boundary [1/M]
10
K_a(HG) value upper boundary [1/M]
1e+08
I(0) value lower boundary
0
I(0) value upper boundary
1e+08
I(HD) value lower boundary [1/M]
Help
0
I(HD) value upper boundary [1/M]
1e+08
I(D) value lower boundary [1/M]
0
I(D) value upper boundary [1/M]
1e+08
Optimization
Sensitivity analysis
Batch processing
Sensitivity analysis
+/- boundary in [%]
15
Start Sensitivity analysis
Cancel
Save result of sensitivity analysis
Completed: 98%

Thermosimfit

- Data import
- DBA (const. host) model
- DBA (const. dye) model
- GDA model
- IDA model
- Info

Parameter

Host conc. [M]

0.000001

Dye conc. [M]

0.000001

K_a(HD) [1/M]

3000000

Advanced options +

Boundaries Help

K_a(HG) value lower boundary [1/M]

10

K_a(HG) value upper boundary [1/M]

1e+08

I(0) value lower boundary

0

I(0) value upper boundary

1e+08

I(HD) value lower boundary [1/M] Help

0

I(HD) value upper boundary [1/M]

1e+08

I(D) value lower boundary [1/M]

0

I(D) value upper boundary [1/M]

1e+08

Optimization | Sensitivity analysis | Batch processing

Sensitivity analysis

+/- boundary in [%]

15

Start Sensitivity analysis | Cancel | Save result of sensitivity analysis

```
Completed: 99%
```