

closed

Demo ticket

Session
ID: demoSCXZQE-76U
Time limit: 120 min.

Status: closed
Started on: 2014-01-05 14:55 UTC

Score:

100

of 100



★ 1. PassingCars

Count the number of passing cars on the road.

score: 100 of 100



Task description

A non-empty zero-indexed array A consisting of N integers is given. The consecutive elements of array A represent consecutive cars on a road.
Array A contains only 0s and/or 1s:

- 0 represents a car traveling east,
- 1 represents a car traveling west.

The goal is to count passing cars. We say that a pair of cars (P, Q), where $0 \leq P < Q < N$, is passing when P is traveling to the east and Q is traveling to the west.
For example, consider array A such that:

```
A[0] = 0
A[1] = 1
A[2] = 0
A[3] = 1
A[4] = 1
```

We have five pairs of passing cars: (0, 1), (0, 3), (0, 4), (2, 3), (2, 4).
Write a function:

```
class Solution { public int solution(int[] A); }
```

that, given a non-empty zero-indexed array A of N integers, returns the number of passing cars.
The function should return -1 if the number of passing cars exceeds 1,000,000,000.
For example, given:

```
A[0] = 0
A[1] = 1
A[2] = 0
A[3] = 1
A[4] = 1
```

the function should return 5, as explained above.
Assume that:

- N is an integer within the range [1..100,000];
- each element of array A is an integer within the range [0..1].

Complexity:

- expected worst-case time complexity is $O(N)$;
- expected worst-case space complexity is $O(1)$, beyond input storage (not counting the storage required for input arguments).

Elements of input arrays can be modified.

Copyright 2009–2013 by Codility Limited. All Rights Reserved.
Unauthorized copying, publication or disclosure prohibited.

Solution

Programming language used: C#

Total time used: 5 minutes

(?)

Effective time used: 1 minutes

(?)

Notes: correct functionality and scalability

Task timeline

What is it? (?)



14:55:42

14:59:51

Code: 14:59:51 UTC, cs, final, score: 100.00

```
01. using System;
02. // you can also use other imports, for
   // example:
03. // using System.Collections.Generic;
04. class Solution {
05.     public int solution(int[] A)
06.     {
07.         // write your code in C# with
           .NET 2.0
08.         var length = A.Length;
09.         if (length < 0 || length >
           1000000) throw new
           ArgumentOutOfRangeException();
10.
11.         var eastBoundCars = 0;
12.         var passingPairs = 0;
13.
14.         foreach (var value in A)
15.         {
16.             if (value == 1)
17.             {
18.                 passingPairs +=
                   eastBoundCars;
19.                 if (passingPairs >
                   1000000000) return
                   -1;
20.             }
21.             else
22.                 eastBoundCars++;
23.         }
24.         return passingPairs;
25.     }
26. }
```

Analysis



Detected time complexity:

O(N)

test	time	result
example example test	0.080 s.	OK
single single element	0.080 s.	OK
double two elements	0.080 s.	OK
simple simple test	0.080 s.	OK
small_random random, length = 100	0.080 s.	OK
medium_random random, length = ~10,000	0.080 s.	OK
large_random random, length = ~100,000	0.090 s.	OK
large_big_answer 0..01..1, length = ~100,000	0.090 s.	OK
large_alterate 0101..01, length = ~100,000	0.090 s.	OK
large_extreme large test with all 1s/0s, length = ~100,000	0.100 s.	OK

Get acco