Benchmark Charts

Harrington's Insights: benchmark charts, standard compressors against the author's originals, modified tools and mutants. Assembled 29 October 2026 from recorded results; one run per tool per file, and every result was decompressed and checked byte for byte when it was recorded.

Classes. Standard: the stock tool. Original: the author's own designs (HCM, hcmx, Harrington Exchange). Modified: a tuned encoder whose output the stock decoder reads unchanged (bzip2-hi, xz-hi). Mutant: an existing compressor whose decoder was changed (lpaq1-h, the Exchange->Blosc2 hybrid, Exchange->xz).

Sets follow Andrew Goodwin's review: the Canterbury corpus, the first 1 MB of each Silesia file, and his synthetic set; plus the author's biased packed-data set and six radio captures from earlier runs.

How to read the dot charts. Each dot is one tool's total over a set. Up and down is size (lower is smaller); left to right is speed in MB of original data per second on a log scale (further right is faster). The dashed line joins the tools that nothing else beats on both size and speed; dots with a dark ring sit on it. Our tools are drawn larger with bold labels. The line charts show each file separately.

Data sources. Canterbury: one fresh run of every tool on one machine (29 Oct 2026). Silesia sample and Synthetic set: no new runs; the standard tools and HCM (marked *, Goodwin's HCM build) are Andrew Goodwin's recorded results (single 2.1 GHz Xeon core), and lpaq1-h* and bzip2-hi* are the author's recorded runs on a different machine, so their times are comparable only roughly (lpaq1-h decoded at the same speed as stock lpaq1 on the author's machine). Peak memory and file-by-file charts are given for Canterbury only, where every tool was measured together.


Timing notes. Times are wall clock including program start-up, so on small files the fast tools all look about the same; sizes are exact. lpaq1-h's compression time is the sum of its six tries (it keeps the best). ZPAQ sizes have its 1,015-byte per-file archive header removed, as in Goodwin's review. On the biased and radio sets decode times are earlier in-process measurements and compression times were mostly not recorded, so those two sets have decode charts only; ZPAQ's radio decode time is an estimate.


RESULTS

Canterbury (2,810,784 bytes, 14 tools). Smallest overall: HCM v3.4 max at 350,326 bytes. Best standard: ZPAQ -m5 at 350,542. Our best: HCM v3.4 max at 350,326 bytes (-0.06% vs best standard). Ours on the decode-speed trade-off line: HCM v3.4 max, hcmx fast, HCM v3.4 fast, xz-hi. Smaller AND faster to decode: xz-hi beats bzip2 -9, xz -9e; HCM v3.4 fast beats lpaq1 -6; HCM v3.4 max beats lpaq1 -6, ZPAQ -m5; hcmx fast beats lpaq1 -6.


Silesia 1 MB sample (12,582,912 bytes, 12 tools). Smallest overall: ZPAQ -m5 at 3,418,967 bytes. Best standard: ZPAQ -m5 at 3,418,967. Our best: lpaq1-h* at 3,559,695 bytes (+4.12% vs best standard). Ours on the decode-speed trade-off line: lpaq1-h*, HCM max*, HCM fast*, bzip2-hi*. Smaller AND faster to decode: HCM fast* beats lpaq1 -6; HCM max* beats lpaq1 -6.


Synthetic set (17,999,934 bytes, 11 tools). Smallest overall: lpaq1-h* at 8,113,745 bytes. Best standard: ZPAQ -m5 at 8,202,053. Our best: lpaq1-h* at 8,113,745 bytes (-1.08% vs best standard). Ours on the decode-speed trade-off line: lpaq1-h*, HCM max*, HCM fast*. Smaller AND faster to decode: lpaq1-h* beats ZPAQ -m5.








Standard tool
Harrington original (own design)
Harrington modified (stock decoder reads it)
Harrington mutant (changed decoder)
Best-trade-off line (nothing beats these on both)
On the line


Canterbury: size vs peak memory
Size, % of original
Peak memory, MB (log; lower is lighter)
45
40
35
30
25
20
15
2×10^1
3×10^1
4×10^1
6×10^1
10^2
lz4 -1
gzip -9
zstd -3
bzip2 -9
bzip2-hi
zstd -19
xz -9e
xz-hi
HCM v3.4 fast
hcmx fast
HCM v3.4 max
lpaq1 -6
lpaq1-h
Standard tool
Harrington original (own design)
Harrington modified (stock decoder reads it)
Harrington mutant (changed decoder)
Best-trade-off line (nothing beats these on both)
On the line



Canterbury: file by file, three strongest standard tools (dashed) vs our three best (solid)
Size, % of original (lower is better)
0
10
20
30
40
ZPAQ -m5 (Standard) - total 350,542 B
lpaq1 -6 (Standard) - total 392,132 B
xz -9e (Standard) - total 493,080 B
HCM v3.4 max (Original) - total 350,326 B
hcmx fast (Original) - total 350,749 B
HCM v3.4 fast (Original) - total 353,387 B
alice29.txt
asyoulik.txt
cp.html
fields.c
grammar.lsp
kennedy.xls
lcet10.txt
plrabn12.txt
ptt5
sum
xargs.1



Canterbury: our three best against ZPAQ -m5, file by file
Size difference vs ZPAQ -m5, % (below 0 = ours smaller)
20
15
10
5
0
HCM v3.4 max
hcmx fast
HCM v3.4 fast
alice29.txt
asyoulik.txt
cp.html
fields.c
grammar.lsp
kennedy.xls
lcet10.txt
plrabn12.txt
ptt5
sum
xargs.1






Standard tool
Harrington original (own design)
Harrington modified (stock decoder reads it)
Harrington mutant (changed decoder)
Best-trade-off line (nothing beats these on both)
On the line






Standard tool
Harrington original (own design)
Harrington modified (stock decoder reads it)
Harrington mutant (changed decoder)
Best-trade-off line (nothing beats these on both)
On the line



Compression times were not recorded for this set; decode times are earlier in-process measurements. Size only (no decode time recorded): Brotli 11 51.5%; 7-Zip ultra 53.2%; xz -9e 53.3%; OpenZL 55.9%.

Standard tool
Harrington original (own design)
Harrington modified (stock decoder reads it)
Harrington mutant (changed decoder)
Best-trade-off line (nothing beats these on both)
On the line



Compression times were not recorded for this set; decode times are earlier in-process measurements. Size only (no decode time recorded): order-0 rANS 70.7%.

Standard tool
Harrington original (own design)
Harrington modified (stock decoder reads it)
Harrington mutant (changed decoder)
Best-trade-off line (nothing beats these on both)
On the line