


## Curso de Java intermedio - Programación orientada a objetos







paguetes <u>=</u>: lose class

•	•	[C	ر ۲۴-	ler	Io	y.	sile	oitro	da	<b>a</b> ]	•	[Τ	روي ا	da pue	x to	· ·.]	•	<u>E</u> n	on	\b.	e]		_ti	Pol	ato	· j_	[no	mb	e]	ا و	t	od D	to]	_[no	m]	
	•				P	uk	ء1ر	ح			•			id .4	•						•		- V	oi ho	a						VC	oid Mort				
•	•						ate ec		<u>.</u>			/· ·	in	oii t ng	:\								· i	nt one Hoc	3,	•		•				it ong oct		•		
					•								do	061 061									0		ble						·	oub ool				
														rille					•				. [	Str -	ing T			•		•	5	trin	8 7			
•	•	•			•	•	•	•	•		1			•					•		•	•	•	•		•		•						•	•	
•	•			•	•			•	•			۲	- و	.tu	۲۲	).		۷c	xri	alo	le	]	و	•		•		•				•				
	•							•																		•		•								
•	•	•			•		•	•				•			•						•			•		•		•		•		•		•	•	

•		•	•		•				L	•	Si at ma			· (	·	<del>].</del>			'n	∔·	h		{			•				•							
			PI	Jb	]   [ 	<u>د</u> ا	•	1۲۱ -		· _•	51 42	un b	1	• (	1.[1	•	u	<b>5</b>																			
	٠				in	) <del>T</del> 	ای	m יייי	OL.	< 111	na		•				٠	٠	•		٠	•	٠			٠				٠		٠	٠			•	•
					r	C 1	- 60.			. الله ل		<i>)</i>																									
	٠	٠	3			٠	٠	٠	٠		•		٠			٠	٠	٠	٠	٠	٠	٠	٠	٠		٠	٠	٠	٠	٠	٠	٠	٠	٠		٠	•
	٠			٠	٠	٠	٠	٠	٠	٠	٠	٠			٠	٠			٠	٠	٠				٠		٠		٠	٠	٠				٠		٠
	٠	٠			٠	٠					٠						٠					٠															•
	•		•	٠		٠		٠	٠										•	٠	٠				٠	٠				٠			٠	٠	٠	٠	•
	٠	٠																																			