


Curso de Java intermedio - Programación orientada a objetos








paguetes <u>=</u>: lose class


•			۲۲	er	10	ψi	sile	oilio	da	a]	ئ	\T	po esp	da u a	to la .	•	Ė	lon	lюн	2]	([-	ł ipo	Dat	· ·o]_	[n	omb	ne]	. g	[tı	Dod	=to]	_[ro	m]	
					P	uk	ء أ ر	<u>.</u>					voi sho	d	\ .							sho	4						sl	no H				
							ate ec		_}				int Long Hoo							•		Ho	t 19, 6+,				•		<u> </u>	ong loct	_ •			
•	•	•		•	•		•		•		•		dou	1		•		•				do bo	udo le 6 l	2 *	•		•	•	Ь	oub 06		•	•	
													Str [ing T								St [ring) ·					. 5	trii [18	•		
•		•				•														•		·		•					•			•		
•	•	•	•	•		•			•		•	r	et	WΥ	η		V	ori	امله	e.	ر ا				•							•	•	
		•				•					•					•				•									•			•	•	
																															•	•	•	
		•							•		•			•						•								•	•		•	•	•	

```
public void imprimir Todas Tabolas ()[
```





· · · · · · · · · · · · · · · · · · ·	
/ //	
· · · / · [· [· · · · · · · · · · · ·	
MIVIL Bombillo.	
encontrator boolean	
II VI I I	
lumens: float	
tipo: String	
color; String	
look (I)	
profundo: flat.	
void: encender ()	
void:apager()	
Stra - Lacadona ()	
String estationalist	
Oran	· · · · ·
p. royecto .ttereno	10

	 •		•			P	Dor	nk	bil	10	5,	m c	J	: : :	· · · · · · · · · · · · · · · · · · ·	•	· · · · · · · · · · · · · · · · · · ·	o'n	nb			Pa	s (c	xn.	te					mb	نا أ،		am			
									i <i>o</i> i 010	r C	lu	or Me	ns				ð	B ⁻										'n	10	d	ంక	Z	No G.	رلی صر Mo	nto Hin.	•
				•		·r	No	ال ل	که	5	50	5.5	•	() , ,].	•			•						•											
		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•			•	•	•	•		•	•	•	•	•	•	•	•
	•	•	•	•		•		•	•	•	•	•	•	•	•	•	•		•	•			•	•	•	•	•		•	•	•	•	•			•
•		•		•		•			•	•	•	•		•	•	•			•	•	•			•	•	•	•		•	•	•				•	•
		•																							•					•	•					



Caminar deslitarse colibri Pelicano Albatros Pinguino





Venta

Cliente Producto

v endedar



