# A Functional Computer Algebra with Some Examples in Kotlin

Breandan Considine McGill University bre@ndan.co Iaroslav Postovalov JetBrains Research postovalovya@gmail.com Alexander Nozik MIPT, JetBrains Research altavir@gmail.com

## **ABSTRACT**

We present a type-safe numerical tower starting with a generically typed algebra of groups, rings and fields, and show how to extend it to various domains, with examples in the Kotlin programming language. This hierarchy allows us to perform generic transformations on mathematical symbol trees. Some applications include linear algebra, automatic differentation and probabilistic programming.

## **CCS CONCEPTS**

• Mathematics of computing → Mathematical software.

#### **KEYWORDS**

computer algebra, symbolic mathematics

#### **ACM Reference Format:**

## 1 INTRODUCTION

The expression problem [6] occurs when we want to implement some generic operator on multiple objects. They share the same interface, but have different implementations. Can we avoid writing it twice? Various solutions have been proposed [3, 4, 7].

Consider the following simplified example: ... Can we avoid reimplementing it in multiple contexts?

## 2 CONTEXT-ORIENTED PROGRAMMING

TODO: Alex

## 3 FUNCTIONAL PROGRAMMING

TODO: Iaroslav?

#### 4 SYMBOLIC DIFFERENTIATION

TODO: Breandan

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

## 5 COMPUTATIONAL GEOMETRY

TODO: Alex

## 6 PROBABILISTIC PROGRAMMING

TODO: Breandan

## 7 SIMPLIFICATION

TODO: Breandan

## REFERENCES

- Virginia Niculescu. 2003. A design proposal for an object oriented algebraic library. Studia Universitatis Babes-Bolyai, Informatica 48, 1 (2003), 89–100.
- [2] Virginia Niculescu. 2011. ON USING GENERICS FOR IMPLEMENTING ALGE-BRAIC STRUCTURES. Studia Universitatis Babes-Bolyai, Informatica 56, 4 (2011). https://www.cs.ubbcluj.ro/~studia-i/contents/2011-4/02-Niculescu.pdf
- [3] Bruno C d S Oliveira and William R Cook. 2012. Extensibility for the masses. In European Conference on Object-Oriented Programming. Springer, 2–27.
- [4] Bruno C d S Oliveira, Tijs Van Der Storm, Alex Loh, and William R Cook. 2013. Feature-oriented programming with object algebras. In European Conference on Object-Oriented Programming. Springer, 27–51.
- [5] Vincent St-Amour, Sam Tobin-Hochstadt, Matthew Flatt, and Matthias Felleisen. 2012. Typing the numeric tower. In *International Symposium on Practical Aspects of Declarative Languages*. Springer, 289–303.
- [6] Philip Wadler et al. 1998. The expression problem. Posted on the Java Genericity mailing list (1998).
- [7] Yanlin Wang and Bruno C d S Oliveira. 2016. The expression problem, trivially!. In Proceedings of the 15th International Conference on Modularity. 37–41.

## A APPENDIX

## A.1 Part One

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

#### A.2 Part Two

Etiam commodo feugiat nisl pulvinar pellentesque.

## **B** ONLINE RESOURCES

https://github.com/mipt-npm/kmath https://github.com/breandan/kotlingrad