DOD CRF Update

Anthropometrics & demographics

Demographics

Age

Area Deprivation Index

Ethnicity

- ◯ Hispanic or Latino
- ◯ Non-Hispanic or non-Latino
- ◯ Unknown

Head circumference (first) (cm)

Height (first) (cm)

Sex assigned at birth

- ◯ Male
- ◯ Female

Weight (first) (kg)

Race

- ☐ American Indian or Alaska Native
- ☐ Asian
- ☐ Black or African American
- ☐ Native Hawaiian or Other Pacific Islander
- ☐ White

Advanced Directive

Code Status

Last Code Status at 24 hours in ICU

- ◯ Full Code
- ◯ DNR
- ◯ DNI
- ◯ DNR and DNI
- ◯ Unknown

Diagnoses

Admission Diagnoses

ICU Admission Diagnosis

- [ ] ACS (Acute Coronary Syndrome)
- [ ] Acute Renal Failure/Obstruction
- [ ] Anaphylaxis
- [ ] Aneurysm, aortic
- [ ] Aneurysm, other
- [ ] Angina, Stable
- [ ] ARDS
- [ ] Arrest, respiratory (without cardiac arrest)
- [ ] Asthma
- [ ] CABG, alone
- [ ] CABG, exclude CABG alone
- [ ] Cancer, general surgical
- [ ] Cancer, GI surgical
- [ ] Cancer, medical
- [ ] Cancer, surgery for lymphomas
- [ ] Cancer, surgical neuro
- [ ] Cancer, surgical respiratory
- [ ] Cardiac Arrest
- [ ] Cardiovascular, interventional or surgical
- [ ] Cardiovascular, medical
- [ ] Chest pain, epigastric
- [ ] CHF/Cardiomyopathy
- [ ] Coma, (excluding trauma, diabetic, heptaic, or cardiac arrest)
- [ ] CVA
- [ ] DKA or HHNC
- [ ] Endarterectomy
- [ ] Genitourinary medical
- [ ] Genitourinary surgical
- [ ] GI bleeding
- [ ] GI perforation or rupture
- [ ] GI, medical
- [ ] GI, surgical (non-cancer)

- [ ] Head only trauma
- [ ] Hematologic Medical
- [ ] Hematologic surgery, other
- [ ] Hematoma, subdural
- [ ] Hypovolemia (non-shock states)
- [ ] Infection, cellulitis, cutaneous or soft tissue
- [ ] Infection, genitourinary
- [ ] Infection, GI
- [ ] Infection, neuro
- [ ] Infection, other
- [ ] Infection, pulmonary
- [ ] Metabolic, medical
- [ ] Metabolic/endocrine, surgical
- [ ] Musculoskeletal, medical (including vasculitis)
- [ ] Musculoskeletal, surgical (including cosmetic and skin)
- [ ] Neuro, medical
- [ ] Neurosurgical
- [ ] Overdose or withdrawal
- [ ] Pancreatitis
- [ ] Respiratory, medical
- [ ] Respiratory, surgical
- [ ] Rhythm disturbance (atrial, supraventricular)
- [ ] Rhythm disturbance (conduction defect)
- [ ] Rhythm disturbance (ventricular)
- [ ] Seizures (primary-no structural brain disease)
- [ ] Shock, cardiogenic
- [ ] Thoracotomy for lung cancer
- [ ] Transplant
- [ ] Trauma
- [ ] Tumor removal, intracardiac
- [ ] Uncontrolled hypertension
- [ ] Valve replacement

Final Diagnosis

Extreme Prematurity (Age < 2 years)

- ◯ Yes
- ◯ No
- ◯ Unknown

Major Congenital Anomaly (Age < 2 years) - Central Nervous System (check all that apply)

- ☐ Neural tube defects: Encephalocele, cranial
- ☐ Meningocele, encphalomylocele, spina bifida
- ☐ Microephaly
- ☐ Holoprosencephaly

Major Congenital Anomaly (Age < 2 years) - Ear (check all that apply)

- ☐ Anotia
- ☐ Microtia

Major Congenital Anomaly (Age < 2 years) - Eye (check all that apply)

- ☐ Anophthalmia
- ☐ Microphthalmia
- ☐ Cataract and other lens defects

Major Congenital Anomaly (Age < 2 years) - Cardiac

- ☐ Severe cardiac defects: Single ventricle, tricuspid atresia, ebsein anomaly, hypoplastic left heart, hypoplastic right heart, common truncus, transposition, antrioventricular septal defects, tetralogy of fallot, aortic valve atresia or stenosis, coarctation, total anomalous pulmonary venous return
- ☐ Other cardiac defects: septal defects, heterotaxy, pulmonary valve atresia, tricuspid stenosis, partial anomalous pulmonary venous return

Major Congenital Anomaly (Age <2 years) - Orofacial /Respiratory

- ☐ Choanal atresia
- ☐ Cleft lip and/or Cleft palate

Major Congenital Anomaly (Age < 2 years) - Gastrointestinal

- [ ] Biliary atresia
- [ ] Intestinal atresia or stenosis
- [ ] Esophageal atresia with or without tracheoesophageal fistula
- [ ] Pyloric stenosis
- [ ] Bladder exstrophy

Major Congenital Anomaly (Age <2 years) - Genitourinary /Renal

- [ ] Hypospadias
- [ ] Renal dysplasia
- [ ] Renal agenesis or hypoplasia
- [ ] Posterior urethral valves

Major Congenital Anomaly (Age < 2 years) - Musculoskeletal

- [ ] Gastroschsis
- [ ] Omphalocele
- [ ] Congenital diaphragmatic hernia

Acute Renal Failure

- ◯ Yes
- ◯ No
- ◯ Unknown

Cardiovascular, medical

- [ ] Effusion, pericardial
- [ ] Other
- [ ] Complications of previous open heart surgery (i.e., bleeding, infection, etc.)
- [ ] Vascular medical, other
- [ ] Monitoring, hemodynamic (pre-operative evaluation)
- [ ] Hemorrhage (for gastrointestinal bleeding GI-see GI system) (for trauma see Trauma)
- [ ] Hematomas
- [ ] Tamonade, pericardial
- [ ] Hypertension-pulmonary, primary /idiopathic
- [ ] Efffusion, pericardial
- [ ] Thrombosis, vascular (deep vein)
- [ ] Contusion, myocardial (include r/o)
- [ ] Chest pain, unknown origin
- [ ] Papillary muscle rupture
- [ ] Pericarditis
- [ ] Ventricular Septal Defect (VSD) Repair
- [ ] Endocarditis
- [ ] Thrombus, arterial
- [ ] Chest pain, atypical (noncardiac chest pain)

Overdose or withdrawal

- [ ] Overdose, alcohols (ethanol, methanol, ethylene glycol)
- [ ] Overdose, self-inflicted
- [ ] Overdose, other toxin, poison or drug
- [ ] Overdose, sedatives, hypnotics, antipsychotics, benzodiazepines
- [ ] Poisoning, carbon monoxide, arsenic, cyanide
- [ ] Drug withdrawal
- [ ] Overdose, alcohols (bethanol, methanol, ethylene glycol)
- [ ] Overdose, street drugs (opiates, cocaine, amphetamine)
- [ ] Toxicity, drug (i.e., beta blockers, calcium channel blockers, etc.)
- [ ] Overdose, antidepressants (cyclic, lithium)
- [ ] Alcohol withdrawal
- [ ] Overdose, analgesic (aspirin, acetaminophen)

Acute Coronary Syndrome

- [ ] Infarction, acute myocardial (MI)
- [ ] Angina, unstable (angina interferes w /quality of life or meds are tolerated poorly)
- [ ] MI admitted > 24 hrs after onset of ischemia

Acute Respiratory Distress Syndrome

- ◯ ARDS-adult respiratory distress syndrome
- ◯ non-cardiogenic pulmonary edema

Aneurysm, aortic

- [ ] Aneurysms, repair of other (except ventricular)
- [ ] Aneurysm, thoracic aortic
- [ ] Aneurysm, thoracic aortic with rupture
- [ ] Aneurysm, abdominal aortic with dissection
- [ ] Aneurysm, abdominal aortic with rupture
- [ ] Aneurysm, dissecting aortic
- [ ] Aneurysm, abdominal aortic
- [ ] Aneurysm, thoracic aortic; with dissection

Aneurysm, other

- [ ] Aneurysm/pseudoaneurysm, other
- [ ] Aneurysm repair, ventricular

Angina, Stable

- ◯ Angina
- ◯ Stable (asymp or stable pattern of symptoms w/meds)

Asthma

- ◯ Yes
- ◯ No
- ◯ Unknown

CHF/Cardiomyopathy

- [ ] Cardiomyopathy
- [ ] CHF
- [ ] Congestive heart failure

Cerebral Vascular Accident

- [ ] CVA, cerebrovascul Subarachnoid hemorrhage/arteriovenous malformation, ar accident/stroke
- [ ] Hemorrhage/hematoma, intracranial
- [ ] Subarachnoid hemorrhage/intracranial aneurysm, surgery for
- [ ] Hemorrhage/hematoma-intracranial, surgery for
- [ ] Subarachnoid hemorrhage/intracranial aneurysm)

Hypovolemia (non-shock states)

- ◯ Hypovolemia (including dehydration, Do not include shock states)

Cancer, medical

- ☐ Cancer, esophageal
- ☐ Cancer, lung
- ☐ Hematologic medical, other
- ☐ Thyroid neoplasm
- ☐ Leukemia, acute lymphocytic
- ☐ Leukemia, other
- ☐ Cancer, other GI
- ☐ Adrenal neoplasm (including pheochromocytoma)
- ☐ Cancer, tracheal
- ☐ Cancer, pancreatic
- ☐ Leukemia, chronic lymphocytic
- ☐ Leukemia, chronic myelocytic
- ☐ Lymphoma, Hodgkins
- ☐ Cancer, stomach
- ☐ Cancer, oral
- ☐ Renal neoplasm, cancer
- ☐ Leukemia, acute myelocytic
- ☐ Neoplasm, neurologic
- ☐ Lymphoma, non-Hodgkins
- ☐ Pancytopenia
- ☐ Cancer, colon/rectal
- ☐ Cancer, laryngeal

Cardiac Arrest

- ☐ Cardiac arrest (with or without respiratory arrest; for respiratory arrest see Respiratory System)

Coma, (excluding trauma, diabetic, hepatic or cardiac arrest)

- ☐ Nontraumatic coma due to anoxia/ischemia
- ☐ Coma/change in level of consciousness (for hepatic see GI, for diabetic see Endocrine, if related to cardiac arrest, see CV)

Diabetic Ketoacidosis or Hyperglycemic Hyperosmolar Nonketotic Coma

- [ ] Diabetic ketoacidosis
- [ ] Diabetic hyperglycemic hyperosmolar nonketotic coma (HHNC)

GI perforation or rupture

- [ ] GI perforation/rupture
- [ ] GI perforation/rupture, surgery for

GI, medical

- [ ] GI abscess/cyst
- [ ] GI obstruction
- [ ] Cholangitis
- [ ] Peritonitis
- [ ] Encephalopathy, hepatic
- [ ] GI medical, other
- [ ] Hepatic failure, acute
- [ ] GI vascular insufficiency
- [ ] Hepato-renal syndrome
- [ ] Inflammatory bowel disease
- [ ] Diverticular disease
- [ ] Ulcer disease, peptic

Genitourinary medical

- [ ] Genitourinary medical, other
- [ ] Renal bleeding
- [ ] Hemorrhage, postpartum
- [ ] Pre-eclampsia/eclampsia

GI bleeding

- [ ] Bleeding-lower GI, surgery for
- [ ] Bleeding-variceal, surgery for (excluding vascular shunting-see surgery for portosystemic shunt)
- [ ] Bleeding, GI-location unknown
- [ ] Bleeding, upper GI
- [ ] Bleeding-other GI, surgery for
- [ ] Bleeding, GI from esophageal varices /portal hypertension
- [ ] Hemorrhage, intra/retroperitoneal
- [ ] Bleeding-upper GI, surgery for
- [ ] Bleeding, lower GI

Head only trauma

- [ ] Head only trauma

Hematologic Medical

- [ ] Anemia
- [ ] Neutropenia
- [ ] Thrombocytopenia
- [ ] Sickle cell crisis
- [ ] Blood transfusion reaction
- [ ] Coagulopathy

Hematologic surgery, other

- [ ] Hematologic surgery, other

Hematoma, subdural

- [ ] Hematoma, subdural

Infection, GI

- [ ] Sepsis, GI

Infection, genitourinary

- [ ] Sepsis, renal/UTI (including bladder)
- [ ] Sepsis, gynecologic
- [ ] Renal infection/abscess

Infection, neuro

- [ ] Meningitis
- [ ] Abscess, neurologic
- [ ] Encephalitis

Infection, other

- [ ] Sepsis, other
- [ ] Sepsis, unknown

Infection, pulmonary

- [ ] Pneumonia, other
- [ ] Pneumonia, aspiration
- [ ] Sepsis, pulmonary
- [ ] Pneumonia, viral
- [ ] Pneumonia, fungal
- [ ] Pneumonia, parasitic (i.e., Pneumocystic pneumonia)
- [ ] Pneumonia, bacterial

Infection, cellulitis, cutaneous or soft tissue

- [ ] Cellulitis and localized soft tissue infections
- [ ] Sepsis, cutaneous/soft tissue

Metabolic, medical

- [ ] Heat exhaustion/stroke
- [ ] Metabolic/endocrine medical, other
- [ ] Acid-base/electrolyte disturbance
- [ ] Hypothyroid/myxedema
- [ ] Addisons disease
- [ ] Hypoglycemia
- [ ] Hyperthermia
- [ ] Hyperthyroid storm/crisis
- [ ] Hypothermia

Musculoskeletal, medical (including vasculitis)

- [ ] Lupus, systemic
- [ ] Myositis, viral
- [ ] Chest pain, musculoskeletal
- [ ] Vasculitis
- [ ] Arthritis, rheumatoid
- [ ] Scleroderma
- [ ] Rhabdomyolysis
- [ ] Connective tissue disease (mixed)
- [ ] Musculoskeletal medical, other
- [ ] Arthritis, septic

Neuro, medical

- [ ] Encephalopathies (excluding hepatic)
- [ ] Neuromuscular medical, other
- [ ] Palsy, cranial nerve
- [ ] Amyotrophic lateral sclerosis
- [ ] Neurologic medical, other
- [ ] Hydrocephalus, obstructive
- [ ] Hematoma, epidural
- [ ] Guillain-Barre syndrome
- [ ] Myasthenia gravis

Chest or epigastric pain

- ◯ Chest pain
- ◯ epigastric

Pancreatitis

- [ ] Pancreatitis, surgery for
- [ ] Pancreatitis

Arrest, respiratory (without cardiac arrest)

- [ ] Arrest, respiratory (without cardiac arrest)

Respiratory, medical	☐ Hemothorax ☐ Hemorrhage/hemoptysis, pulmonary ☐ Effusions, pleural ☐ Apnea, sleep ☐ Weaning from mechanical ventilation (transfer from other unit or hospital only) ☐ Respiratory - medical, other ☐ Restrictive lung disease (i.e., Sarcoidosis, pulmonary fibrosis) ☐ Pneumothorax ☐ Smoke inhalation ☐ Near drowning accident ☐ Obstruction-airway (i.e., acute epiglottitis, post-extubation edema, foreign body, etc) ☐ Atelectasis ☐ Embolus, pulmonary ☐ Chest pain, respiratory
Rhythm disturbance (atrial, supraventricular)	☐ Rhythm disturbance (atrial, supraventricular)
Rhythm disturbance (conduction defect)	☐ Rhythm disturbance (conduction defect)
Rhythm disturbance (ventricular)	☐ Rhythm disturbance (ventricular)
Seizures (primary-no structural brain disease)	☐ Seizures (primary-no structural brain disease)
Shock, cardiogenic	☐ Shock, cardiogenic
Anaphylaxis	☐ Anaphylaxis
Trauma	☐ Head/extremity trauma ☐ Trauma medical, other

- [ ] Head/abdomen trauma
- [ ] Pelvis/hip trauma
- [ ] Chest/pelvis trauma
- [ ] Face only trauma
- [ ] Face/multiple trauma
- [ ] Face only trauma, surgery for
- [ ] Head/pelvis trauma
- [ ] Abdomen/face trauma
- [ ] Head/spinal trauma
- [ ] Pelvis/extremity trauma
- [ ] Chest/face trauma
- [ ] Pelvis/face trauma
- [ ] Chest/abdomen trauma
- [ ] Extremity/face trauma, surgery for
- [ ] Chest/multiple trauma
- [ ] Extremity/face trauma
- [ ] Spinal/face trauma
- [ ] Head/face trauma
- [ ] Chest/thorax only trauma
- [ ] Pelvis/multiple trauma
- [ ] Spinal/multiple trauma
- [ ] Chest/spinal trauma
- [ ] Abdomen/spinal trauma
- [ ] Extremity/multiple trauma, surgery for
- [ ] Abdomen only trauma
- [ ] Burn
- [ ] Face/multiple trauma, surgery for
- [ ] Abdomen/pelvis trauma
- [ ] Extremity/multiple trauma
- [ ] Abdomen/multiple trauma
- [ ] Trauma surgery, other
- [ ] Chest/extremity trauma
- [ ] Spinal cord only trauma
- [ ] Extremity only trauma
- [ ] Abdomen/extremity trauma

- [ ] Spinal/extremity trauma
- [ ] Extremity only trauma, surgery for
- [ ] Extermity only trauma
- [ ] Head/multiple trauma
- [ ] Chest thorax only trauma
- [ ] Head/chest trauma

Uncontrolled hypertension

- [ ] Hypertension, uncontrolled (for cerebrovascular accident-see Neurological System)

Respiratory distress syndrome (Age < 2 year)

- ◯ Yes
- ◯ No
- ◯ Unknown

Bronchopulmonary dysplasia (Age < 2 years)

- ◯ Yes
- ◯ No
- ◯ Unknown

Necrotizing Enterocolitis (Age < 2 years)

- ◯ Yes
- ◯ No
- ◯ Unknown

CNS Injury (Age < 2 years)

- [ ] intraventricular hemorrhage
- [ ] hypoxic-ischemic encephalopathy

Retinopathy of prematurity (Age < 2 years)

- ◯ Yes
- ◯ No
- ◯ Unknown

Pregnancy Status

Pregnancy Status

- ◯ Yes
- ◯ No
- ◯ Unknown

Diagnostic tests

Blood Gas

PaO2 - high (mmHg)

PRISM PaCO2- high (mmHg)

PRISM pH - high (pH)

pH - high (pH)

PRISM Total CO2 - high (mmol/L)

Base Excess - high (mEq/L)

SaO2 - high (%)

PRISM PaO2 - low (mmHg)

PaO2 - low (mmHg)

PaCO2 - low (mmHg)

PRISM pH - low (pH)

pH - low (pH)

PRISM Total CO2 - low (mmol/L)

Base excess - low (mEq/L)

SaO2 - low (%)

Chemistry

Bilirubin - high (mg/dL)

PRISM Creatinine - high (mg/dL)

Creatinine - high (mg/dL) _____

Lactate - high (mmol/L) _____

ALT - high (U/L) _____

AST - high (U/L) _____

PRISM Glucose - High (mg/dL) _____

PRISM Potassium - high (mEq/L) _____

Potassium - high (mEq/L) _____

Sodium - high (mEq/L) _____

PRISM BUN - high (mg/dL) _____

Sodium - low (mEq/L) _____

Coagulation _____

PRISM Prothrombin time - high (seconds) _____

International Normalized Ratio (INR) - high _____

PRISM PTT - high (seconds) _____

International Normalized Ratio (INR) - low _____

Hematology _____

Hematocrit - high (%) _____

Hemoglobin - high (g/dL) _____

WBC - high (x109/L) _____

Hematocrit - low (%) _____

PRISM WBC - low (x109/L) _____

Hemoglobin - low (g/dL) _____

WBC - low (x109/L) _____

PRISM Platelets - low (x103/µL) _____

Platelets - low (x103/µL) _____

Microbiology _____

Blood Culture

- ◯ Yes
- ◯ No
- ◯ Unknown

Urine Culture

- ◯ Yes
- ◯ No
- ◯ Unknown

Chronic Comorbid Illness

Comorbid Acute myocardial infarction

- ◯ Yes
- ◯ No
- ◯ Unknown

History of Congestive heart failure

- ◯ Yes
- ◯ No
- ◯ Unknown

History of Peripheral vascular disease

- ◯ Yes
- ◯ No
- ◯ Unknown

History of Cerebrovascular disease

- ◯ Yes
- ◯ No
- ◯ Unknown

History of Dementia

- ◯ Yes
- ◯ No
- ◯ Unknown

History of Chronic pulmonary disease

- ◯ Yes
- ◯ No
- ◯ Unknown

Rheumatologic disease

- ◯ Yes
- ◯ No
- ◯ Unknown

Peptic ulcer disease

- ◯ Yes
- ◯ No
- ◯ Unknown

Mild liver disease

- ◯ Yes
- ◯ No
- ◯ Unknown

Moderate to severe liver disease

- ◯ Yes
- ◯ No
- ◯ Unknown

Diabetes mellitus (mild to moderate)

- ◯ Yes
- ◯ No
- ◯ Unknown

Diabetes with chronic complications

- ◯ Yes
- ◯ No
- ◯ Unknown

Hemoplegia or paralegia

- ◯ Yes
- ◯ No
- ◯ Unknown

Renal disease

- ◯ Yes
- ◯ No
- ◯ Unknown

Any malignancy

- ◯ Yes
- ◯ No
- ◯ Unknown

Metastatic solid tumor

- ◯ Yes
- ◯ No
- ◯ Unknown

AIDS

- ◯ Yes
- ◯ No
- ◯ Unknown

APACHE II Immunodeficiency

- ◯ Yes
- ◯ No
- ◯ Unknown

Objective assessments

Blood gas

P/F ratio - Low

Severity of Illness Score

FiO2 - high (%)

S/F ratio - Low

PRISM GCS - lowest

GCS - lowest

PRISM Pupil reaction

- ◯ None
- ◯ One
- ◯ Both
- ◯ Unknown

Pupil reaction

- ◯ None
- ◯ One
- ◯ Both
- ◯ Unknown

Level of consciousness (RASS) (highest)

Level of consciousness (RASS) (lowest)

Urine output - total

Vital Signs

PRISM Heart Rate - highest

Heart rate - highest

MAP - highest (mmHg)

Respiratory rate - highest

Systolic blood pressure - highest

Diastolic blood pressure - highest

PRISM Body temperature - highest (°C)

Body temperature - highest (°C)

Heart Rate - lowest

MAP - low (mmHg)

Respiratory Rate - lowest

PRISM Systolic blood pressure - lowest

Systolic blood pressure - lowest

Diastolic blood pressure - lowest

PRISM Body temperature - lowest (°C)

Body temperature - lowest (°C)

Medications

Antimicrobials

Aminoglycosides

- ◯ Yes
- ◯ No
- ◯ Unknown

Amphotericin

- ◯ Yes
- ◯ No
- ◯ Unknown

Azole antifungals

- ◯ Yes
- ◯ No
- ◯ Unknown

Gancyclovir/valgacyclovir

- ◯ Yes
- ◯ No
- ◯ Unknown

Vancomycin

- ◯ Yes
- ◯ No
- ◯ Unknown

Chlorhexidine Oral Rinse

- ◯ Yes
- ◯ No
- ◯ Unknown

Broad spectrum antimicrobials

- ◯ Yes
- ◯ No
- ◯ Unknown

Antimicrobials

- ◯ Yes
- ◯ No
- ◯ Unknown

Cardiac - other

Antiarrythmics

- ◯ Yes
- ◯ No
- ◯ Unknown

Digoxin

- ◯ Yes
- ◯ No
- ◯ Unknown

Lidocaine

- ◯ Yes
- ◯ No
- ◯ Unknown

Prostacyclins

- ◯ Yes
- ◯ No
- ◯ Unknown

Corticosteroids

Steroids

- ◯ Yes
- ◯ No
- ◯ Unknown

Hematological

Argatroban/Bivalirudin

- ◯ Yes
- ◯ No
- ◯ Unknown

Therapeutic heparins

- ◯ Yes
- ◯ No
- ◯ Unknown

Warfarin

- ◯ Yes
- ◯ No
- ◯ Unknown

Thromboembolic prophylaxis

- ◯ Yes
- ◯ No
- ◯ Unknown

Immunosuppresants

Chemotherapy (active inpatient)

- ◯ Yes
- ◯ No
- ◯ Unknown

Immunosuppressants

- ◯ Yes
- ◯ No
- ◯ Unknown

Neurologic

Anticonvulsants

- ◯ Yes
- ◯ No
- ◯ Unknown

Clozapine

- ◯ Yes
- ◯ No
- ◯ Unknown

Lithium

- ◯ Yes
- ◯ No
- ◯ Unknown

Neuromuscular blockade

- ◯ Yes
- ◯ No
- ◯ Unknown

Opiates and sedatives - Intermittent

- ◯ Yes
- ◯ No
- ◯ Unknown

Opiates and sedatives - Continuous

- ◯ Yes
- ◯ No
- ◯ Unknown

Renal

_____

Hyperosmolar fluids

- ◯ Yes
- ◯ No
- ◯ Unknown

Diuretics

- ◯ Yes
- ◯ No
- ◯ Unknown

Severity of Illness Score

_____

Blood products

- ◯ Yes
- ◯ No
- ◯ Unknown

Theophylline

- ◯ Yes
- ◯ No
- ◯ Unknown

Total parenteral nutrition

- ◯ Yes
- ◯ No
- ◯ Unknown

Stress ulcer prophylaxis

- ◯ Yes
- ◯ No
- ◯ Unknown

Gylcemic control agents

- ◯ Yes
- ◯ No
- ◯ Unknown

Bowel regimen

- ◯ Yes
- ◯ No
- ◯ Unknown

Continuous Infusions - other

- ◯ Continuous infusions
- ◯ Total parenteral nutrition
- ◯ Hyperosmolar fluids (hypertonic saline (1.5%, 3%, 23.4%), mannitol)
- ◯ Neuromuscular blockade

Vasopressor/Inotropes

Dopamine - Max rate (mcg/kg/min)

Dobutamine - Max rate (mcg/kg/min)

Norepinephrine - Max rate (mcg/kg/min)

Epinephrine - Max rate (mcg/kg/min)

Interventions

Cardiac - Mechanical

Mechanical cardiac support (check all that apply)

- ☐ Angioplasty
- ☐ Stent placement
- ☐ Catheter ablation
- ☐ Heart valve surgery
- ☐ Bypass surgery
- ☐ Other

ECMO

Extracorporeal Membrane Oxygenation

- ◯ Yes
- ◯ No
- ◯ Unknown

Respiratory Support

Invasive Mechanical Ventilation

- ◯ Yes
- ◯ No
- ◯ Unknown

IMV Duration (days)

Other oxygen support

- ☐ Oxygen therapy
- ☐ C-PAP
- ☐ BiPAP
- ☐ Nasal cannula
- ☐ Face Tent
- ☐ Other

Severity of Illness Score

Renal support

- ◯ Yes
- ◯ No
- ◯ Unknown

CRRT

- ◯ Yes
- ◯ No
- ◯ Unknown

Neurosurgical

- ☐ Surgery for neoplasm-cranial (excluding transsphenoidal)
- ☐ Transsphenoidal surgery
- ☐ Surgery for abscess/infection-cranial
- ☐ Cranioplasty and complications from previous craniotomies
- ☐ Transphenoidal surgery
- ☐ Surgery for arteriovenous malformation
- ☐ Sympathectomy
- ☐ Fusion-spinal/Harrington rods
- ☐ Laminectomy/spinal cord decompression (excluding malignancies)
- ☐ Burr hole placement
- ☐ Surgery for seizures-intractable
- ☐ Surgery for hematoma-epidural
- ☐ Anastomosis, vascular
- ☐ Cranial nerve, decompression/ligation
- ☐ Surgery for complications for previous spinal cord surgery,
- ☐ Biopsy, brain
- ☐ Neurologic surgery, other
- ☐ Shunts and revisions
- ☐ Spinal cord surgery, other
- ☐ Ventriculostomy
- ☐ Devices for spine fracture/dislocation
- ☐ Stereotactic procedure
- ☐ Surgery for hematoma subdural
- ☐ Surgery for cerebrospinal fluid leak

Transplant

- [ ] Liver-small bowel transplant
- [ ] Lung transplant, single
- [ ] Kidney transplant
- [ ] Kidney-pancreas transplant
- [ ] Transplant, other
- [ ] Pancreas transplant
- [ ] Lung transplant, bilateral
- [ ] Liver transplant
- [ ] Bone marrow transplant
- [ ] Heart-lung transplant
- [ ] Heart transplant

CABG, exclude CABG alone

- [ ] CABG, minimally invasive, mid-CABG
- [ ] CABG with double valve repair /replacement
- [ ] CABG redo with valve repair/replacement
- [ ] CABG with aortic valve replacement
- [ ] CABG with pulmonic or tricuspid valve repair or replacement ONLY
- [ ] CABG with single valve repair /replacement
- [ ] CABG with mitral valve replacement
- [ ] CABG with other operation
- [ ] CABG with mitral valve repair
- [ ] CABG alone, redo
- [ ] CABG redo with other operation

CABG, alone

- ◯ CABG alone
- ◯ Coronary artery bypass grafting

Tumor removal, intracardiac

- ◯ Tumor removal
- ◯ Intracardiac

Cancer, GI surgical

- [ ] Surgery for cancer-colon/rectal (including abdominoperineal resections)
- [ ] Surgery for cancer-stomach
- [ ] Surgery for cancer-other GI tract (i.e., hepatoma, gallbladder etc.)
- [ ] Whipple-surgery for pancreatic cancer
- [ ] Surgery for cancer-esophageal (abdominal approach)
- [ ] Surgery for cancer-small intestinal

Cancer, general surgical

- [ ] Surgery for obstruction due to neoplasm (with or without ileal-conduit)
- [ ] Lymph node dissection, Pelvic or retroperitoneal (female)
- [ ] Pelvic or retroperitoneal (female)
- [ ] For cancer
- [ ] Lymph node dissection, pelvic or retroperitoneal (male)
- [ ] Hysterectomy for other benign neoplasm /fibroids
- [ ] Hysterectomy for cancer with or without lymph node dissection
- [ ] Nephrectomy for neoplasm

Cancer, surgery for lymphomas

- [ ] Surgery for lymphoma, non-Hodgkins, (including staging)
- [ ] Surgery for lymphoma, Hodgkins (including staging)

Cancer, surgical neuro

- [ ] Neoplasm-spinal cord, surgery or other related procedures
- [ ] Surgery for neoplasm-cranial (excluding transsphenoidal)

Cancer, surgical respiratory

- [ ] Surgery for cancer, oral/sinus
- [ ] Thoracotomy for other malignancy in chest
- [ ] Surgery for cancer-laryngeal/tracheal
- [ ] Thoracotomy for esophageal cancer

Cardiovascular, interventional or surgical

- [ ] Angioplasty, non-cardiac
- [ ] Angioplasty
- [ ] Dilatation
- [ ] Annuloplasty
- [ ] Ventricular Septal Defect (VSD) Repair
- [ ] Vascular surgery, other
- [ ] Vena cava clipping
- [ ] Graft, femoral-popliteal bypass
- [ ] Graft, femoral-femoral bypass
- [ ] Vena cava filter insertion
- [ ] Anomaly, cardiac congenital
- [ ] Thrombectomy
- [ ] Atrial Septal Defect (ASD) Repair
- [ ] Dilatation (with general anesthesia)
- [ ] Ablation or mapping of cardiac conduction pathway
- [ ] Tricuspid valve surgery
- [ ] Complications of previous open-heart surgery, surgery for (i.e. bleeding, infection, mediastinal rewiring,leaking aortic graft etc.)
- [ ] Graft, removal of infected vascular
- [ ] Thrombectomy (without general anesthesia)
- [ ] Graft, aorto-femoral bypass
- [ ] Graft, all other bypass (except renal)
- [ ] Cardiovascular surgery, other
- [ ] Insertion of defibrillator, automatic implantable cardiac
- [ ] Insertion of graft for dialysis
- [ ] Complications of prev. peripheral vasc. surgery,surgery for (i.e.ligation of bleeder, exploration and evacuation of hematoma, debridement, pseudoaneurysms, clots, fistula, etc.)
- [ ] Graft, all renal bypass
- [ ] Pericardiectomy (total/subtotal)
- [ ] Dilatation (without general anesthesia)

- [ ] Embolectomy (without general anesthesia)
- [ ] Pericardial effusion/tamponade
- [ ] Congenital Defect Repair (Other)
- [ ] Thrombectomy (with general anesthesia)
- [ ] Embolectomy (with general anesthesia)
- [ ] Embolectomy

Endarterectomy

- [ ] Endarterectomy (other vessels)
- [ ] Endarterectomy, carotid

GI, surgical (non-cancer)

- [ ] Surgery for cholecystectomy/cholangitis (gallbladder removal)
- [ ] Surgery for GI obstruction (including lysis of adhesions)
- [ ] GI Abscess/cyst-primary, surgery for
- [ ] Surgery for obesity-morbid
- [ ] Hernia-hiatal, esophageal surgery for;
- [ ] Esophageal surgery, other;
- [ ] Surgery for fistula/abscess (not inflammatory bowel disease)
- [ ] Splenectomy
- [ ] Complications of previous GI surgery;
- [ ] Surgery for (anastomotic leak, bleeding, abscess, infection, dehiscence, etc.)
- [ ] Surgery for GI vascular ischemia (resection)
- [ ] Peritoneal lavage
- [ ] Gastrectomy
- [ ] Appendectomy
- [ ] Surgery for diverticular disease
- [ ] Surgery for shunt-portosystemic
- [ ] Herniorrhaphy
- [ ] CAPD catheter insertion
- [ ] Surgery for inflammatory bowel disease
- [ ] Surgery for shunt, peritoneal-venous
- [ ] Gastrostomy
- [ ] Surgery for peritonitis

Genitourinary surgical

- [ ] Prostatectomy, suprapubic
- [ ] For benign prostatic hypertrophy
- [ ] Ectopic pregnancy (all)
- [ ] Bladder repair of perforation/rupture
- [ ] TURP, transurethral prostate resection for benign prostatic hypertrophy
- [ ] Genitourinary surgery, other
- [ ] Oophorectomy with or without salpingectomy with or without lymph node dissection
- [ ] Nephrectomy (other reasons)
- [ ] Mastectomy (all)
- [ ] Exenteration, pelvic-male
- [ ] Surgery for obstruction/other (with or without ileal conduit)
- [ ] Orchiectomy with or without pelvic lymph node dissection
- [ ] Pelvic relaxation (cystocele, rectocele, etc.)
- [ ] Cystectomy, other reasons
- [ ] Exenteration, pelvic-female
- [ ] Cystectomy for neoplasm
- [ ] Cyst, rupture ovarian
- [ ] Cesarean section
- [ ] TURP, transurethral prostate resection for cancer

Metabolic/endocrine, surgical

- [ ] Adrenalectomy
- [ ] Parathyroidectomy
- [ ] Thyroidectomy
- [ ] Thyroidectomy and Parathyroidectomy
- [ ] Metabolic/endocrine surgery, other

Musculoskeletal, surgical (including cosmetic and skin)

- ☐ Orthopedic surgery, other
- ☐ Cosmetic surgery (all)
- ☐ Fracture-pathological, non-union, non-traumatic, for fractures due to trauma see Trauma
- ☐ Skin surgery, other
- ☐ Cellulitis and localized soft tissue infections, surgery for;
- ☐ Knee replacement, total (non-traumatic)
- ☐ Hip replacement, total (non-traumatic)
- ☐ Amputation (non-traumatic)
- ☐ Grafting, skin (all)

Respiratory, surgical

- ☐ Surgery for infection/abscess, other
- ☐ Respiratory surgery, other
- ☐ Thoracotomy for pleural disease
- ☐ Bullectomy
- ☐ Surgery for apnea-sleep
- ☐ Surgery for (i.e., UPPP - uvulopalatopharyngoplasty)
- ☐ Tracheostomy
- ☐ Thoracotomy for bronchopleural fistula
- ☐ Thoracotomy for thoracic/respiratory infection
- ☐ Facial surgery (if related to trauma, see Trauma)
- ☐ Thoracotomy for benign tumor (i.e. mediastinal chest wall mass, thymectomy)
- ☐ Biopsy, open lung
- ☐ Thoracotomy for other reasons
- ☐ Thoracotomy for lung reduction

Thoracotomy for lung cancer

- ☐ Thoracotomy for lung cancer

Valve replacement

- [ ] Aortic valve replacement (isolated)
- [ ] Valve, double; repair/replacement
- [ ] Mitral valve replacement
- [ ] Valve, triple; repair/replacement;
- [ ] Valve, single; repair/replacement
- [ ] Mitral valve repair
- [ ] Pulmonary valve surgery
- [ ] Valve, redo, single
- [ ] Aortic and Mitral valve replacement

Intermittent dialysis

- ◯ Yes
- ◯ No
- ◯ Unknown

Continuous renal replacement therapy

- ◯ Yes
- ◯ No
- ◯ Unknown

Any surgical intervention (Age < 2 years)

- ◯ Yes
- ◯ No
- ◯ Unknown

Outcomes & Hospital Course

Admission Source

- ◯ Home
- ◯ In Patient Rehab
- ◯ Nursing Home
- ◯ Hospice
- ◯ Long Term Acute Care
- ◯ Other Acute Care Facility
- ◯ Other

ICU Discharge Disposition

- ◯ Home
- ◯ Discharge to other institution
- ◯ Deceased

Hospital Length of Stay

_____

Hospital Discharge Disposition

- ◯ Home
- ◯ Deceased
- ◯ Discharged to other insitution

ICU Admission Source

- ◯ ED
- ◯ Ward/Step-down
- ◯ OR
- ◯ Emergent OR (scheduled)

ICU Length of Stay (days)

_____