

References

- Allen, M. P., and Tildesley, D. J. 1987. *Computer Simulation of Liquids*. Oxford University Press.
- Anderson, H. 1986. Metropolis, Monte Carlo and the MANIAC. *Los Alamos Science*, **14**, 96–108.
- Anderson, J. B. 1975. Random walk simulation of the Schrödinger equation: He_3^+ . *J. Chem. Phys.*, **63**, 1499–1503.
- Anderson, J. B. 1976. Quantum chemistry by random walk. *J. Chem. Phys.*, **65**, 4121–4127.
- Anderson, P. W. 1987. The resonating valence bond state in La_2CuO_4 and superconductivity. *Science*, **235**, 1196–1198.
- Anderson, P. W., Baskaran, G., Zou, Z., and Hsu, T. 1987. Resonating-valence-bond theory of phase transitions and superconductivity in La_2CuO_4 -based compounds. *Phys. Rev. Lett.*, **58**, 2790–2793.
- Aoki, H., Tsuji, N., Eckstein, M., Kollar, M., Oka, T., and Werner, P. 2014. Non-equilibrium dynamical mean-field theory and its applications. *Rev. Mod. Phys.*, **86**, 779–837.
- Arovas, D., Schrieffer, J. R., and Wilczek, F. 1984. Fractional statistics and the quantum Hall effect. *Phys. Rev. Lett.*, **53**, 722–723.
- Bajdich, M., Mitas, L., Drobný, G., Wagner, L. K., and Schmidt, K. E. 2006. Pfaffian pairing wave functions in electronic-structure quantum Monte Carlo simulations. *Phys. Rev. Lett.*, **96**, 130201.
- Bajdich, M., Mitas, L., Wagner, L. K., and Schmidt, K. E. 2008. Pfaffian pairing and backflow wave functions for electronic-structure quantum Monte Carlo methods. *Phys. Rev. B*, **77**, 115112.
- Baldereschi, A. 1973. Mean-value point in the Brillouin zone. *Phys. Rev. B*, **7**, 5212–5215.
- Bardeen, J., Cooper, L. N., and Schrieffer, J. R. 1957. Theory of superconductivity. *Phys. Rev.*, **108**, 1175–1204.
- Baroni, S., and Moroni, S. 1998. Reptation quantum Monte Carlo. *arXiv:cond-mat/9808213*.
- Bartlett, R. J. 1981. Many-body perturbation theory and coupled cluster theory for electron correlation in molecules. *Ann. Rev. Phys. Chem.*, **32**, 359–401.
- Baskaran, G., and Anderson, P. W. 1988. Gauge theory of high-temperature superconductors and strongly correlated Fermi systems. *Phys. Rev. B*, **37**, 580–583.
- Bethe, H. 1931. Zur Theorie der metalle. I. eigenwerte und eigenfunktionen der linearen atomkette. *Z. Phys.*, **71**, 205–226.
- Bouchaud, J. P., Georges, A., and Lhuillier, C. 1988. Pair wave functions for strongly correlated fermions and their determinantal representation. *J. Phys. (Paris)*, **49**, 553–559.

- Calandra Buonaura, M., and Sorella, S. 1998. Numerical study of the two-dimensional Heisenberg model using a Green function Monte Carlo technique with a fixed number of walkers. *Phys. Rev. B*, **57**, 11446–11456.
- Capello, M., Becca, F., Fabrizio, M., Sorella, S., and Tosatti, E. 2005. Variational description of Mott insulators. *Phys. Rev. Lett.*, **94**, 026406.
- Capello, M., Becca, F., Yunoki, S., and Sorella, S. 2006. Unconventional metal-insulator transition in two dimensions. *Phys. Rev. B*, **73**, 245116.
- Capello, M., Becca, F., Fabrizio, M., and Sorella, S. 2007. Superfluid to Mott-insulator transition in Bose-Hubbard models. *Phys. Rev. Lett.*, **99**, 056402.
- Capello, M., Becca, F., Fabrizio, M., and Sorella, S. 2008. Mott transition in bosonic systems: insights from the variational approach. *Phys. Rev. B*, **77**, 144517.
- Capriotti, L., Becca, F., Parola, A., and Sorella, S. 2001. Resonating valence bond wave functions for strongly frustrated spin systems. *Phys. Rev. Lett.*, **87**, 097201.
- Carleo, G., Becca, F., Schiro, M., and Fabrizio, M. 2012. Localization and glassy dynamics of many-body quantum system. *Sci. Rep.*, **2**, 243.
- Carleo, G., Becca, F., Sanchez-Palencia, L., Sorella, S., and Fabrizio, M. 2014. Light-cone effect and supersonic correlations in one- and two-dimensional bosonic superfluids. *Phys. Rev. A*, **89**, 031602.
- Casula, M., Filippi, C., and Sorella, S. 2005. Diffusion Monte Carlo method with lattice regularization. *Phys. Rev. Lett.*, **95**, 100201.
- Ceperley, D., Chester, G. V., and Kalos, M.H. 1977. Monte Carlo simulation of a many-fermion study. *Phys. Rev. B*, **16**, 3081–3099.
- Ceperley, D. M. 1991. Fermion nodes. *J. Stat. Phys.*, **63**, 1237–1267.
- Ceperley, D. M., and Alder, B. J. 1980. Ground state of the electron gas by a stochastic method. *Phys. Rev. Lett.*, **45**, 566–569.
- Corboz, P., Rice, T. M., and Troyer, M. 2014. Competing states in the t – J model: uniform d -wave state versus stripe state. *Phys. Rev. Lett.*, **113**, 046402.
- Daley, A. J., Kollath, C., Schollwöck, U., and Vidal, G. 2004. Time-dependent density-matrix renormalization-group using adaptive effective Hilbert spaces. *J. Stat. Mech.: Theor. Exp.*, P04005.
- Dirac, P. A. M. 1930. Note on exchange phenomena in the Thomas atom. *Math. Proc. Cambridge Philos. Soc.*, **26**, 376–385.
- Dongarra, J., and Sullivan, F. 2000. Guest editors' introduction: the top 10 algorithms. *Comput. Sci Eng.*, **2**, 22–23.
- Dovesi, R., Orlando, R., Erba, A., Zicovich-Wilson, C. M., Civalleri, B., Casassa, S., Maschio, L., Ferrabone, M., De La Pierre, M., D'Arco, P., Noël, Y., Causà, M., Rérat, M., and Kirtman, B. 2014. CRYSTAL14: a program for the ab initio investigation of crystalline solids. *Int. J. Quantum Chem.*, **114**, 1287–1317.
- Eichenberger, D., and Baeriswyl, D. 2007. Superconductivity and antiferromagnetism in the two-dimensional Hubbard model: a variational study. *Phys. Rev. B*, **76**, 180504.
- Eisert, J., Cramer, M., and Plenio, M. B. 2010. Area laws for the entanglement entropy. *Rev. Mod. Phys.*, **82**, 277–306.
- Faddeev, L. D., and Takhtajan, L. A. 1981. What is the spin of a spin wave? *Phys. Lett. A*, **85**, 375–377.
- Fahy, S., and Hamann, D. R. 1991. Diffusive behavior of states in the Hubbard-Stratonovich transformation. *Phys. Rev. B*, **43**, 765–779.
- Fano, G., Ortolani, F., and Colombo, E. 1986. Configuration-interaction calculations on the fractional quantum Hall effect. *Phys. Rev. B*, **34**, 2670–2680.
- Fazekas, P. 1999. *Lecture Notes on Electron Correlation and Magnetism*. World Scientific.
- Fazekas, P., and Anderson, P. W. 1974. On the ground state properties of the anisotropic triangular antiferromagnet. *Phil. Mag.*, **30**, 423–440.

- Ferrenberg, A. M., Landau, D. P., and Wong, Y. J. 1992. Monte Carlo simulations: Hidden errors from “good” random number generators. *Phys. Rev. Lett.*, **69**, 3382–3384.
- Fetter, A. L., and Walecka, J. D. 2003. *Quantum Theory of Many-Particle Systems*. Dover Publications Inc.
- Feynman, R. P. 1954. Atomic theory of the two-fluid model of liquid Helium. *Phys. Rev.*, **94**, 262–277.
- Feynman, R. P., and Cohen, M. 1956. Energy spectrum of the excitations in liquid Helium. *Phys. Rev.*, **102**, 1189–1204.
- Filippi, C., and Umrigar, C. 1996. Multiconfiguration wave functions for quantum Monte Carlo calculations of first-row diatomic molecules. *J. Chem. Phys.*, **105**, 213–226.
- Foulkes, W. M. C., Mitas, L., Needs, R. J., and Rajagopal, G. 2001. Quantum Monte Carlo simulations of solids. *Rev. Mod. Phys.*, **73**, 33–83.
- Gnedenko, B. V. 2014. *The Theory of Probability*. Martino Fine Books.
- Gnedenko, B. V., and Kolmogorov, A. N. 1954. *Limit Distributions for Sums of Independent Random Variables*. Addison-Wesley.
- Gros, C. 1988. Superconductivity in correlated wave functions. *Phys. Rev. B*, **38**, 931–934.
- Gros, C. 1989. Physics of projected wave functions. *Ann. Phys.*, **189**, 53–88.
- Gros, C., Joynt, R., and Rice, T. M. 1987. Antiferromagnetic correlations in almost-localized Fermi liquids. *Phys. Rev. B*, **36**, 381–393.
- Gubernatis, J., Kawashima, N., and Werner, P. 2016. *Quantum Monte Carlo methods: algorithms for lattice models*. Cambridge University Press.
- Gutzwiller, M. C. 1963. Effect of correlation on the ferromagnetism of transition metals. *Phys. Rev. Lett.*, **10**, 159–162.
- Haldane, F. D. M. 1983. Fractional quantization of the Hall effect: a hierarchy of incompressible quantum fluid states. *Phys. Rev. Lett.*, **51**, 605–608.
- Haldane, F. D. M. 1988. Exact Jastrow-Gutzwiller resonating-valence-bond ground state of the spin-1/2 antiferromagnetic Heisenberg chain with $1/r^2$ exchange. *Phys. Rev. Lett.*, **60**, 635–638.
- Haldane, F. D. M. 1991. “Spinon gas” description of the $S = 1/2$ Heisenberg chain with inverse-square exchange: exact spectrum and thermodynamics. *Phys. Rev. Lett.*, **66**, 1529–1532.
- Haldane, F. D. M., and Rezayi, E. H. 1985. Periodic Laughlin-Jastrow wave functions for the fractional quantized Hall effect. *Phys. Rev. B*, **60**, 2529–2531.
- Harju, A., Barbiellini, B., Siljamäki, S., Nieminen, R. M., and Ortiz, G. 1997. Stochastic gradient approximation: an efficient method to optimize many-body wave functions. *Phys. Rev. Lett.*, **79**, 1173–1177.
- Hastings, W. K. 1970. Monte Carlo sampling methods using Markov chains and their applications. *Biometrika*, **57**, 97–109.
- Heitler, W., and London, F. 1927. Wechselwirkung neutraler atome und homöopolare bindung nach der quantenmechanik. *Z. Phys.*, **44**, 455–472.
- Hirsch, J. E. 1985. Two-dimensional Hubbard model: numerical simulation study. *Phys. Rev. B*, **31**, 4403–4419.
- Hu, W.-J., Becca, F., and Sorella, S. 2012. Absence of static stripes in the two-dimensional t – J model determined using an accurate and systematic quantum Monte Carlo approach. *Phys. Rev. B*, **85**, 081110.
- Hubbard, J. 1959. Calculation of partition functions. *Phys. Rev. Lett.*, **3**, 77–78.
- Hubbard, J. 1963. Electron correlations in narrow energy bands. *Proc. Royal Soc. of London*, **276**, 238–257.
- Ido, K., Ohgoe, T., and Imada, M. 2015. Time-dependent many-variable variational Monte Carlo method for non-equilibrium strongly correlated electron systems. *Phys. Rev. B*, **92**, 245106.

- Imada, M., Fujimori, A., and Tokura, Y. 1998. Metal-insulator transitions. *Rev. Mod. Phys.*, **70**, 1039–1263.
- Iqbal, Y., Becca, F., and Poilblanc, D. 2011. Projected wave function study of Z_2 spin liquids on the kagome lattice for the spin-1/2 quantum Heisenberg antiferromagnet. *Phys. Rev. B*, **84**, 020407.
- Jain, J. K. 2012. *Composite Fermions*. Cambridge University Press.
- Jastrow, R. 1955. Many-body problem with strong forces. *Phys. Rev.*, **98**, 1479–1484.
- Kalos, M. H., Levesque, D., and Verlet, L. 1974. Helium at zero temperature with hard-sphere and other forces. *Phys. Rev. A*, **9**, 2178–2195.
- Kanamori, J. 1963. Electron correlation and ferromagnetism of transition metals. *Prog. Theor. Phys.*, **30**, 275–289.
- Kaneko, R., Tocchio, L. F., Valentí, R., Becca, F., and Gros, C. 2016. Spontaneous symmetry breaking in correlated wave functions. *Phys. Rev. B*, **93**, 125127.
- Kim, J., Esler, K. P., McMinis, J., Morales, M. A., Clark, B. K., Shulenburger, L., and D. M., Ceperley. 2012. Hybrid algorithms in quantum Monte Carlo. *J. Phys.: Conf. Ser.*, **402**, 012008.
- Kivelson, S. A., Rokhsar, D. S., and Sethna, J. P. 1987. Topology of the resonating valence-bond state: solitons and high- T_c superconductivity. *Phys. Rev. B*, **35**, 8865–8868.
- Knuth, D. 1997. *The Art of Computer Programming*. Addison-Wesley.
- Krauth, W. 2006. *Statistical Mechanics: Algorithms and Computations*. Oxford University Press.
- Krauth, W., Caffarel, M., and Bouchaud, J. 1992. Gutzwiller wave function for a model of strongly interacting bosons. *Phys. Rev. B*, **45**, 3137–3140.
- Kwon, Y., Ceperley, D. M., and Martin, R. M. 1993. Effects of three-body and backflow correlations in the two-dimensional electron gas. *Phys. Rev. B*, **48**, 12037–12046.
- Kwon, Y., Ceperley, D. M., and Martin, R. M. 1998. Effects of backflow correlation in the three-dimensional electron gas: quantum Monte Carlo study. *Phys. Rev. B*, **58**, 6800–6806.
- Laughlin, R. B. 1983. Anomalous quantum Hall effect: an incompressible quantum fluid with fractionally charged excitations. *Phys. Rev. Lett.*, **50**, 1395–1398.
- Lee, P. A., Nagaosa, N., and Wen, X.-G. 2006. Doping a Mott insulator: physics of high-temperature superconductivity. *Rev. Mod. Phys.*, **78**, 17–85.
- Liang, S., Doucot, B., and Anderson, P. W. 1988. Some new variational resonating-valence-bond-type wave functions for the spin-1/2 antiferromagnetic Heisenberg model on a square lattice. *Phys. Rev. Lett.*, **61**, 365–368.
- Lieb, E. H., and Wu, F. Y. 1968. Absence of Mott transition in an exact solution of the short-range, one-band model in one dimension. *Phys. Rev. Lett.*, **20**, 1445–1448.
- Lin, C., Zong, F. H., and Ceperley, D. M. 2001. Twist-averaged boundary conditions in continuum quantum Monte Carlo algorithms. *Phys. Rev. E*, **64**, 016702.
- Loh, E. Y., Gubernatis, J. E., Scalettar, R. T., White, S. R., Scalapino, D. J., and Sugar, R. L. 1990. Sign problem in the numerical simulation of many-electron systems. *Phys. Rev. B*, **41**, 9301–9307.
- Marchi, M., Azadi, S., Casula, M., and Sorella, S. 2009. Resonating valence bond wave function with molecular orbitals: Application to first-row molecules. *J. Chem. Phys.*, **131**, 154116.
- Marshall, W. 1955. Antiferromagnetism. *Proc. R. Soc. London Ser. A*, **232**, 48–68.
- Martin, R. M. 2004. *Electronic Structure: Basic Theory and Practical Methods*. Cambridge University Press.
- Martin, R.M., Reining, L., and Ceperley, D.M. 2016. *Interacting Electrons: Theory and Computational Approaches*. Cambridge University Press.

- Mazzola, G., and Sorella, S. 2017. Accelerating *ab initio* molecular dynamics and probing the weak dispersive forces in dense liquid Hydrogen. *Phys. Rev. Lett.*, **118**, 015703.
- McMillan, W. L. 1965. Ground State of Liquid He^4 . *Phys. Rev.*, **138**, A442–A451.
- Metropolis, N. 1987. The beginning of the Monte Carlo method. *Los Alamos Science*, **15**, 125–130.
- Metropolis, N., and Ulam, S. 1949. The Monte Carlo method. *J. Am. Stat. Ass.*, **44**, 335–341.
- Metropolis, N., Rosenbluth, A., Rosenbluth, M., Teller, A., and Teller, E. 1957. Equations of state calculations by fast computing machines. *J. Chem. Phys.*, **21**, 1087–1092.
- Meyer, C. D. 2000. *Matrix Analysis and Applied Linear Algebra*. SIAM.
- Moore, G., and Read, N. 1991. Nonabelions in the fractional quantum Hall effect. *Nucl. Phys. B*, **360**, 362–396.
- Moroni, S., and Baroni, S. 1999. Reptation quantum Monte Carlo: A method for unbiased ground-state averages and imaginary-time correlations. *Phys. Rev. Lett.*, **82**, 4745–4748.
- Moskowitz, J. W., Schmidt, K. E., Lee, M. A., and Kalos, M. H. 1982. A new look at correlation energy in atomic and molecular systems. II: the application of the Green's function Monte Carlo method to LiH. *J. Chem. Phys.*, **77**, 349–355.
- Mott, N. F. 1949. The basis of the electron theory of metals, with special reference to the transition metals. *Proc. Phys. Soc. (London)*, **62**, 416–422.
- Mott, N. F. 1990. *Metal-Insulator Transitions*. Taylor and Francis.
- Nagaoka, Y. 1966. Ferromagnetism in a narrow, almost half-filled *s* band. *Phys. Rev.*, **147**, 392–405.
- Needs, R. J., Towler, M. D., Drummond, N. D., and López Ríos, P. 2010. Continuum variational and diffusion quantum Monte Carlo calculations. *J. Phys.: Condens. Matter*, **22**, 023201.
- Nelson, E. 1966. Derivation of the Schrödinger equation from Newtonian mechanics. *Phys. Rev.*, **150**, 1079–1085.
- Neuscamman, E. 2012. Size consistency error in the antisymmetric geminal power wave function can be completely removed. *Phys. Rev. Lett.*, **109**, 203001.
- Neuscamman, E., Umrigar, C. J., and Chan, G.K.-L. 2012. Optimizing large parameter sets in variational quantum Monte Carlo. *Phys. Rev. B*, **85**, 045103.
- Nightingale, M. P., and Melik-Alaverdian, V. 2001. Optimization of ground- and excited-state wave functions and van der Waals clusters. *Phys. Rev. Lett.*, **87**, 043401.
- Norris, J. R. 1997. *Markov Chains*. Cambridge Series in Statistical and Probabilistic Mathematics.
- Noziers, P. 1964. *Theory of Interacting Fermi Systems*. New York: W.A. Benjamin.
- Ortiz, G., Ceperley, D. M., and Martin, R. M. 1993. New stochastic method for systems with broken time-reversal symmetry: 2D fermions in a magnetic field. *Phys. Rev. Lett.*, **71**, 2777–2780.
- Oshikawa, M., and Senthil, T. 2006. Fractionalization, topological order, and quasiparticle statistics. *Phys. Rev. Lett.*, **96**, 060601.
- Pandharipande, V. R., and Itoh, N. 1973. Effective mass of ^3He in liquid ^4He . *Phys. Rev. A*, **8**, 2564–2566.
- Parisi, G. 1984. Prolegomena to any future computer evaluation of the QCD mass spectrum. Pages 531–541 of: *Progress in Gauge Field Theory*. NATO ASI Series, vol. 115. Springer.
- Parisi, G., and Wu, Y.-S. 1981. Perturbation theory without gauge fixing. *Sci. Sinica*, **24**, 483–496.
- Pauling, L. 1960. *The Nature of the Chemical Bond*. Cornell University Press.

- Pierleoni, C., and Ceperley, D. M. 2005. Computational methods in coupled electronion Monte Carlo simulations. *ChemPhysChem*, **6**, 1872–1878.
- Pitaevskii, L., and Stringari, S. 1991. Uncertainty principle, quantum fluctuations, and broken symmetries. *J. Low Temp. Phys.*, **85**, 377–388.
- Press, W. H., Teukolsky, S. A., Vetterling, W. T., and Flannery, B. P. 2007. *Numerical Recipes 3rd edition: The Art of Scientific Computing*. Cambridge University Press.
- Read, N., and Chakraborty, B. 1989. Statistics of the excitations of the resonating-valence-bond state. *Phys. Rev. B*, **40**, 7133–7140.
- Read, N., and Rezayi, E. 1999. Beyond paired quantum Hall states: Parafermions and incompressible states in the first excited Landau level. *Phys. Rev. B*, **59**, 8084–8092.
- Reger, J. D., and Young, A. P. 1988. Monte Carlo simulations of the spin-1/2 Heisenberg antiferromagnet on a square lattice. *Phys. Rev. B*, **37**, 5978–5981.
- Reynolds, P. J., Ceperley, D. M., Alder, B. J., and Lester, Jr. 1982. Fixednode quantum Monte Carlo for molecules. *J. Chem. Phys.*, **77**, 5593–5603.
- Ring, P., and Schuck, P. 2004. *The Nuclear Many-body Problem*. Springer-Verlag.
- Rokhsar, D. S., and Kotliar, B. G. 1991. Gutzwiller projection for bosons. *Phys. Rev. B*, **44**, 10328–10332.
- Schmidt, K. E., and Pandharipande, V. R. 1979. New variational wave function for liquid ^3He . *Phys. Rev. B*, **19**, 2504–2519.
- Schollwöck, U. 2005. The density-matrix renormalization group. *Rev. Mod. Phys.*, **77**, 259–315.
- Schollwöck, U. 2011. The density-matrix renormalization group in the age of matrix product states. *Ann. Phys.*, **326**, 96–192.
- Schrieffer, J. R. 1964. *Theory of Superconductivity*. New York: W.A. Benjamin.
- Senthil, T., and Fisher, M. P. A. 2000. Z_2 gauge theory of electron fractionalization in strongly correlated systems. *Phys. Rev. B*, **62**, 7850–7881.
- Shastry, B. S. 1988. Exact solution of an $S = 1/2$ Heisenberg antiferromagnetic chain with long-ranged interactions. *Phys. Rev. Lett.*, **60**, 639–642.
- Slater, J. C. 1930. The electronic structure of metals. *Rev. Mod. Phys.*, **6**, 209–280.
- Sorella, S. 1998. Green function Monte Carlo with stochastic reconfiguration. *Phys. Rev. Lett.*, **80**, 4558–4561.
- Sorella, S. 2001. Generalized Lanczos algorithm for variational quantum Monte Carlo. *Phys. Rev. B*, **64**, 024512.
- Sorella, S. 2002. Effective Hamiltonian approach for strongly correlated lattice models. *arXiv:cond-mat/0201388*.
- Sorella, S. 2005. Wave function optimization in the variational Monte Carlo method. *Phys. Rev. B*, **71**, 241103.
- Sorella, S., Baroni, S., Car, R., and Parrinello, M. 1989. A novel technique for the simulation of interacting fermion systems. *Europhys. Lett.*, **8**, 663–668.
- Sorella, S., Martins, G. B., Becca, F., Gazza, C., Capriotti, L., Parola, A., and Dagotto, E. 2002. Superconductivity in the two-dimensional t – J model. *Phys. Rev. Lett.*, **88**, 117002.
- Sorella, S., Casula, M., and Rocca, D. 2007. Weak binding between two aromatic rings: Feeling the van der Waals attraction by quantum Monte Carlo methods. *J. Chem. Phys.*, **127**, 014105.
- Sorella, S., Devaux, N., Dagrada, M., Mazzola, G., and Casula, M. 2015. Geminal embedding scheme for optimal atomic basis set construction in correlated calculations. *J. Chem. Phys.*, **143**, 244112.
- Stewart, G. R. 1984. Heavy-fermion systems. *Rev. Mod. Phys.*, **56**, 755–787.
- Stratonovich, R. L. 1957. A method for the computation of quantum distribution functions. *Doklady Akad. Nauk S.S.S.R.*, **115**, 1097–1100.

- Sutherland, B. 1971. Exact results for a quantum many-body problem in one dimension. *Phys. Rev. A*, **4**, 2019–2021.
- Sutherland, B. 1975. Model for a multicomponent quantum system. *Phys. Rev. B*, **12**, 3795–3805.
- Suzuki, M. 1976a. Generalized Trotter's formula and systematic approximants of exponential operators and inner derivations with applications to many-body problems. *Commun. Math. Phys.*, **51**, 183–190.
- Suzuki, M. 1976b. Relationship between d -dimensional quantal spin systems and $(d + 1)$ -dimensional Ising systems. *Prog. Theor. Phys.*, **56**, 1454–1469.
- Szabo, A., and Ostlund, N. S. 1996. *Modern Quantum Chemistry: Introduction to Advanced Electronic Structure Theory*. Dover Publications Inc.
- Tasaki, H. 1998. From Nagaoka's ferromagnetism to flat-band ferromagnetism and beyond. *Prog. Theor. Phys.*, **99**, 489–548.
- ten Haaf, D. F. B., van Bemmelen, H. J. M., van Leeuwen, J. M. J., van Saarloos, W., and Ceperley, D. M. 1995. Proof of upper bound in fixed-node Monte Carlo for lattice fermions. *Phys. Rev. B*, **51**, 13039–13045.
- Tocchio, L. F., Becca, F., Parola, A., and Sorella, S. 2008. Role of backflow correlations for the nonmagnetic phase of the $t-t'$ Hubbard model. *Phys. Rev. B*, **78**, 041101.
- Tocchio, L. F., Becca, F., and Gros, C. 2011. Backflow correlations in the Hubbard model: An efficient tool for the study of the metal-insulator transition and the large- U limit. *Phys. Rev. B*, **83**, 195138.
- Toulouse, J., and Umrigar, C. J. 2007. Optimization of quantum Monte Carlo wave functions by energy minimization. *J. Chem. Phys.*, **126**, 084102.
- Trivedi, N., and Ceperley, D. M. 1989. Green-function Monte Carlo study of quantum antiferromagnets. *Phys. Rev. B*, **40**, 2737–2740.
- Trivedi, N., and Ceperley, D. M. 1990. Ground-state correlations of quantum antiferromagnets: a Green-function Monte Carlo study. *Phys. Rev. B*, **41**, 4552–4569.
- Trotter, H. F. 1959. On the product of semi-groups of operators. *Proc. Am. Math. Soc.*, **10**, 545–551.
- Tuckerman, M. E. 2010. *Statistical Mechanics: Theory and Molecular Simulation*. Oxford University Press.
- Umrigar, C. J., and Filippi, C. 2005. Energy and variance optimization of many-body wave functions. *Phys. Rev. Lett.*, **94**, 150201.
- Umrigar, C. J., Wilson, K. G., and Wilkins, J. W. 1988. Optimized trial wave functions for quantum Monte Carlo calculations. *Phys. Rev. Lett.*, **60**, 1719–1722.
- Umrigar, C. J., Nightingale, M. P., and Runge, K. J. 1993. A diffusion Monte Carlo algorithm with very small timestep errors. *J. Chem. Phys.*, **99**, 2865–2890.
- Umrigar, C. J., Toulouse, J., Filippi, C., Sorella, S., and Hennig, R. G. 2007. Alleviation of the fermion-sign problem by optimization of many-body wave functions. *Phys. Rev. Lett.*, **98**, 110201.
- Wagner, L. K., Bajdich, M., and Mitas, L. 2009. QWalk: A quantum Monte Carlo program for electronic structure. *J. Comp. Phys.*, **228**, 3390–3404.
- Wen, X.-G. 1991. Topological orders and Chern-Simons theory in strongly correlated quantum liquid. *Int. J. Mod. Phys. B*, **5**, 1641–1648.
- Wen, X.-G., and Niu, Q. 1990. Ground-state degeneracy of the fractional quantum Hall states in the presence of a random potential and on high-genus Riemann surfaces. *Phys. Rev. B*, **41**, 9377–9396.
- White, S. R. 1992. Density matrix formulation for quantum renormalization groups. *Phys. Rev. Lett.*, **69**, 2863–2866.
- White, S. R., and Feiguin, A. 2004. Real-time evolution using the density matrix renormalization group. *Phys. Rev. Lett.*, **93**, 076401.

- White, S. R., and Scalapino, D.J. 1998. Density matrix renormalization group study of the striped phase in the 2D t - J model. *Phys. Rev. Lett.*, **80**, 1272–1275.
- Wigner, E., and Seitz, F. 1934. On the constitution of metallic Sodium. II. *Phys. Rev.*, **46**, 509–524.
- Yokoyama, H., and Shiba, H. 1987a. Variational Monte Carlo studies of Hubbard model. I. *J. Phys. Soc. Jpn.*, **56**, 1490–1506.
- Yokoyama, H., and Shiba, H. 1987b. Variational Monte Carlo studies of Hubbard model. II. *J. Phys. Soc. Jpn.*, **56**, 3582–3592.
- Yokoyama, H., and Shiba, H. 1990. Variational Monte Carlo studies of Hubbard model. III. Intersite correlation effects. *J. Phys. Soc. Jpn.*, **59**, 3669–3686.
- Young, P. 2012. Everything you wanted to know about data analysis and fitting but were afraid to ask. *arXiv:1210.3781*.
- Zhang, F. C., and Rice, T. M. 1988. Effective Hamiltonian for the superconducting Cu oxides. *Phys. Rev. B*, **37**, 3759–3761.
- Zhang, S., Carlson, J., and Gubernatis, J. E. 1995. Constrained path quantum Monte Carlo method for fermion ground states. *Phys. Rev. Lett.*, **74**, 3652–3655.