

# Index

- ⊕ symbol, controlled qubit in quantum circuit notation, 53
- ⊗ Kronecker product
  - operator, 16
- ★ operator for Kronecker product, 11, 16
- @ operator for matrix multiplication, 11
- 5-qubit error correction code, 291
- 7-qubit Steane code, 291
- 9-qubit Shor error correction code, 285, 289
- Addition
  - Constants, 179
  - Increment operator, 236
  - Quantum arithmetic, 172–177
  - Quantum gates, 172–174
    - qc data structure, 134
  - Testing quantum arithmetic, 178
- Adjoint gates
  - adjoint() function for gates, 26
  - qc data structure, 130
  - Conjugate synonym, 6
- Adjoint operators
  - adjoint() function for operators, 85
- ALAP Scheduling, 307
- Algorithm references, 277
- Amdahl's law, 286
- Amplitude amplification, 227–230
- Amplitude damping, 283
- Amplitude estimation, 230–234
  - Quantum counting, 230–234
- Ancilla qubits (ancillae)
  - About, 66
  - Ancilla registers, 124
    - Code to create and initialize, 125
  - Compiler optimization and, 304
  - Entanglement, 66, 86
  - Error correction trick, 286
  - Multi-controlled gates, 66
  - Quantum computation, 66
  - Quipper programming language, 300
  - Silq programming language, 302
- AND logic gates, 92
- Ansatz, 245
- Arithmetic via quantum gates
  - Decrement circuit, 236
  - Full adder, 89–91
    - Code, 90
    - Constants, 179
    - qc data structure, 134
    - Quantum arithmetic, 172–177
  - Increment circuit, 236
  - Multiplication, 177
  - Powers, 208
  - Subtraction, 177
  - Testing quantum arithmetic, 178
- Arute, Frank, 150
- at (@) operator for matrix multiplication, 11
- Basis states of qubits, 13
  - Constructing a qubit, 15
  - Density matrices
    - Diagonal elements, 24
  - Density matrix diagonal elements, 23
  - Measurement, 73
  - Orthonormal set of basis vectors, 13, 15
    - Superposition as orthonormal basis, 44
  - Projection operators extracting amplitude, 42
  - State as superposition, 17
  - Superposition via Hadamard gates, 44
    - Hadamard basis, 44
- Bell measurement, 98, 99
- Bell states, 63
  - Code, 63
  - Measurement example, 77
  - Quipper programming language, 301
  - Tracing out qubits, 71
- Bell, John S., 60, 63
- Benchmarking
  - Benchmark gaming, 150
  - Cross entropy benchmarking, 150
  - Gate fast application, 139
  - Gate faster application in C++, 143
  - Quantum random circuits, 150
  - Quantum versus classical computers, 150–152
  - Sparse representation, 147

- Bernstein–Vazirani algorithm
  - Oracle form
    - Compiler optimization, 308
- Bernstein–Vazirani algorithm, 105–108
  - Oracle form, 117
  - Phase kick rotation gates, 162
- Beyond Classical, 149
  - About algorithm types, 160
  - Computational complexity theory, 122, 149, 159
  - Google Sycamore processor, 150
    - Benchmarking, 150
    - Benchmarking quantum versus classical computers, 150–152
  - Quantum random circuits, 150
    - Simulation design, 152
    - Simulation evaluation, 158
    - Simulation implementation, 154
    - Simulation metric, 157
    - Simulation run estimation, 155–158
- Binary fractions, 163
- Binary interpretation, 18
- Birthday paradox, 191
- Bit conversion, 24
- Bit index notation for states, 136
- Bit iteration, 25
- Bit order
  - Binary interpretation, 18
  - Qubit order, 18
  - States, 17
    - Two tensored states, 18
- Bit-flip errors
  - Bit-flip channel, 281
  - Bit-flip phase-flip channel, 281
  - Combined phase/bit-flip error, 279
  - Dissipation-induced error, 279
  - Error correction, 286–288
    - Shor’s 9-qubit code, 289
- Bits to binary fractions, 163
- Bits-decimal conversion functions, 24
- bits2frac() for binary fractions, 163
- bits2val() for binary to decimal, 24
- bitstring() function, 22
- Bloch sphere, 55–60
  - About, 35, 55, 242
  - Expectation values, 59, 74, 244
  - Minus sign as global phase, 59
  - Qubit described by, 55–56
    - Computing coordinates for given state, 58
  - Quirk online simulator, 171
  - Relative phase, 35
  - Rotation operators, 35
  - Single-qubit states only, 59
  - Solovay–Kitaev algorithm, 267
  - Two degrees of freedom for superdense coding, 102
  - Universal gates, 266
- Bloch, Felix, 55
- Boolean formulas with quantum gates, 92
- Born rule, 72
  - About projective measurement, 72
- BPP (complexity), 149, 159
- BQP (complexity), 149, 159
- Bra(c)kets, 3
- Brackets, 3
- Branching, *see* Controlled gates
- Bras
  - Dirac notation, 3
  - Inner products, 3
    - Bra-Ket notation, 3
  - Tensor products, 5
- C++
  - Accelerated gate application, 139–145
    - Execution speed, 139, 145
  - Extending Python with, 140
  - Q language C++ class library, 300
    - Transpiler code generation flag, 315
  - Sparse representation, 145
    - Benchmarking, 147
- “Can Quantum-Mechanical Description of Physical Reality Be Considered Complete?” (Einstein, Podolsky, and Rosen), 60
- Cartesian coordinates for Bloch sphere, 58
- Channels in information theory, 281
  - Bit-flip channel, 281
  - Bit-flip phase-flip channel, 281
  - Depolarization channel, 282
  - Phase-flip channel, 281
- Circuits
  - About function calls and returns, 298
    - Scaffold programming language, 298
    - Silq programming language, 302
  - Compiler optimization and, 304
  - Decrement circuit, 236
  - Entangler circuits, 61
  - Grover’s algorithm implemented, 224–227
  - Increment circuit, 236
  - Intermediate representation capabilities, 314
  - Libraries of compiler optimization patterns, 309
  - Logic circuits, 91
    - Fan-out in QCL, 296
    - Gan-out circuits, 92
  - Phase kick circuit, 161
  - Quantum circuit data structure, 126
    - Constructor, 127
    - Gates, 129–133
    - Gates applied, 128
    - Measurements, 131
    - Multi-Controlled gates, 132
    - Quantum registers, 127
    - Qubits added, 128
    - Swap and controlled swap gates, 131

- Quantum random circuits, 150
  - Simulation design, 152
  - Simulation evaluation, 158
  - Simulation implementation, 154
  - Simulation metric, 157
  - Simulation run estimation, 155–158
- Qubits
  - Ordering of qubits, 18
  - qc data structure, 128
  - Quantum circuit notation, 52
  - Shor's 9-qubit error correction, 289
- Cirq commercial system (Google), 303
- Simulators, 321
- Transpilation
  - Code generation flag, 315
  - Dumper function, 319
- Classical arithmetic, *see* Arithmetic via quantum gates
- Classical computers versus quantum, 150–152
  - Summit simulating quantum random circuits, 158
- Clifford gates, 124
- Closed quantum systems, 280
- CNOT, *see* Controlled-Not gate
- CNOT0, *see* Controlled-Not-by-0 gates
- Coin toss operator, 235
- Column vectors
  - Inner products, 3
- Kets
  - Dirac notation, 2
  - Hermitian conjugate of, 2
- Qubits and states as, 2
- Combined phase/bit-flip error, 279
- Commercial systems, 303
- Compiler design challenges, 293, 309
  - About transpilation, 311
  - Intermediate representation, 311
  - Staged compilation, 311
- Compiler optimization, 303
  - About, 303
  - Classical for classical constructs, 304
  - Constant propagation, 304
  - Gate approximation, 310
  - Gate elimination, 305
  - Gate fusion, 306
  - Gate parallelization, 307
  - Gate scheduling, 306
  - High-performance pattern libraries, 309
  - Inlining, 304
  - Logical to physical mapping, 304, 309
    - Resource for information, 310
  - Loop unrolling, 304
  - Peephole optimization, 307
    - Libraries of compiler optimization patterns, 309
    - Relaxed peephole optimization, 308
  - Physical gate decomposition, 310
  - Unentangled qubits, 306
- Complex numbers
  - 2D plane, 2
  - Polar coordinates, 55–56
- About, 1
- Conjugates, 1
- Exponentiation, 2
- Modulus, 2
- Norm, 1
- Python, 2
- Qubits as column vectors of, 2
- States as column vectors of, 2
- Tensor comparisons to values, 12
- tensor\_type() abstraction, 10
- Complexity classes
  - BPP, 149, 159
  - BQP, 149, 159
  - NP, 149
  - NP-complete, 149
  - NP-hard, 149
  - P, 149
- Complexity of simulation, 151, 155
- Composite kets inner products, 5
- Computation reversed, 66
- Computational complexity theory, 122, 149, 159
- Conditional execution, *see* Controlled gates
- Congruency between numbers, 189
- Conjugate Rotations, 274
- Conjugates
  - Adjoint synonymous with conjugate, 6
  - Complex numbers, 1
  - Denotation not explicit, 3
  - Hermitian conjugate matrix, 6
  - Operator adjoint() function, 26
- Conjugation
  - conjugate() with complex numbers, 2
  - Involutivity, 3
- Constants in quantum addition, 179
- Control register, 124
- Controlled gates
  - About, 46
  - About QCL programming language, 297
  - Controlled rotation gates additive, 161
  - Controlled-Controlled gates, 48, 85
    - Toffoli gates, 49, 85
  - Controlled-Controlled-Not gates, 49
    - Sets of universal gates, 49
  - Controlled-Not gates, 46–49
  - Controlled-Not-by-0 gates, 49
  - Controlled-U1 gate for quantum arithmetic, 172
  - Controlled-Z gates, 81
    - Multi-Controlled-Z gates, 82
  - Function of, 46–49

- Controlled gates (Cont.)
  - Multi-Controlled gates, 86
    - Ancilla qubits, 86
    - Multi-Controlled-Z gates, 82
    - qc data structure, 132
  - Multi-controlled gates
    - Ancilla qubits, 66
  - Nonadjacent controller and controlled qubits, 47
  - Notation for gates involved, 46
  - qc data structure
    - Fast application of gates, 137
    - Faster application with C++, 141
    - Multi-Controlled gates, 132
  - Quantum circuit notation
    - Controlled-X gates, 53
    - Controlled-Not-by-0 gates built, 53
  - Scalability, 48
  - Swap gates, 50, 88
    - Compiler optimization, 308
    - Controlled-Controlled Swap gates, 51
    - qc data structure, 131
    - Quantum circuit notation, 53
- Controlled modular multiplication, 207
- Controlled-Controlled gates, 85
  - Toffoli gates, 49, 85
    - Logic circuits from, 92
- Controlled-Controlled-Not gates (CCX-gate), 49
- Controlled-Not gates (CNOT; CX)
  - Compiler optimization, 308
  - Constructor function, 49
  - Controlled-Z with Hadamard gates, 82
  - Entangler circuits, 62
  - Function, 46–49
  - GHZ states, 64
  - Inverted Controlled-Not gate, 80
  - Logic circuits from, 92
  - Quantum registers for result storage, 67
  - Swap gate action, 51
- Controlled-Not-by-0 gates (CNOT0), 49
  - Quantum circuit notation, 53
- Controlled-U gates under compiler optimization, 308
- Controlled-Z gates, 81
  - Controlled-Not gates via, 82
  - Multi-Controlled-Z gates, 82
- Copenhagen interpretation of quantum mechanics, 61
- Counters
  - Decrement operator, 236
  - Increment operator, 236
- cQASM, 295
- Cross entropy benchmarking (XEB), 150
- Cut on graph, 255
- CX, *see* Controlled-Not gate
- Data registers, 124
  - Code to create and initialize, 125
- Data structure, *see* Quantum circuit (qc) data structure
- Debugging
  - Operator matrices for, 81
  - qc data structure abstraction, 126
  - Reduced density operator, 68
  - Tensors compared to values, 12
- Decoherence times of technologies, 278
- Decoherence-induced phase shift error, 279
- Decrement circuit, 236
- Density matrices
  - About, 9, 68
  - Bloch sphere coordinate computation, 58
    - Cartesian coordinates, 58
  - Outer product of state with itself, 23, 68
  - Partial trace derivation, 68
    - Code, 69
    - Tracing out other qubits, 69
  - Probabilities of measuring a basis state, 24
  - Quantum computing theory as, 24, 68
  - Trace of, 24, 70
- Depolarization, 282
- Depolarization channel, 282
  - Depolarization definition, 282
- Deutsch algorithm, 108–117
- Deutsch–Jozsa algorithm, 118–121
- Diagonal matrices
  - Tensor products, 5
- Diffusion Operator, 220
- Dirac notation
  - Bras, 3
  - Kets, 2
  - Qubits
    - 0-state and 1-state, 13
    - Two tensored states, 18
- Discrete phase gates, 39, 164
- Dissipation-induced error, 279
- Dot products, *see* Inner products
- Dual vectors for a ket, 3
- Dumper function for all relevant info, 21
  - Transpilation, 315
- EGCD, *see* Extended Euclidean algorithm
- Eigenstates
  - About, 7
  - Compiler optimization of gates, 306
- Eigenvalues, 7
  - About, 7
  - Compiler optimization of gates, 306
  - Hamiltonians, 240, 248
  - Hermitian and Pauli matrices, 35
  - Phase estimation, 180
  - Trace of a matrix, 8
  - variational quantum eigensolver, 248

- Eigenvectors
  - About, 7
  - Hamiltonians in Schrödinger equation, 240
  - Phase estimation, 180
- Einstein, Albert
  - Hidden state, 60
  - Spooky action at a distance, 60
- Electron decoherence time
  - Electron spin, 278
  - Gallium arsenide, 278
  - Gold, 278
- Entanglement, 60–65
  - About, 60
  - Analysis by Scaffold, 299
  - Ancilla qubits, 66, 86
  - Bell states, 63
    - Code, 63
    - Tracing out qubits, 71
  - Code
    - Bell states, 63
    - Entangler circuit, 62
    - GHZ states, 64
  - Compiler optimization and, 306
  - Copenhagen interpretation, 61
  - Entangler circuits, 61
    - Code, 62
  - GHZ states, 64
    - Code, 64
    - Error correction trick, 286
  - Maximal entanglement, 64
  - Mixed states, 68
    - Depolarization, 282
  - Product states, 61
  - Quantum teleportation, 97–102
  - Superdense coding, 102–105
  - Swapping, 102
  - Teleportation, 97–102
  - Tracing out qubits, 71
- Entangler circuits, 61
- Environmental challenges of quantum computing, 278–284
  - Closed versus open quantum systems, 280
- Equal superposition of adjacent qubits, 45
- Erasure of information resulting in heat dissipation, 66
- Error correction
  - About, 278, 284
  - Bit-flip errors, 286–288
    - Shor's 9-qubit code, 289
  - Channels, 281
  - Compiler optimization and, 304
  - Error correction code memory, 284
  - Error syndrome, 286
  - Phase-flip errors, 288
    - Shor's 9-qubit code, 289
  - Quantum computing challenges, 285
  - Quantum noise, 278–284
  - Repetition code, 284
    - Majority voting, 285
    - No-cloning theorem, 285
    - Quantum repetition code, 285
  - Resources for information, 291
  - Shor's 9-qubit error correction code, 285, 289
- Error correction code memory (ECC), 284
- Error injection to model quantum noise, 282
  - Checking bit-flip error correction, 287
  - Gates as quantum noise source, 283
- Error syndrome, 286
- Euler's formula
  - Complex exponentiation, 2
  - Phase gate derivation, 38, 165
- Euler's identity, 37
- Expectation values, 74
  - Bloch sphere, 59
  - Variational quantum eigensolver, 244
- Exponentiation
  - Complex numbers, 2
  - Operators, 36
- Extended Euclidean algorithm, 202
- Factorization, 190
- Fan-out circuits, 92
  - QCL programming language, 296
- Fast Gate Application, 134
- Feynman, R., xi
- Fidelity, 269
- Flexible phase gates
  - Discrete phase gates, 39
  - U1( $\lambda$ ) gates, 40
- Fourier transform, *see* Quantum Fourier transform (QFT)
- Fractions
  - Binary fractions, 163
  - $\pi$  fractions transpilation output, 316
- Fredkin gates, 51
- Full adder, 89–91
  - Code, 90
  - qc data structure, 134
  - Quantum arithmetic, 172–177
- Fused gates, 306
- Gallium arsenide (GaAs) electron decoherence time, 278
- Gate equivalences
  - About, 79
  - Compiler optimization, 306, 309
  - Controlled gate equivalencies listed, 87
    - Code to validate, 88
  - Controlled-phase symmetry, 82
  - Controlled-Z gates, 81
    - Controlled-Not gates via, 82
  - Inverted Controlled-Not, 80
  - Multi-Controlled gates, 86

- Gate equivalences (Cont.)
  - Negate Y-gate, 83
  - Pauli matrices, 83
  - Rotation axis changed, 84
  - Squaring root of gate equals gate, 80
- Gates
  - About operators as gates, 25
  - About ordering of gate applications, 54
  - About Scaffold built-ins, 298
    - Classical-To-Quantum-Circuit tool, 298
  - Adjoint gates, 130
  - Application, 27–29
    - apply() function, 32, 128, 142
    - Density matrices, 68
    - Fast application, 134–139
    - Fast application generalized, 137–139
    - Faster application with C++, 139–145
    - Fastest Benchmarked, 147
    - Fastest with sparse representation, 145–147
    - Multiple operators in sequence, 31
    - Multiple qubits, 29–31
    - Noise reduction via compiler optimization, 304
    - Norm preserving, 6, 25
    - Notation for qubit index applied to, 31
    - Padding operators, 31, 48
    - Projection operators extracting subspace, 73
    - Quantum computation, 66
    - to state  $\psi$  at qubit index, 32
  - Compiler optimization
    - Gate approximation, 310
    - Gate elimination, 305
    - Gate fusion, 306
    - Gate parallelization, 307
    - Gate scheduling, 306
    - Logical to physical mapping, 304, 309
    - Logical to physical mapping resource for information, 310
    - Noise reduction, 304
    - Physical gate decomposition, 310
    - Unentangled qubits, 306
  - Controlled gates, *see* Controlled gates
  - Equivalences, *see* Gate equivalences
  - Flexible phase gates
    - Discrete phase gates, 39
    - Phase shift or kick gate, 40
  - Hadamard gates, 44–45
  - Identity gates, 26, 33
    - Applied to multiple qubits, 30
  - Multi-qubit gates
    - Controlled gates, 46–51
    - Hadamard gates, 44–45
    - Single-qubit constructors for, 33
  - Outer product representation of operator, 43
  - Phase gates, 38
    - Discrete phase gates, 39
    - Phase inversion operator, 219
    - Phase shift or kick gates, 40
    - Phases via various gates, 40
    - Square root of as T-gate, 41
  - Projection operators, 42
  - qc data structure, 129
    - Gates applied, 128
    - libq implementation, 324–326
  - Quantum circuit notation, 53
    - About ordering of gate applications, 54
    - Applying operator, 52
  - Quantum noise source, 283
  - Qubit on Bloch sphere, 56–58
  - Rk gates, 39
  - RotationZ-gates versus phase gates, 38
  - Sets of universal gates, 49
  - Single-qubit gates, 33–45
  - Solovay–Kitaev theorem, 266
  - T-gates
    - Phases via, 40, 165
    - Rotation axis changed, 84
    - Square root of phase gates, 41
    - Universal gates, 266
  - U1(lambda) gates, 40
  - V-gates
    - Square root of X-gates, 85
  - V-gates as square roots of X-gates, 41
  - X-gates, 26, 34
  - Y-gates, 34
    - Negate Y-gate, 83
    - Square root of, 41
  - Yroot gates, 41
- GCD, *see* Greatest common divisor
- GHZ states, 64
  - Error correction trick, 286
- Global phase, 59
  - Bloch sphere, 59
  - Phase invariance, 59
  - Relative phase versus, 60
  - Rotation axis changed, 84
- “Going Beyond Bell’s Theorem” (Greenberger, Horne, and Zeilinger), 64
- Gold (Au) electron decoherence time, 278
- Google
  - Cirq commercial system, 303
  - Simulators, 321
  - Transpilation, 315, 319
- Coding style, 12
  - Underscore in function names, 12
- Quantum random circuits, 150, 158
  - Simulation design, 152
  - Simulation evaluation, 158
  - Simulation implementation, 154
  - Simulation metric, 157
  - Simulation run estimation, 155–158
- Sycamore processor supremacy, 150–152

- Gradient descent, 247
- Greatest common divisor (GCD), 190
- Greenberger, Daniel M., 64
- Ground state energy
  - About variational quantum eigensolver, 240
  - Variational principle, 242–245
- Grover's algorithm
  - About, 210
  - Examples
    - Simple numerical, 214
    - Two-qubit, 214
  - Grover operator, 211, 217
    - Constructing, 233
    - Implementing, 226
    - Quantum counting, 231
  - High-level overview, 211
  - Implementation, 224–227
  - Inversion about the mean, 213
    - Implementation, 219–223
    - Operator, 223
  - Iteration count, 216–218
    - Multiple solutions, 228–230
  - Multiple solutions, 227–230
  - Phase inversion, 212
    - Implementation, 218
    - Multiple solutions, 227–230
    - Operator, 219, 232
  - Quantum amplitude amplification, 227–230
  - Quantum counting, 230–234
- Hadamard basis, 44
  - Measuring in, 104
- Hadamard gates, 44–45
  - Entangler circuits, 61
  - Function call syntax via Pauli matrices, 83
  - Hadamard basis, 44
    - Measuring in, 104
  - Hadamard coin, 235
  - Its own inverse, 45
  - Quantum circuit notation
    - Gate applied, 52
  - Qubit on Bloch sphere, 56–58
  - Random number generator, 78
  - Rotation axis changed, 84
  - Universal gates, 266
- Hamiltonian
  - Definition, 241
  - Eigenvalues
    - About VQE algorithm, 160, 240, 242
    - Schrödinger equation derivation, 240
    - Variational principle, 242–245
    - Variational principle measurements, 248
  - Ising spin glass model, 254
    - Hamiltonian constructed, 258–260
  - Operator, 241
    - Hermitian, 241
- Hash table in libq, 327, 332
- Haskell programming language, 300
  - Quipper as embedded DSL, 300
    - Oracle automatic construction, 301
  - Silq as embedded DSL, 302
- Heisenberg uncertainty principle, 241
- Helper functions
  - Bit conversion, 24
  - Bit iteration, 25
- Hermitian conjugate vector, 2
- Hermitian matrices
  - About, 6
  - Checking if tensor is Hermitian, 12
  - Eigenvalues as real, 7
  - Hermitian adjoint matrices, 6
    - Expressions, 6
  - Hermitian conjugate matrices
    - Adjoint synonymous with conjugate, 6
  - Projection operators as, 43
  - Real vector space basis, 35
  - Trace of, 8
- Hermitian projector, 43
- Hidden state, 60, 63
- Hierarchical QASM, 299
- High-Performance Computing (HPC) techniques, 124
- Horne, Michael A., 64
- IBM
  - Qiskit commercial system, 303
    - ALAP scheduling of gates, 307
    - Algorithm reference, 277
    - QASM support, 311
    - Simulators, 321
  - Sycamore supremacy challenged, 150
    - Summit supercomputer, 158
- Idempotent projection operators, 43
- Identity gates, 26, 33
  - Applied to multiple qubits, 30
  - Controller and controlled qubits not adjacent, 47
  - Hermitian matrix real vector space, 35
  - Phases via, 40
- Increment circuit, 236
- Increment modulo 9 circuit, 237
- Indirect measures of similarity between states, 93–97
  - Swap test code, 96
- Information
  - Erasure resulting in heat dissipation, 66
  - Quantum circuit double lines, 54
  - Quantum teleportation, 97–102
  - Superdense coding, 102–105
  - Teleportation, 97–102
- Inner products
  - About, 3
  - Tensors, 5

- Instruction Set Architecture (ISA) of quantum computers, 25
- Intel Quantum Simulator, 320
- Intermediate representation (IR)
  - About circuit capabilities, 314
  - Scaffold, 298
    - Classic and quantum mix, 305
  - Scalability, 293
  - Transpilation, 311
    - About transpilation, 311
    - IR base class, 312
    - IR nodes, 311
    - Quantum circuit extensions, 313
    - Uncomputation, 315
- Inversion about the mean, 213
  - Implementation, 219–223
  - Operator, 223
- Involutivity, 3
  - Hadamard gates, 45
  - Pauli matrices, 35
  - Rotations, 36
- Ion trap decoherence time, 278
- IR, *see* Intermediate representation (IR)
- ISA (Instruction Set Architecture) of quantum computers, 25
- Ising
  - Hamiltonian, 254
  - Spin Glass, 254
- Junk qubits
  - Quantum computation, 66
- KD-Tree, 270
- Kets
  - About, 72
  - Composite kets inner products, 5
  - Dirac notation, 2
  - Dual vectors for, 3
  - Hermitian conjugate of, 2
  - Inner products, 3
    - Bra-Ket notation, 3
    - Composite kets, 5
  - Outer products, 4
    - Trace of, 8
  - Tensor products, 5
- Knuth, D. E., xi
- Krauss operators, 281
- Kronecker power function (kpow), 11
- Kronecker product, 5, 10
  - $\otimes$  operator symbol, 16
  - $\star$  operator for, 11, 16
- Landauer's principle, 66
- Landauer, D., 66
- Least significant bit, *see* Bit order
- Libq, 145
- Implementation
  - About, 322
  - Controlled gates, 325
  - Gate application, 328
  - Hash table, 327, 332
  - Register file, 322
  - Superposition-preserving gates, 324
  - Superpositioning gates, 326
- libquantum basis, 145
- Transpilation
  - Code generation flag, 315
  - Dumper function, 317
- libquantum, 145
  - Library for sparse representation, 145
- Libquantum library for sparse representation
  - Simulation, 320
- Libraries of compiler optimization patterns, 309
- Logic circuits, 91
  - Fan-out circuits, 92
  - QCL programming language, 296
- "Logical Reversibility of Computation" (Bennett), 66
- Majority voting for repetition code, 285
- Mathematical notation of gate application, 55
- Matrices
  - $\star$  operator for Kronecker product, 11
  - 2-dimensional index via projection operators, 43
  - Density matrices, 23
  - Diagonalization function, 274
  - Eigenvalues, 7, 180
  - Hermitian, *see* Hermitian matrices
  - Matrix multiplication ordering of gate application, 55
  - Pauli matrices, 34
    - Hermitian matrix real vector space, 35
  - Involutivity, 35
  - Permutation matrices, 12
  - Scalability, 122
  - Tensoring together, 11
  - Trace of matrix, 8
  - Transposition, 2
  - Unitary, 6
- Maximal entanglement, 64
- Maximally mixed state, 64
- Maximum cut algorithm
  - About, 254
  - Cut definition, 255
  - Ising formulations of NP algorithms, 254
  - Maximum cut definition, 255
  - Quantum approximate optimization algorithm, 253
  - Variational quantum eigensolver, 260
  - Weighted maximum cut, 255
    - Computing maximum cut, 257



- Graphs constructed, 255
  - Hamiltonian constructed, 258–260
- Measurement gates, 54
- Measurements
  - By peek-a-boo, 131
  - By peek-a-boo, Grover's algorithm, 226
  - Entanglement, 60
  - Error detection challenges, 285
  - Expectation values, 59, 74, 244
  - Implementation, 75
  - Indirect measures of similarity between states, 93–97
  - Measuring in Hadamard basis, 104
  - Pauli bases, 242
  - Projective, 72
    - Examples, 76
    - Implementation, 75
  - qc data structure, 131
    - Statistical sampling function, 131
  - Quantum circuit notation, 54
  - Quantum Fourier transform and, 169
  - Quantum mechanics postulates, 72
  - States collapsing on measurement, 13, 60
    - Born rule, 72
    - Measurement definition, 72
    - Renormalization, 74
- Mermin, David, 61
- Microsoft Q# commercial system, 303
  - Quantum Developer Kit, 303
  - Simulators, 321
- Microwave cavity decoherence time, 278
- Minimum cut problems, 255
- Mixed states, 68
  - Depolarization, 282
  - Tracing out qubits, 71
- MLPerf benchmarks, 150
- Modular arithmetic, 189
  - Controlled modular multiplication, 207
  - Modular addition, 205–207
- Modular inverse, 202
- Modulus of complex numbers, 2
- Most significant bit, *see* Bit order
- Multi-Controlled gates, 86
  - Ancilla qubits, 86
  - qc data structure, 132
- Multi-qubit gates
  - About controlled gates, 46
  - About single-qubit constructors, 33
  - Hadamard gates, 44–45
- Multiplication, 177
  - Testing quantum arithmetic, 178
- NAND logic gates, 92
- nbits property of Tensor class, 16
  - qc data structure, 128
- No-cloning theorem, 65
  - Fan-out circuits and, 92
  - Repetition code for error control, 285
  - Uncomputation not violating, 67
- Node class for transpilation, 311
- Noise, *see* Quantum noise
- Noisy Intermediate Scale Quantum Computers (NISQ), 240, 293
- Norm
  - Complex numbers, 1
  - Product of two states, 16
  - Unitary matrices as norm preserving, 6, 25
- Vectors
  - Normalization, 20
- Not-gates, *see also* X-gates
  - Logic circuits from, 92
- Nuclear spin decoherence time, 278
- numpy
  - ★ operator for Kronecker product, 11
  - About, 9
  - adjoint() function for operators, 26
  - allclose() for Tensor comparisons, 12
  - Complex number support, 10
  - Eigenvalues of matrices, 180
  - ndarray, 10
    - Base for Tensor, 9
  - ndarray base for Tensor, 9
    - Instantiating, 10
  - Path to, 140
  - print configuration, 27
- “On the Einstein Podolsky Rosen paradox” (Bell), 60, 63
- Open quantum systems, 280
- Open-source simulators, 320
- OpenPulse, 295
- OpenQASM, 295
  - Transpilation
    - About QASM, 311
    - Code generation flag, 315
    - Dumper function, 316
- Operator class
  - adjoint() function, 26
  - Dumper function for matrix structure, 26
  - Gate applied to state  $\psi$  at qubit index, 32
  - Gate function returning Operator object, 32
  - Tensor class parent, 26
- Operator-sum representation, 281
- Operators
  - About, 9, 25
  - Application, 27–29
    - apply() function, 32, 128, 142
    - Density matrices, 68
    - Fast application, 134–139
    - Fast application generalized, 137–139
    - Faster application with C++, 139–145

## Operators (Cont.)

- Fastest benchmarked, 147
  - Fastest with sparse representation, 145–147
  - Multiple operators in sequence, 31
  - Multiple qubits, 29–31
  - Noise reduction via compiler optimization, 304
  - Norm preserving, 6, 25
  - Notation for qubit index applied to, 31
  - Padding operators, 31, 48
  - Projection operators extracting subspace, 73
  - Quantum computation, 66
  - To state  $\psi$  at qubit index, 32
  - Cloning qubits impossible, 65
  - Outer product representation, 43
  - qc data structure, 129
    - Gates applied, 128
  - Quantum Fourier transform operator, 169
    - Inverse, 170
  - Tensor class parent, 26
  - Unitary, 25
    - Invertable, 26
- Optical cavity decoherence time, 278
- Optimization
- Gate application iteration lesson, 331
  - Gate application special cases, 143–145
  - Hamiltonians constructed for, 254
  - Hash table reconstruction, 332
- OR logic gates, 92
- Oracles
- Bernstein–Vazirani algorithm, 106, 117
  - Deutsch algorithm, 108–117
  - Deutsch–Jozsa algorithm, 118–121
  - General oracle operator, 117
  - Phase inversion implementation, 218
  - Quipper automatic construction of, 301
  - RevKit for constructing reversible, 321
  - Silq construction of, 302
- Oracles–Bernstein–Vazirani algorithm
- Compiler optimization, 308
- Order finding, 192
- About, 192
  - Order finding quantum algorithm, 196–200
    - Continued fractions, 208
    - Experimentation, 209
    - Main program, 200
    - Modular addition, 205–207
    - Support routines, 202–205
- Orthogonal vectors, 4
- Outer product representation, 43
- Outer products
- About, 4
  - Density matrices as, 23, 68
  - Outer product representation of operator, 43
  - Projection operators, 42
  - Trace of
    - State vectors, 70

Two kets, 8

Overloading  $\star$  operator, 11Parallelism, *see* Quantum parallelism

Partial-trace procedure

- Bloch spheres in many-qubit system, 59
- Code, 69

Experimenting with, 70

Derivation for reduced density operator, 68

Maximal entanglement, 64

Tracing out other qubits, 69

Entangled states, 71

Environment traced out, 281

Experimenting with, 70

Mixed states, 71

Pure states, 71

Quirk qubits on Bloch sphere, 171

Path to numpy, 140

Pauli commutators, 83

Pauli matrices

About, 34

Eigenvalues, 180

Function call syntax via Hadamard gates, 83

Pauli commutators, 83

Hermitian matrix real vector space, 35

Involutivity, 35

Measurement in Pauli bases, 242

Pauli X-gates, *see also* X-gates

Pauli Y-gates, 34

Pauli Z-gates

Phase-flip gates, 34, 37

Quantum noise modeling, 282

Rotation operators via exponentiation, 35

Peephole optimization, 307

Libraries of compiler optimization patterns, 309

Relaxed peephole optimization, 308

Performance

Compiler optimization and, 304

Quantum versus classical computers, 150–152

Period of function, 192

Order finding quantum algorithm, 208

Period finding quantum algorithm, 196–200

Experimentation, 209

Main program, 200

Modular addition, 205–207

Support routines, 202–205

Permutation matrices

About, 12

Checking if tensor is permutation, 12

Controlled-Not gate, 46, 47

Phase damping, 283

Phase estimation, *see* Quantum phase estimation (QPE)

Phase gates, 38, 164

- Discrete phase gates, 39, 164
- Phase inversion operator, 219
- Phase shift or kick gates, 40, 164
- Phases via various gates, 40
- RotationZ-gates versus, 38
- Square root of as T-gate, 41
- U1(lambda) gates, 40, 164
  - Controlled-U1 gate for quantum arithmetic, 172
- Phase invariance, 59
- Phase inversion, 212
  - Implementation, 218
  - Multiple solutions, 227–230
  - Operator, 219
    - Quantum counting, 232
- Phase kick circuit, 161
- Phase of qubits, 21
- Phase shift error, decoherence-induced, 279
- Phase-flip errors, 279
  - Bit-flip phase-flip channel, 281
  - Error correction, 288
    - Shor's 9-qubit code, 289
  - Phase-flip channel, 281
- Phase-flip gates, 37
- Phase/bit-flip errors, 279
- $\pi$  (pi) fractions transpilation output, 316
- Planck constant, 241
- Podolsky, B., 60
- Polar coordinates for qubit, 55–56
  - Moving about sphere, 56
- Postulates of quantum mechanics, 72
- Power arithmetic, 208
- Power function via Kronecker products, 11
- Preskill, John, 149
- Probabilistic Turing machines, 149
- Probability amplitudes, 13
  - Binary addressing, 19
  - Ket definition, 72
  - Maximally mixed state, 64
  - Measurement, 72, 73
  - Qubits as states, 15, 16
    - Equal superposition with same amplitude, 45
    - Projection operators extracting amplitude, 42
  - State class code, 19
  - State collapsing on measurement, 13, 72
  - State vectors and unitary operators, 25
  - Swap gates, 50
- Product states, 61
- Programming languages
  - About hierarchy of abstractions, 295
  - FORTRAN, 292
  - Haskell, 300
    - Quipper as embedded DSL, 300
    - Quipper oracle automatic construction, 301
    - Silq as embedded DSL, 302
  - PSI probabilistic, 302
  - Q language C++ class library, 300
  - Q#, 303
    - Silq comparison, 302
  - QASM tool, 295
    - Addition via QFT circuit, 173
  - QCL, 296–298
    - Quipper comparison, 301
  - Quipper, 300
    - Oracle automatic construction, 301
    - Proto-Quipper follow-ups, 301
    - QCL comparison, 301
    - Silq comparison, 302
  - Resources for information, 303
  - Scaffold, 298
    - Classical and quantum constructs, 305
    - Entanglement analysis, 299
    - Hierarchical QASM, 299
    - Transpiler, 298
  - Silq, 302
    - Code snippet showcasing, 303
    - Oracle construction, 302
- Projection operators, 42
  - 2-dimensional index into matrix, 43
  - Controller and controlled qubits not adjacent, 47
  - Hermitian, 43
  - Not unitary or reversible, 43
  - Outer product representation, 43
  - Projective measurements and, 73
- Projective measurements, 72
  - About projective, 73
- ProjectQ commercial system, 303
  - Simulator, 321
- $\psi$  as qubit state space, 13
  - operator applied to  $\psi$  at qubit index, 32
- PSI probabilistic programming language, 302
- Pure states, 68
  - Compiler optimization, 306
  - Trace of density matrix, 24
  - Tracing out qubits, 71
- Python
  - About numpy, 9
  - About ordering of gate applications, 54
- C++
  - Accelerated gate application, 139–145
  - Execution speed, 139, 145
  - Extending Python with, 140
  - Sparse representation, 145
  - Sparse representation benchmarked, 147
- Complex numbers, 2
  - conjugate() function, 2
- Operator application, 27–29
- Tensor class
  - About, 9

- Q language C++ class library, 300
  - Transpiler code generation flag, 315
- Q# commercial system (Microsoft), 303
  - Q# programming language, 303
  - Silq comparison, 302
  - Quantum Developer Kit, 303
- QASM tool, 295
  - Addition via QFT circuit, 173
  - cQASM, 295
  - Hierarchical QASM, 299
  - OpenQASM, 295
  - Transpilation
    - About QASM, 311
    - Code generation flag, 315
    - Dumper function, 316
- qc (quantum circuit) data structure
  - About abstraction, 126, 134
  - Constructor, 127
  - Full adder example, 134
  - Gates, 129
    - Adjoint, 130
    - Applying, 128, 142
    - Fast application, 134–139
    - Fast application generalized, 137–139
    - Faster application with C++, 139–145
    - Multi-Controlled gates, 132
    - Swap and controlled swap gates, 131
  - Measurements, 131
    - Statistical sampling function, 131
  - nbits property, 128
  - Quantum registers, 127
  - Qubits added, 128
  - Sparse representation, 145–147
    - Benchmarking, 147
  - Transpilation extension of, 313
    - Code generation flags, 315
    - Eager mode, 313, 314
- Quantum circuit notation
  - About ordering of gate applications, 54
  - Controlled gates
    - Controlled-X gates, 53
    - Controlled-Z gates, 53
    - Controlled-Not-by-0 gates, 53
    - More than one qubit controlling, 54
  - Entangler circuits, 61
  - Fan-out circuits, 92
  - Full adder, 89
  - Information flow double lines, 54
  - Logic circuits, 92
  - Measurement, 54
  - Oracle for Bernstein-Vazirani algorithm, 106
  - Qubit order, 51
  - Single-qubit operator applied, 52, 53
  - State as tensor product combined state, 52
  - State change depiction, 52
  - State initialization, 52
  - Swap test, 93
  - X-gates, 53
- Quantum computers
  - Arithmetic via full adder, 89–91
    - Quantum arithmetic, 172–177
  - Classical computers controlling, 293, 294
  - Classical computers simulated by, 149
  - Commercial systems, 303
  - Compiler design challenges, 293
  - Density matrices for theory of, 24, 68
  - Environmental challenges, 278–284
  - Error correction challenges, 285
  - Flow control via controlled gates, 46
    - QCL programming language, 297
    - Silq programming language, 302
- QCL programming language, 296–298
  - Quipper comparison, 301
- QFT, *see* Quantum Fourier transform
- qHipster simulator, 320
- Qiskit commercial system (IBM), 303
  - ALAP scheduling of gates, 307
  - Algorithm reference, 277
  - QASM support, 311
  - Simulators, 321
- QPE, *see* Quantum phase estimation
- QRAM model of quantum computing, 293, 294
  - Gate approximation, 310
- qsim simulator (Google), 321
- qsimh simulator (Google), 321
- Quadratic programming problem, 254
- Quantum advantage, 149
- Quantum algorithm zoo, 277
- Quantum amplitude amplification (QAA), 227–230
- Quantum approximate optimization algorithm (QAOA), 253

- Logic circuits, 91
- Noisy Intermediate Scale Quantum Computers era, 240, 293
- Operators as ISA of, 25
- QRAM model, 293, 294
  - Gate approximation, 310
- Quantum computation, 66
  - $\lambda$ -calculus to express, 300
- Quantum registers, 67, 124–126
- Simulation, 124
- Uncomputation, 66
  - QCL programming language, 296
  - Silq programming language, 302
  - Transpilation intermediate representation, 315
  - Trick for saving result, 67
- Quantum counting, 230–234
- Quantum Developer Kit (QDK), 303
  - Simulators, 321
- Quantum dot decoherence time, 278
- Quantum error conditions, 279
- Quantum error correction
  - About, 278, 284
  - Bit-flip errors, 286–288
    - Shor's 9-qubit code, 289
  - Channels, 281
  - Compiler optimization and, 304
  - Error correction code memory, 284
  - Error syndrome, 286
  - Phase-flip errors, 288
    - Shor's 9-qubit code, 289
  - Quantum computing challenges, 285
  - Quantum noise, 278–284
  - Repetition code, 284
    - Majority voting, 285
    - No-cloning theorem, 285
    - Quantum repetition code, 285
  - Resources for information, 291
  - Shor's 9-qubit error correction code, 285, 289
- Quantum fidelity, 269
- Quantum Fourier transform (QFT)
  - About, 169
  - Algorithm detail
    - About, 163
    - Binary fractions, 163
    - Quantum Fourier transform, 165–167
    - Two-qubit QFT, 167–169
    - Two-qubit QFT online simulation, 170
  - Measurement, 169
  - Online simulation, 170
  - Phase kick circuits, 161
  - QCL programming language, 298
  - QFT operator, 169
    - Inverse, 170
  - Quantum arithmetic
    - Addition, 172–177
    - Multiplication, 177
    - Subtraction, 177
    - Testing, 178
- Quantum information, *see* Information
- Quantum IO Monad, 300
- Quantum mechanics
  - Copenhagen interpretation, 61
  - Hidden state, 60, 63
  - Postulates, 72
- Quantum noise, 278–284
  - Amplitude damping, 283
  - Channels, 281
    - Bit flip and phase flip, 281
    - Depolarization, 282
  - Compiler optimization and noise reduction, 304
  - Error correction, 284–291
  - Error injection to model, 282
    - Checking bit-flip error correction, 287
    - Gates as quantum noise source, 283
  - Gates imprecise, 283
  - Phase damping, 283
  - Quantum operations, 280
    - Operation element, 281
    - Operator-sum representation, 281
  - Simulation, 320, 321
- Quantum operations
  - Operation element, 281
  - Operator-sum representation, 281
- Quantum parallelism, 108, 112
- Quantum phase estimation (QPE)
  - Detailed derivation, 182–186
  - Eigenvalues and eigenvectors, 180
  - Hamiltonian eigenvalues, 240
  - Implementation, 186–189
  - Phase estimation, 181
    - Definition, 181
  - Quantum counting, 231
- Quantum programming languages
  - About hierarchy of abstractions, 295
  - Haskell, 300
    - Quipper as embedded DSL, 300
    - Quipper oracle automatic construction, 301
    - Silq as embedded DSL, 302
  - PSI probabilistic, 302
  - Q language C++ class library, 300
  - Q#, 303
    - Silq comparison, 302
  - QASM tool, 295
    - Addition via QFT circuit, 173
  - QCL, 296–298
    - Quipper comparison, 301
  - Quipper, 300
    - Oracle automatic construction, 301
    - Proto-Quipper follow-ups, 301
    - QCL comparison, 301
    - Silq comparison, 302
  - Resources for information, 303

- Quantum programming languages (Cont.)
  - Scaffold, 298
    - Classical and quantum constructs, 305
    - Entanglement analysis, 299
    - Hierarchical QASM, 299
    - Transpiler, 298
  - Silq, 302
    - Code snippet showcasing, 303
    - Oracle construction, 302
- Quantum random circuits (QRC), 150
  - Simulation design, 152
  - Simulation evaluation, 158
  - Simulation implementation, 154
  - Simulation metric, 157
  - Simulation run estimation, 155–158
- Quantum random walk, 234–240
  - 1D walk, 235
  - 2D walk, 237
  - About, 234, 238
  - Coin toss, 235
  - Walking the walk, 237
- Quantum registers, 124–126
  - Code to create and initialize, 125
    - qc data structure, 127
  - Compiler optimization and, 304
  - For result storage, 67
  - QCL programming language, 296
  - Reg class, 124
- Quantum supremacy, 149
- “Quantum supremacy using a programmable superconducting processor” (Arute et al.), 150
- Quantum teleportation, 97–102
  - Error correction trick, 286
- Quantum Turing machines, 149
- Qubits
  - About the state of a qubit, 13
    - Basis states, 13, 15
    - Basis states orthonormal, 15
    - Collapsing on measurement, 13, 60, 72
    - Communicating state of two with one, 102–105
    - Equal superposition of adjacent qubits, 45
    - Measurement, 75
    - Measurement examples, 76
    - Probability amplitudes, 13, 15, 16
    - State class constructors, 22
    - Superposition via Hadamard gates, 44
    - Tensor product combined state, 52
  - Ancilla qubits, 66
  - Binary addressing, 19
  - Bloch sphere describing, 55–56
    - Computing coordinates for given state, 58
  - Cloning or copying impossible, 65
  - Column vectors of complex numbers, 2, 15
  - Compiler optimization via recycling, 309
  - Complexity of scaling up, 122
  - Constructing in code, 14
    - Data structure, 14
  - Entanglement, 60–65
  - Junk qubits, 66
  - Operator application, 27–29
    - Applied at index specified, 31
    - Controller and controlled qubits, 46–51, 53
    - Multiple operators in sequence, 31
    - Multiple qubits, 29–31
    - Nonadjacent controller and controlled qubits, 47
    - Norm preserving, 6, 25
    - Notation for qubit index applied to, 31
    - Projection operators extracting subspace, 73
    - Quantum computation, 66
    - Qubit ordering, 137
  - Order of qubits, 18
    - Operator application, 137
    - Quantum circuit notation, 51
  - Phase, 21
  - Polar coordinates describing
    - Moving about sphere, 56
  - Tensors constructing, 9, 14
    - Code, 15
    - nbits property, 16
    - $n$  qubits, 16
- QuEST (Quantum Exact Simulation Toolkit), 321
- Quipper programming language, 300
  - Oracle automatic construction, 301
  - Proto-Quipper follow-ups, 301
  - QCL comparison, 301
  - Silq comparison, 302
- Quirk online simulations, 170
- QX Simulator, 320
- Random circuits, *see* Quantum random circuits (QRC)
- Random number generator, 78
  - Coin toss, 235
  - Random combination of 0 or 1 states, 23
- Random walk, 234–240
  - 1D walk, 235
  - 2D walk, 237
  - About, 234, 238
  - Coin toss, 235
  - Walking the walk, 237
- Reduced density operator, 68
  - Debugging tool for inspecting states, 68
  - Partial trace derivation, 68
    - Code, 69
  - Quirk qubits on Bloch sphere, 171
- Reg class, 124
- Registers, 67, 124–126
  - Code to create and initialize, 125

- libq implementation, 322
- qc data structure, 127
- Compiler optimization and, 304
- QCL programming language, 296
- Reg class, 124
- Relative phase, 35
  - Global phase versus, 60
- Relaxed peephole optimization, 308
- Renormalization
  - States collapsing on measurement
  - Renormalization, 74
- Repetition code, 284
  - Majority voting, 285
  - No-cloning theorem, 285
  - Quantum repetition code, 285
- Resources for information
  - Algorithms, 277
  - Computational complexity theory, 149
  - Logical to physical mapping, 310
  - Quantum error correction, 291
  - Quantum programming languages, 303
  - Quirk online simulator, 170
  - Schrödinger equation, 241
  - Simulators available, 320
- RevKit for reversible oracles, 321
- Rk gates, 39
  - Phases via various gates, 40
- Roots of gates, 41
  - Square roots of gates
    - About, 41
- Rosen, N., 60
- Rotation Axis, 37
- Rotation operators, 35
  - Axis of rotation, 37
  - Controlled rotation gates additive, 161
  - Discrete phase gates, 39
  - Quantum counting, 231
  - Qubit on Bloch sphere, 56
  - Rotation axis changed, 84
  - Square roots of, 41
- Row vectors
  - Bras in Dirac notation, 3
  - Inner products, 3
- RSA encryption algorithm, 189
- S-gates, *see also* Phase gates, 165
- Scaffold programming language, 298
  - Classical and quantum constructs, 305
  - Entanglement analysis, 299
  - Hierarchical QASM, 299
  - transpiler, 298
- Scalability
  - About, 122
  - Complexity of scaling up, 122, 293
  - Controlled gates, 48
  - Gate fast application, 134–139
  - Hierarchical QASM, 299
  - Quipper programming language, 300
  - Scalar products, *see* Inner products
  - Scheduling of gates, 306
  - Schrödinger–Feynman Simulation, 124
  - Schrödinger equation
    - qsim simulator, 321
    - Resource for more information, 241
    - Time-independent for state evolving, 72
    - Drivation, 240
    - Variational principle, 242–245
  - Schrödinger–Feynman path histories, 145, 151, 159
    - qsimh simulator, 321
- scipy
  - Installing, 42
  - sqrtn() function, 42
- Sets of universal gates, 49
- Shor's 9-qubit error correction code, 285, 289
- Shor's integer factorization algorithm
  - About, 189
  - About phase estimation, 163
  - Classical
    - Experimentation, 193
    - Factorization, 190
    - Greatest common divisor, 190
    - Modular arithmetic, 189
    - Period finding, 192
  - Period finding quantum algorithm, 196–200
  - Continued fractions, 208
  - Controlled modular multiplication, 207
  - Experimentation, 209
  - Main program, 200
  - Modular addition, 205–207
  - Support routines, 202–205
  - Sparse representation Benchmarked, 147
- Silq programming language, 302
  - Code snippet showcasing, 303
  - Oracle construction, 302
- Simon's algorithm, 121
- Simon's generalized algorithm, 121
- Simulation
  - About scalability, 122
  - Available simulators, 320
  - Complexity, 122, 151, 155
  - Online simulators, 170
  - Open-source simulators, 320
  - Parallelization of gates, 307
  - Quantum Fourier transform online simulation, 170
  - Quantum random circuits
    - Google team, 151, 158
    - Metric, 157
    - Simulation design, 152
    - Simulation evaluation, 158
    - Simulation implementation, 154
    - Simulation run estimation, 155–158



- Simulation (Cont.)
  - Quantum registers, 124–126
  - Quantum simulating classical computers, 149
- Single-qubit gates, 33–45
  - About constructing multi-qubit operators, 33
  - About operators, 9
  - Applying operator, 52
  - Hadamard gates, 44–45
  - Identity gates, 26, 33
    - Applied to multiple qubits, 30
  - Phase gates, 38
    - Discrete phase gates, 39
    - Phase shift or kick gates, 40
    - Phases via various gates, 40
  - Projection operators, 42
  - Reversed by conjugate transpose, 26
  - Rk gates, 40
  - Rotation operators, 35
  - RotationZ-gates versus phase gates, 38
  - Square roots of gates, 41
  - T-gates, 40
    - Phases via, 40
  - U1(lambda) gates, 40
  - X-gates, 26, 34
    - Applied to multiple qubits, 30
    - State initialization to 0- or 1-state, 22
  - Y-gates, 34
  - Z-gates, 34
- Sleator–Weinfurter construction, 85
- Solovay–Kitaev (SK) theorem, 266
- Solovay–Kitaev (SK) algorithm
  - About, 266
  - Algorithm, 270–272
  - Balanced group commutator, 272–274
    - Matrix diagonalization function, 274
  - Bloch sphere angle and axis, 267
  - Evaluation, 274
  - Pre-computing gates, 269
  - Random gate sequences, 276
  - Similarity metrics
    - Quantum fidelity, 269
    - Trace distance, 268
  - Theorem, 266
  - Universal gates, 266
    - SU(2) group, 267
- Sparse representation, 145–147
  - About, 122
  - Benchmarking, 147
  - libquantum library, 145
    - Simulation, 320
- SPEC benchmarks, 150
- Spooky action at a distance, 60, 63
  - Quantum teleportation, 97–102
- sqrtm() function of scipy, 42
- Square roots of gates
  - scipy sqrtm() function, 42
  - Squaring root of gate equals gate, 80
- State class
  - Constructing qubits in code, 14
    - Qubit data structure, 14
  - Constructors, 22
    - All 0-states or 1-states, 22
  - density() function, 23
  - Member functions, 19–21
    - Dumper function for all relevant info, 21
  - Probability and amplitudes, 19
  - Tensor class parent, 15
    - nbits property, 16
- States
  - About, 9
  - About bit order, 17, 18
    - Binary interpretation, 18
    - Bit index notation, 136
  - Basis states of qubits, *see* Basis states
  - Cloning, 65
  - Collapsing on measurement, 13, 60
    - Born rule, 72
    - Measurement definition, 72
    - Renormalization, 74
  - Density matrices, 68
  - Entanglement, 60–65
  - Kets representing state of system, 72
    - State evolving via operators, 72
  - Maximally mixed state, *see also* Probability amplitudes
  - Operator application, 27–29
    - Multiple qubits, 29–31
  - Projection operators extracting amplitude, 42
  - Quantum circuit notation
    - Single-qubit operators applied, 52
    - State change depiction, 52
    - State initialization, 52
  - Quantum operations, 280
  - Similarity via swap test, 93–97
    - Code, 96
  - Single-qubit 0 and 1 state constants, 23
  - Tensors constructing, 9
  - Tensors constructing qubits, 14
    - Code, 15
    - Qubit data structure, 14
    - $n$  qubits, 16
    - Tensor product combined state, 52
- Vectors
  - Binary interpretation, 18
  - Column vectors of complex numbers, 2, 14
  - Complexity of scaling up, 122
  - Kets representing state of system, 72
  - Normalization, 13, 20
  - Normalized vectors and, 4
  - Operator application, 27–29, 72
  - Unitary operators as norm preserving, 25
- Steane code, 291



- Steane, Andrew, 291
- SU(2) group, 267
- Subset-sum algorithm
  - About, 262
  - Experiments, 264
  - Implementation, 263
- Subtraction, 177
  - Decrement operator, 236
  - Testing quantum arithmetic, 178
- Summit supercomputer simulating quantum
  - random circuits, 158
- Superdense coding, 102–105
- Superposition
  - About, 44
  - About measurement, 72
  - Hadamard gates on qubits, 44
    - Equal superposition of adjacent qubits, 45
  - Linear combination of basis states, 13
  - Maximally mixed state, 64
  - State after operator applied, 52
- Swap gates, 50, 88
  - Compiler optimization, 308
  - Controlled-controlled Swap gates, 51
  - qc data structure, 131
- Swap test, 93–97
  - Code, 96
- Sycamore processor, 150
- T-gates
  - Phases via, 40, 165
  - Rotation axis changed, 84
  - Square root of phase gates, 41
  - Universal gates, 266
- Teleportation, 97–102
  - Error correction trick, 286
- Tensor class
  - About array behavior, 9
  - Comparing to values, 12
  - Instantiating, 10
    - tensor\_type() abstraction, 10
  - Kronecker product member function, 11
  - Operators derived from, 26
  - Qubit states
    - Code, 15
  - State class derived from, 15
    - nbits property, 16
- Tensor products, 5
  - Binary interpretation, 19
  - Distributive, 5
  - Kronecker product as, 10
  - Multiplication with scalar, 5
  - Operators applied to multiple qubits, 29–31
    - Multiple operators in sequence, 31
  - Product states, 61
  - State of two or more qubits, 16
  - Trace of matrix, 8
- Tensors, 9
  - About array behavior, 9
  - Checking if Hermitian or unitary, 12
  - Comparing to values, 12
  - Inner products, 5
  - Instantiating, 10
    - tensor\_type() abstraction, 10
  - Kronecker product, 10
- Testing
  - Benchmarking, *see* Benchmarking
  - Gate fast application, 139
  - Controlled gate equivalencies validated, 88
  - Debugging, 12
  - Quantum arithmetic, 178
  - Tracing out state of one qubit, 70
- Toffoli gates, 49, 85
  - Logic circuits from, 92
  - Multi-Controlled X-gates, 86
- Trace distance, 268
- Trace of matrix, 8
  - Hermitian matrices, 8
  - Partial-trace procedure, 59
  - Tensor product, 8
  - Trace of outer product two kets, 8
- Transpilation
  - About, 292, 311
  - Code generation flags, 315
  - Dumper function, 315
    - Cirq, 319
    - libq, 317
    - QASM, 316
  - Intermediate representation, 311
    - Circuit capabilities of, 314
    - IR base class, 312
    - IR nodes, 311
    - Quantum circuit extensions, 313
    - Uncomputation, 315
  - $\pi$  fractions output, 316
  - Scaffold transpiler, 298
- Transposition
  - Involutivity, 3
  - Matrix, 2
- Two-qubit quantum Fourier transform, 167–169
  - Online simulator, 170
- U1(lambda) gates, 40, 164
  - Controlled-U1 gate for quantum arithmetic, 172
- Uncomputation, 66, 315
  - QCL programming language, 296
  - Silq programming language, 302
  - Transpilation intermediate representation, 315
  - Trick for saving result, 67
- Underscore in function names, 12
- Unitary matrices
  - About, 6
  - Checking if tensor is unitary, 12

- Unitary matrices (Cont.)
  - Norm preserving, 6, 25
  - Tensoring together, 11
- Unitary operators, *see also* Gates; Operators
  - Invertable, 26
- Universal gates, 49
  - Definition, 266
  - QRAM model of quantum computing, 294
  - Solovay–Kitaev theorem, 266
  - SU(2) group, 267
- Universal gates in quantum computing, 49
- V-gates
  - Square root of X-gates, 41, 85
- val2bits() for decimal to binary, 24
- Variational quantum eigensolver (VQE)
  - About, 160, 240
  - Algorithm, 245–248
  - Expectation values, 244
  - Hamiltonian type, 242
  - Measurement in Pauli bases, 242
  - Measuring eigenvalues, 248
  - Multiple qubits, 250–252
  - Quantum phase estimation, 240
  - Schrödinger equation, 240
  - Variational principle, 242–245
- Vectors
  - Binary interpretation, 18
  - Complex numbers, 2
  - Norm, 4
  - Orthogonal, 4
  - States
    - Basis states of qubits, 13
    - Complexity of scaling up, 122
    - Initializing with normalized vector, 23
    - Kets representing state of system, 72
    - Operator application, 27–29, 72
    - Unitary operators as norm preserving, 25
  - Tensor products, 5
  - Unitary matrices as norm preserving, 6, 25
- VQE, *see* Variational quantum eigensolver algorithm
- Weighted maximum cut, 255
- Wilczek, F., xi
- Wire optimization, 309
- X-gates, 26, 34
  - Applied to multiple qubits, 30, 135
  - Controlled-Controlled X-gates (CCX-gates), 49, 85
  - Logic circuits from, 92
  - Multi-Controlled X-gates, 86
  - Not-gate, 34
  - Quantum circuit notation
    - Controlled-X gates, 53
    - Controlled-Not-by-0 gates built, 53
    - X-gates, 53
  - Qubit on Bloch sphere, 56
  - Square root of as V-gate, 41, 85
  - State initialization to 0- or 1-state, 22
- Y-gates, 34
  - Negate Y-gate, 83
  - Square root of, 41
- Z-gates, 34
  - Controlled-Z gates, 81
    - Controlled-Not gates via, 82
    - Multi-Controlled-Z gates, 82
  - Phase-flip gates, 34, 37
  - Phases via, 40
  - Quantum circuit notation, 53
    - Controlled Z-gates, 53
  - Qubit on Bloch sphere, 56–58
- Z90-gates, *see also* Phase gates
- Zeilinger, Anton, 64