# Lung Cancer

Jaewoong Lee

Ulsan National Institute of Science and Technology jwlee230@unist.ac.kr

2021-03-19

#### Overview

- Introduction
- Materials
  - Cancer Types
- Methods
- 4 Results
- 5 Proceedings

### Introduction

# Lung Cancer

# Study Objectives

- Find different mutations
  - between WES
  - between WTS
  - from cancer
  - from pre-cancer
- Pathway examine from the mutations
  - of WES
  - of RNA-seq
- Ultra-deep sequencing to find an infinitesimal quantity of Non-Circulating Tumor DNA
  - from blood
  - from urine
  - frrom bronchus
- Diagnostic performace



#### Materials

# Lung Cancer Data

- WES + WTS
- $\bullet \ \mathsf{Normal} + \{\mathsf{Primary}, \ \mathsf{CIS} + \mathsf{AIS}, \ \mathsf{AAH}, \ \mathsf{Dysplasia}, \ \mathsf{MIA}\}$
- Total 112 samples

Materials

Cancer Types

#### CIS + AIS

• Carcinoma in situ + Adenocarcinoma in situ

#### **AAH**

• Atypical adenomatous hyperplasia

# Dysplasia

#### MIA

• Minimally invasive adenocarcinoma

## Methods

# Data pre-processing for variant discovery




Figure: Data pre-processing for variant discovery (Van der Auwera et al., 2013; DePristo et al., 2011)

- 4日ト4個ト4度ト4度ト 夏 9000

### Somatic short variant discovery




Figure: Somatic short variant (SNVs + Indels) discovery workflow (Van der Auwera et al., 2013; DePristo et al., 2011)

 √ □ → √ □ → √ □ → √ □ → √ □ → √ □ → √ □ → √ □

 Jaewoong Lee (UNIST)
 Lung Cancer
 2021-03-19
 15/22

# RNA-seq short variant discovery




Figure: RNA-seq short variant (SNVs + Indels) discovery workflow (Van der Auwera et al., 2013; DePristo et al., 2011)

#### Results

#### Results

**Quality Checks** 

### FastQC I




Figure: FastQC with WES data

- ... Only 33P1 has more than 3 failures: 6 FAILs.
- $\therefore$  33P1 is excluded at further analysis.

### FastQC II



Figure: FastQC with WTS data

- ... No sample has more than 5 failures.
- :. All sample are good to analysis.

# Proceedings

#### To-do Lists I

- Alignment WES with BWA
- Alignment WES with Bowtie2

#### References I

- DePristo, M. A., Banks, E., Poplin, R., Garimella, K. V., Maguire, J. R., Hartl, C., . . . others (2011). A framework for variation discovery and genotyping using next-generation dna sequencing data. *Nature genetics*, 43(5), 491.
- Van der Auwera, G. A., Carneiro, M. O., Hartl, C., Poplin, R., Del Angel, G., Levy-Moonshine, A., . . . others (2013). From fastq data to high-confidence variant calls: the genome analysis toolkit best practices pipeline. *Current protocols in bioinformatics*, 43(1), 11–10.