Lung Cancer

Jaewoong Lee

Semin Lee

2021-04-06

Contents

1		oduction	3
		ϵ	3
	1.2	Precancer	3
	1.3	Study Objectives	3
2	Mate	erials	3
	2.1	Carcinoma in situ	3
	2.2	Adenocarcinoma in situ	3
	2.3	V1 V1 1	3
	2.4	Dysplasia	3
			3
	2.6	Data Structure & Count	3
3	Meth	nods	3
	3.1	Workflows	3
	3.2	List of Bioinformatics Tools	3
	3.3	Python Packages	3
	_		•
4	Resu 4.1		3 3
	4.1	Quality Check with PastQC	3
5	Discu	assion	3
6	Refe	rences	3
		f Tables	
L	ist of	f Figures	
	1	Workflow for data pre-processing for variant discovery (Van der Auwera et al., 2013; DePristo et al., 2011)	4
	2	Somatic short variant discovery workflow (Van der Auwera et al., 2013; DePristo et al., 2011)	4
	3	Germline short variant discovery workflow (Van der Auwera et al., 2013; DePristo et al., 2011)	5
	4	RNA-seq short variant discovery workflow (Van der Auwera et al., 2013; DePristo et al., 2011)	5
	5	FastQC results with WES data	5
	6	FastOC results with WTS data	5

1 Introduction

- 1.1 Lung Cancer
- 1.2 Precancer
- 1.3 Study Objectives
- 2 Materials
- 2.1 Carcinoma in situ

Carcinoma in situ (CIS)

2.2 Adenocarcinoma in situ

Adenocarcinoma in situ (AIS)

2.3 Atypical Adenomatous Hyperplasia

Atypical adenomatous hyperplasia (AAH)

- 2.4 Dysplasia
- 2.5 Minimally Invasive Adenocarcinoma

Minimally invasive adenocarcinoma (MIA)

- 2.6 Data Structure & Count
- 3 Methods
- 3.1 Workflows
- 3.2 List of Bioinformatics Tools
- 3.3 Python Packages
- 4 Results
- 4.1 Quality Check with FastQC
- 5 Discussion
- 6 References
- Andrews, S., Krueger, F., Segonds-Pichon, A., Biggins, L., Krueger, C., & Wingett, S. (2012, January). *FastQC*. Babraham Institute. Babraham, UK.
- DePristo, M. A., Banks, E., Poplin, R., Garimella, K. V., Maguire, J. R., Hartl, C., ... others (2011). A framework for variation discovery and genotyping using next-generation dna sequencing data. *Nature genetics*, 43(5), 491.
- Dobin, A., Davis, C. A., Schlesinger, F., Drenkow, J., Zaleski, C., Jha, S., ... Gingeras, T. R. (2013). Star: ultrafast universal rna-seq aligner. *Bioinformatics*, 29(1), 15–21.
- Favero, F., Joshi, T., Marquard, A. M., Birkbak, N. J., Krzystanek, M., Li, Q., ... Eklund, A. C. (2015). Sequenza: allele-specific copy number and mutation profiles from tumor sequencing data. *Annals of Oncology*, 26(1), 64–70.
- Li, H. (2013). Aligning sequence reads, clone sequences and assembly contigs with bwa-mem. *arXiv preprint* arXiv:1303.3997.
- Li, H., & Durbin, R. (2009). Fast and accurate short read alignment with burrows—wheeler transform. *bioinformatics*, 25(14), 1754–1760.
- Li, H., Handsaker, B., Wysoker, A., Fennell, T., Ruan, J., Homer, N., ... Durbin, R. (2009). The sequence alignment/map format and samtools. *Bioinformatics*, 25(16), 2078–2079.




Figure 1: Workflow for data pre-processing for variant discovery (Van der Auwera et al., 2013; DePristo et al., 2011)




Figure 2: Somatic short variant discovery workflow (Van der Auwera et al., 2013; DePristo et al., 2011)




Figure 3: Germline short variant discovery workflow (Van der Auwera et al., 2013; DePristo et al., 2011)




Figure 4: RNA-seq short variant discovery workflow (Van der Auwera et al., 2013; DePristo et al., 2011)




Figure 5: FastQC results with WES data



Figure 6: FastQC results with WTS data

Van der Auwera, G. A., Carneiro, M. O., Hartl, C., Poplin, R., Del Angel, G., Levy-Moonshine, A., ... others (2013). From fastq data to high-confidence variant calls: the genome analysis toolkit best practices pipeline. *Current protocols in bioinformatics*, 43(1), 11–10.