

Opentrans V2.1 DropShipment DeliveryNote

Competec Service AG

Version 1.1, 12-07-2024

Preface

This document describes the implementation of Opentrans V2.1 for supplier dropshipment delivery notes / dispatch notification.

Dispatch Notification Header

Dispatch Notification Info

Table 1. dispatch notification info elements

Element name	Description	Example
DISPATCHNOTIFICATION_ID	Delivery Note ID	1112223334
DISPATCHNOTIFICATION_DATE	Date Time	2023-04-22T09:48:11
DELIVERY_DATE	Element	Delivery Date
PARTIES	Parties	Parties
SUPPLIER_IDREF	Supplier's ID	Parties References
BUYER_IDREF	Buyer's ID	Parties References
SHIPMENT_PARTIES_REFERENCE	References	Parties References
SHIPMENT_ID	Shipment ID	Tracking and Tracing
TRACKING_TRACING_URL	Tracking URL	Tracking and Tracing

Delivery Date

The end date is used as delivery date.

Table 2. DeliveryDate Elements

Element name	Description	Example
DELIVERY_START_DATE	Date Time	2023-02-07T00:00:00
DELIVERY_END_DATE	Date Time	2023-02-08T00:00:00

Example:

```
<DELIVERY_DATE>
  <DELIVERY_START_DATE>2023-02-07T00:00:00</DELIVERY_START_DATE>
  <DELIVERY_END_DATE>2023-02-08T00:00:00</DELIVERY_END_DATE>
</DELIVERY_DATE>
```

Parties

Required parties are BUYER, SUPPLIER and FINAL_DELIVERY.

Table 3. Party Elements

Element name	Description	Example	Remarks
PARTY_ID	buyer_specific ID	A1234	Attribute type defines party. Mandatory: buyer_specific.
PARTY_ROLE	Identifies the role of this party	buyer	
ADDRESS	Address data	Address	for delivery party required.

Supported codes for PARTY_ROLE and their interpretation:

Code	Description	Remarks
buyer	Buyers Address	mandatory
supplier	Suppliers Address	mandatory
final_delivery	Delivery Address	mandatory

Address

Addresses may be omitted, except for final_delivery.

Table 4. Address Elements

Element name	Description	Example
NAME	Company Name	Sample AG
STREET	Street	Mustergasse 1
ZIP	ZIP	8000
CITY	City	Zürich
STATE	Canton	ZH
COUNTRY_CODED	Country code	CH

Example Parties Block:

```
<PARTIES>
  <PARTY>
    <bmeecat:PARTY_ID type="buyer_specific">L123456</bmeecat:PARTY_ID>
    <bmeecat:PARTY_ID type="gln">7600000000000</bmeecat:PARTY_ID>
    <PARTY_ROLE>supplier</PARTY_ROLE>
  </PARTY>
  <PARTY>
    <bmeecat:PARTY_ID type="buyer_specific">K22222</bmeecat:PARTY_ID>
    <PARTY_ROLE>final_delivery</PARTY_ROLE>
    <ADDRESS>
      <bmeecat:NAME>Max Muster</bmeecat:NAME>
      <bmeecat:STREET>Gartenweg 123</bmeecat:STREET>
      <bmeecat:ZIP>1212</bmeecat:ZIP>
      <bmeecat:CITY>Musterlingen</bmeecat:CITY>
    </ADDRESS>
  </PARTY>
  <PARTY>
    <bmeecat:PARTY_ID type="buyer_specific">A1234567</bmeecat:PARTY_ID>
    <bmeecat:PARTY_ID type="gln">7699999999999</bmeecat:PARTY_ID>
    <PARTY_ROLE>buyer</PARTY_ROLE>
  </PARTY>
</PARTIES>
```

Parties References

The type for each reference is `supplier_specific`.

Table 5. Parties references

Element name	Description	Example
BUYER_IDREF	defines buyer party id with type	444444
SUPPLIER_IDREF	defines supplier party id with type	666666
SHIPMENT_PARTIES_REFERENCE	defines delivery party id with type	444444

Example:

```
<DISPATCHNOTIFICATION_INFO>
<!-- more elements here -->
<bme:cat:SUPPLIER_IDREF type="buyer_specific">L123456</bme:cat:SUPPLIER_IDREF>
<bme:cat:BUYER_IDREF type="buyer_specific">A1234567</bme:cat:BUYER_IDREF>

<SHIPMENT_PARTIES_REFERENCE>
  <DELIVERY_IDREF type="buyer_specific">K22222</DELIVERY_IDREF>
</SHIPMENT_PARTIES_REFERENCE>
<!-- more elements here -->
</DISPATCHNOTIFICATION_INFO>
```

Tracking and Tracing

Table 6. tracking and tracing information

Element name	Description	Example
SHIPMENT_ID	id to track parcel	see code example
TRACKING_TRACING_URL	url to track parcel	see code example

Example:

```
<DISPATCHNOTIFICATION_INFO>
<!-- more elements here -->
<SHIPMENT_ID>SHIP_ID_1234567</SHIPMENT_ID>
<TRACKING_TRACING_URL>www.sometrackingpage.com/trackandtrace</TRACKING_TRACING_URL>
<!-- more elements here -->
</DISPATCHNOTIFICATION_INFO>
```

Dispatch Notification Item List

Dispatch Notification Items

Table 7. Dispatch Notification item list element

Element name	Description	Example	Remarks
DISPATCHNOTIFICATION_ITEM_LIST	contains all line items	Dispatch Notification Item	at least one line is provided

Dispatch Notification Item

Table 8. Dispatch Notification Item Elements

Element name	Description	Example
LINE_ITEM_ID	Line number	10
PRODUCT_ID	Product IDs	Product ID
QUANTITY	Amount ordered	1
ORDER_UNIT	Unit, always p. piece	C62
ORDER_REFERENCE	Reference to Order by buyer	Order Reference
SHIPMENT_PARTIES_REFERENCE	ID to delivery address	Shipment Parties Reference

Product ID

Table 9. Product Id elements

Element name	Description	Example	type
BUYER_PID	Product id by buyer	abc1234	sku
DESCRIPTION_SHORT	Product name	Sample Product	Language is always german (ger)

Example:

```
<PRODUCT_ID>
  <bmeecat:BUYER_PID>1567326</bmeecat:BUYER_PID>
  <bmeecat:DESCRIPTION_SHORT>Some product text</bmeecat:DESCRIPTION_SHORT>
</PRODUCT_ID>
```

Order Reference

Table 10. Order Reference elements

Element name	Description	Example
ORDER_ID	original order id	4559022201
LINE_ITEM_ID	original order line id	10

Example:

```
<ORDER_REFERENCE>
  <ORDER_ID>4559022201</ORDER_ID>
  <LINE_ITEM_ID>10</LINE_ITEM_ID>
</ORDER_REFERENCE>
```

Shipment Parties Reference

Table 11. Shipment Party Reference elements

Element name	Description	Example
DELIVERY_IDREF	ID of delivery address	444444

Example:

```
<SHIPMENT_PARTIES_REFERENCE>
  <DELIVERY_IDREF type="supplier_specific">444444</DELIVERY_IDREF>
</SHIPMENT_PARTIES_REFERENCE>
```


Dispatch Notification Summary

Table 12. Dispatch Notification summary Elements

Element name	Description	Example
TOTAL_ITEM_NUM	Count of line items	1

Example:

```
<DISPATCHNOTIFICATION_SUMMARY>  
  <TOTAL_ITEM_NUM>1</TOTAL_ITEM_NUM>  
</DISPATCHNOTIFICATION_SUMMARY>
```

Appendix

Sample Dispatch Notification

```
<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<DISPATCHNOTIFICATION
  xmlns="http://www.opentrans.org/XMLSchema/2.1" version="2.1"
  xmlns:bmeecat="http://www.bmeecat.org/bmeecat/2005">
  <DISPATCHNOTIFICATION_HEADER>
    <DISPATCHNOTIFICATION_INFO>
      <DISPATCHNOTIFICATION_ID>DN1122334455</DISPATCHNOTIFICATION_ID>
      <DISPATCHNOTIFICATION_DATE>2024-05-
11T10:00:00+01:00</DISPATCHNOTIFICATION_DATE>
      <DELIVERY_DATE>
        <DELIVERY_START_DATE>2024-02-29T10:00:00+01:00</DELIVERY_START_DATE>
        <DELIVERY_END_DATE>2024-02-29T10:00:00+01:00</DELIVERY_END_DATE>
      </DELIVERY_DATE>
    <PARTIES>
      <PARTY>
        <bmeecat:PARTY_ID type="buyer_specific">L123456</bmeecat:PARTY_ID>
        <bmeecat:PARTY_ID type="gln">7600000000000</bmeecat:PARTY_ID>
        <PARTY_ROLE>supplier</PARTY_ROLE>
      </PARTY>
      <PARTY>
        <bmeecat:PARTY_ID type="buyer_specific">K22222</bmeecat:PARTY_ID>
        <PARTY_ROLE>final_delivery</PARTY_ROLE>
        <ADDRESS>
          <bmeecat:NAME>Max Muster</bmeecat:NAME>
          <bmeecat:STREET>Gartenweg 123</bmeecat:STREET>
          <bmeecat:ZIP>1212</bmeecat:ZIP>
          <bmeecat:CITY>Musterlingen</bmeecat:CITY>
        </ADDRESS>
      </PARTY>
      <PARTY>
        <bmeecat:PARTY_ID type="buyer_specific">A1234567</bmeecat:PARTY_ID>
        <bmeecat:PARTY_ID type="gln">7699999999999</bmeecat:PARTY_ID>
        <PARTY_ROLE>buyer</PARTY_ROLE>
      </PARTY>
    </PARTIES>

    <bmeecat:SUPPLIER_IDREF type="buyer_specific">L123456</bmeecat:SUPPLIER_IDREF>
    <bmeecat:BUYER_IDREF type="buyer_specific">A1234567</bmeecat:BUYER_IDREF>

    <SHIPMENT_PARTIES_REFERENCE>
      <DELIVERY_IDREF type="buyer_specific">K22222</DELIVERY_IDREF>
    </SHIPMENT_PARTIES_REFERENCE>

    <SHIPMENT_ID>SHIP_ID_1234567</SHIPMENT_ID>
```

```

<TRACKING_TRACING_URL>www.sometrackingpage.com/trackandtrace/findMySendungsnummer</TRACKING_TRACING_URL>
  </DISPATCHNOTIFICATION_INFO>
</DISPATCHNOTIFICATION_HEADER>

<DISPATCHNOTIFICATION_ITEM_LIST>
  <DISPATCHNOTIFICATION_ITEM>
    <LINE_ITEM_ID>1</LINE_ITEM_ID>
    <PRODUCT_ID>
      <bmeecat:BUYER_PID>1567285</bmeecat:BUYER_PID>
      <bmeecat:DESCRIPTION_SHORT>Notebooktasche</bmeecat:DESCRIPTION_SHORT>
    </PRODUCT_ID>
    <QUANTITY>2</QUANTITY>
    <bmeecat:ORDER_UNIT>C62</bmeecat:ORDER_UNIT>
    <ORDER_REFERENCE>
      <ORDER_ID>1990845089</ORDER_ID>
      <LINE_ITEM_ID>300</LINE_ITEM_ID>
    </ORDER_REFERENCE>
    <SHIPMENT_PARTIES_REFERENCE>
      <DELIVERY_IDREF type="buyer_specific">K22222</DELIVERY_IDREF>
    </SHIPMENT_PARTIES_REFERENCE>
  </DISPATCHNOTIFICATION_ITEM>

  <DISPATCHNOTIFICATION_ITEM>
    <LINE_ITEM_ID>2</LINE_ITEM_ID>
    <PRODUCT_ID>
      <bmeecat:BUYER_PID>1567326</bmeecat:BUYER_PID>
      <bmeecat:DESCRIPTION_SHORT>Some other product text, little
longer</bmeecat:DESCRIPTION_SHORT>
    </PRODUCT_ID>
    <QUANTITY>2</QUANTITY>
    <bmeecat:ORDER_UNIT>C62</bmeecat:ORDER_UNIT>
    <ORDER_REFERENCE>
      <ORDER_ID>1990845089</ORDER_ID>
      <LINE_ITEM_ID>13</LINE_ITEM_ID>
    </ORDER_REFERENCE>
    <SHIPMENT_PARTIES_REFERENCE>
      <DELIVERY_IDREF type="buyer_specific">K22222</DELIVERY_IDREF>
    </SHIPMENT_PARTIES_REFERENCE>
  </DISPATCHNOTIFICATION_ITEM>

</DISPATCHNOTIFICATION_ITEM_LIST>

<DISPATCHNOTIFICATION_SUMMARY>
  <TOTAL_ITEM_NUM>2</TOTAL_ITEM_NUM>
</DISPATCHNOTIFICATION_SUMMARY>
</DISPATCHNOTIFICATION>

```

Glossary

sku

Stock Keeping Unit, product id by competec.