Opentrans V2.1 DropShipment DeliveryNote

Competec Service AG

Version 1.1, 12-07-2024

Preface

This document describes the implementation of Opentrans V2.1 for supplier dropshipment delivery notes $\!\!\!/$ dispatch notification.

Dispatch Notification Header

Dispatch Notification Info

Table 1. dispatch notification info elements

Element name	Description	Example
DISPATCHNOTIFICATION_ID	Delivery Note ID	1112223334
DISPATCHNOTIFICATION_DATE	Date Time	2023-04-22T09:48:11
DELIVERY_DATE	Element	Delivery Date
PARTIES	Parties	Parties
SUPPLIER_IDREF	Supplier's ID	Shipment Parties References
BUYER_IDREF	Buyer's ID	Shipment Parties References
SHIPMENT_PARTIES_REFERENCE	References	Shipment Parties References
SHIPMENT_ID	Shipment ID	Tracking and Tracing
TRACKING_TRACING_URL	Tracking URL	Tracking and Tracing

Delivery Date

The end date is used as delivery date.

Table 2. DeliveryDate Elements

Element name	Description	Example
DELIVERY_START_DATE	Date Time	2023-02-07T00:00:00
DELIVERY_END_DATE	Date Time	2023-02-08T00:00:00

```
<DELIVERY_DATE>
  <DELIVERY_START_DATE>2023-02-07T00:00:00</DELIVERY_START_DATE>
  <DELIVERY_END_DATE>2023-02-08T00:00</DELIVERY_END_DATE>
</DELIVERY_DATE>
```

Parties

Required parties are BUYER, SUPPLIER and FINAL_DELIVERY.

Table 3. Party Elements

Element name	Description	Example	Remarks
PARTY_ID	buyer_specific ID	A1234	Attribute type defines party. Mandatory: buyer_specific.
PARTY_ROLE	Identifies the role of this party	buyer	
ADDRESS	Address data	Address	for delivery party required.

Supported codes for PARTY_ROLE and their interpretation:

Code	Description	Remarks
buyer	Buyers Address	mandatory
supplier	Suppliers Address	mandatory
final_delivery	Delivery Address	mandatory
deliverer	Deliverer Name	optional, used to provide the deliverers name only

Address

Addresses may be omitted, except for final_delivery.

Table 4. Address Elements

Element name	Description	Example
NAME	Company Name	Sample AG
STREET	Street	Mustergasse 1
ZIP	ZIP	8000
CITY	City	Zürich
STATE	Canton	ZH
COUNTRY_CODED	Country code	СН

```
<PARTIES>
   <PARTY>
       <bmecat:PARTY_ID type="buyer_specific">L123456</bmecat:PARTY_ID>
       <bmecat:PARTY_ID type="gln">760000000000/bmecat:PARTY_ID>
       <PARTY_ROLE>supplier</PARTY_ROLE>
   </PARTY>
   <PARTY>
       <bmecat:PARTY_ID type="buyer_specific">K22222</bmecat:PARTY_ID>
       <PARTY ROLE>final delivery</PARTY ROLE>
       <ADDRESS>
           <bmecat:NAME>Max Muster
           <bmecat:STREET>Gartenweg 123/bmecat:STREET>
           <bmecat:ZIP>1212
           <bmecat:CITY>Musterlingen</bmecat:CITY>
       </ADDRESS>
   </PARTY>
   <PARTY>
       <bmecat:PARTY ID type="buyer specific">A1234567/bmecat:PARTY ID>
       <bmecat:PARTY_ID type="gln">769999999999/bmecat:PARTY_ID>
       <PARTY_ROLE>buyer</PARTY_ROLE>
   </PARTY>
   <PARTY>
       <bmecat:PARTY_ID type="supplier_specific">C12345</bmecat:PARTY_ID>
       <PARTY ROLE>deliverer</PARTY ROLE>
       <ADDRESS>
           <bmecat:NAME>DHL EXPRESS</bmecat:NAME>
       </ADDRESS>
   </PARTY>
</PARTIES>
```

Parties References

The type for each reference can be supplier_specific, buyer_specific or gln. All three references are mandatory and must be provided with their respective identifier, in alignment with the party elements above.

Table 5. Parties references

Element name	Description	Example
BUYER_IDREF	defines buyer party id with type buyer_specific	A1234567
SUPPLIER_IDREF	defines supplier party id with type buyer_specific	L123456
SHIPMENT_PARTIES_REFERENCE	delivery and deliverer party	

Shipment Parties References

DELIVERER_IDREF is only required when Party with role deliverer is used. Only the first name field of address is required to identify the carrier.

If the carrier name is not available, both deliverer party and DELIVERER_IDREF may be omitted.

Table 6. Parties references

Element name	Description	Example
DELIVERY_IDREF	defines delivery party id	K22222
DELIVERER_IDREF	defines deliverer party id	C12345

Example:

Tracking and Tracing

Table 7. tracking and tracing information

Element name	Description	Example
SHIPMENT_ID	id to track parcel	see code example
TRACKING_TRACING_URL	url to track parcel	see code example

Dispatch Notification Item List

Dispatch Notification Items

Table 8. Dispatch Notification item list element

Element name	Description	Example	Remarks
DISPATCHNOTIFICATI	contains all line items	Dispatch Notification	at least one line is
ON_ITEM_LIST		Item	provided

Dispatch Notification Item

Table 9. Dispatch Notification Item Elements

Element name	Description	Example
LINE_ITEM_ID	Line number	10
PRODUCT_ID	Product IDs	Product ID
QUANTITY	Amount ordered	1
ORDER_UNIT	Unit, always p. piece	C62
ORDER_REFERENCE	Reference to Order by buyer	Order Reference
SHIPMENT_PARTIES_REFERENCE	ID to delivery address	Shipment Parties Reference

Product ID

Table 10. Product Id elements

Element name	Description	Example	type
BUYER_PID	Product id by buyer	abc1234	sku
DESCRIPTION_SHOR T	Product name	Sample Product	Language is always german (ger)

```
<PRODUCT_ID>
     <bmecat:BUYER_PID>1567326</bmecat:BUYER_PID>
     <bmecat:DESCRIPTION_SHORT>Some product text</bmecat:DESCRIPTION_SHORT>
</PRODUCT_ID>
```

Order Reference

Table 11. Order Reference elements

Element name	Description	Example
ORDER_ID	original order id	4559022201
LINE_ITEM_ID	original order line id	10

Example:

```
<ORDER_REFERENCE>
  <ORDER_ID>4559022201</ORDER_ID>
  <LINE_ITEM_ID>10</LINE_ITEM_ID>
</ORDER_REFERENCE>
```

Shipment Parties Reference

Table 12. Shipment Party Reference elements

Element name	Description	Example
DELIVERY_IDREF	ID of delivery address	444444

```
<SHIPMENT_PARTIES_REFERENCE>
  <DELIVERY_IDREF type="supplier_specific">444444</DELIVERY_IDREF>
</SHIPMENT_PARTIES_REFERENCE>
```

Dispatch Notification Summary

Table 13. Dispatch Notification summary Elements

Element name	Description	Example
TOTAL_ITEM_NUM	Count of line items	1

Example:

<DISPATCHNOTIFICATION_SUMMARY>
 <TOTAL_ITEM_NUM>1</TOTAL_ITEM_NUM>
</DISPATCHNOTIFICATION_SUMMARY>

Appendix

Sample Dispatch Notification

```
<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<DISPATCHNOTIFICATION</pre>
xmlns="http://www.opentrans.org/XMLSchema/2.1" version="2.1"
xmlns:bmecat="http://www.bmecat.org/bmecat/2005">
 <DISPATCHNOTIFICATION HEADER>
    <DISPATCHNOTIFICATION INFO>
        <DISPATCHNOTIFICATION ID>DN1122334455/DISPATCHNOTIFICATION ID>
        <DISPATCHNOTIFICATION DATE>2024-05-
11T10:00:00+01:00</DISPATCHNOTIFICATION_DATE>
        <DELIVERY DATE>
            <DELIVERY START DATE>2024-02-29T10:00:00+01:00/DELIVERY START DATE>
            <DELIVERY_END_DATE>2024-02-29T10:00:00+01:00/DELIVERY_END_DATE>
        </DELIVERY DATE>
        <PARTIES>
            <PARTY>
                <bmecat:PARTY ID type="buyer specific">L123456</bmecat:PARTY ID>
                <bmecat:PARTY ID type="gln">760000000000/bmecat:PARTY ID>
                <PARTY_ROLE>supplier</PARTY_ROLE>
            </PARTY>
            <PARTY>
                <bmecat:PARTY_ID type="buyer_specific">K22222</bmecat:PARTY_ID>
                <PARTY ROLE>final delivery</PARTY ROLE>
                <ADDRESS>
                   <bmecat:NAME>Max Muster
                   <bmecat:STREET>Gartenweg 123/bmecat:STREET>
                   <bmecat:ZIP>1212
                   <bmecat:CITY>Musterlingen/bmecat:CITY>
                </ADDRESS>
            </PARTY>
            <PARTY>
                <bmecat:PARTY_ID type="buyer_specific">A1234567</bmecat:PARTY_ID>
                <bmecat:PARTY ID type="qln">76999999999/bmecat:PARTY ID>
                <PARTY ROLE>buyer</PARTY ROLE>
            </PARTY>
        </PARTIES>
        <bmecat:SUPPLIER IDREF type="buyer specific">L123456</bmecat:SUPPLIER IDREF>
        <bmecat:BUYER_IDREF type="buyer_specific">A1234567</bmecat:BUYER_IDREF>
        <SHIPMENT PARTIES REFERENCE>
            <DELIVERY_IDREF type="buyer_specific">K22222</DELIVERY_IDREF>
        </SHIPMENT_PARTIES_REFERENCE>
        <SHIPMENT_ID>SHIP_ID_1234567</SHIPMENT_ID>
```

```
<TRACKING_TRACING_URL>www.sometrackingpage.com/trackandtrace/findMySendungsnummer</TRA
CKING_TRACING_URL>
    </DISPATCHNOTIFICATION INFO>
 </DISPATCHNOTIFICATION_HEADER>
 <DISPATCHNOTIFICATION ITEM LIST>
    <DISPATCHNOTIFICATION ITEM>
        <LINE_ITEM_ID>1</LINE_ITEM_ID>
        <PRODUCT ID>
            <bmecat:BUYER_PID>1567285/bmecat:BUYER_PID>
            <bmecat:DESCRIPTION_SHORT>Notebooktasche/bmecat:DESCRIPTION_SHORT>
        </PRODUCT ID>
        <QUANTITY>2</QUANTITY>
        <bmecat:ORDER UNIT>C62/bmecat:ORDER UNIT>
        <ORDER REFERENCE>
            <ORDER_ID>1990845089</ORDER_ID>
            <LINE ITEM ID>300</LINE ITEM ID>
        </ORDER REFERENCE>
        <SHIPMENT_PARTIES_REFERENCE>
            <DELIVERY_IDREF type="buyer_specific">K22222</DELIVERY_IDREF>
        </SHIPMENT PARTIES REFERENCE>
    </DISPATCHNOTIFICATION_ITEM>
    <DISPATCHNOTIFICATION ITEM>
        <LINE_ITEM_ID>2</LINE_ITEM_ID>
        <PRODUCT ID>
            <bmecat:BUYER PID>1567326/bmecat:BUYER PID>
            <bmecat:DESCRIPTION_SHORT>Some other product text, little
longer</bmecat:DESCRIPTION SHORT>
        </PRODUCT ID>
        <QUANTITY>2</QUANTITY>
        <bmecat:ORDER_UNIT>C62/bmecat:ORDER_UNIT>
        <ORDER REFERENCE>
            <ORDER_ID>1990845089</ORDER_ID>
            <LINE_ITEM_ID>13</LINE_ITEM_ID>
        </ORDER_REFERENCE>
        <SHIPMENT PARTIES REFERENCE>
            <DELIVERY_IDREF type="buyer_specific">K22222</DELIVERY_IDREF>
        </SHIPMENT_PARTIES_REFERENCE>
    </DISPATCHNOTIFICATION_ITEM>
 </DISPATCHNOTIFICATION ITEM LIST>
 <DISPATCHNOTIFICATION SUMMARY>
    <TOTAL ITEM NUM>2</TOTAL ITEM NUM>
 </DISPATCHNOTIFICATION SUMMARY>
</DISPATCHNOTIFICATION>
```

Glossary

sku

Stock Keeping Unit, product id by competec.