# EDIFACT D01B ORDRSP

Brack Alltron AG

Version 1.1, 30-09-2024

# **Table of Contents**

upplier Orderresponse	1
Preface	1
Changelog.	1
Status Codes	
References	1
eader Section	2
Segment Group 1	5
Segment Group 3	7
etail Section	
Segment Group 26	9
Segment Group 30	. 13
Segment Group 31	. 14
ummary Section	. 15
Iessage Example	. 16

# **Supplier Orderresponse**

### **Preface**

This document describes the implementation of Edifact D01B for supplier orders.

## Changelog

Table 1. Changelog

Version	Date	Change	Author
1.0	18.12.2023	Initial definition	SEBR
1.1	30.09.2024	Conversion to Adoc, small corrections	SEBR

### **Status Codes**

Code	Description
M	Mandatory D01B Field
С	Conditional D01B Field
M	Mandatory by Brack Alltron

### References

https://unece.org/trade/uncefact/introducing-unedifact https://www.stylusstudio.com/edifact/D01B/ordrsp.htm

## **Header Section**

Pos	Segment/	Description	Status	Example	Remarks
103	Element	Description	Status	Lxample	Kemarks
010	S001	SYNTAX IDENTIFIER	M		
	0001	Syntax identifier	M	+UNOC	
	0002	Syntax version number	M	:4	
020	S002	INTERCHANGE SENDER	M		
	0004	Interchange sender identification	M	+7600000	Sender Party GLN
	0007	Identification code qualifier	С	:14	14 = EAN International
030	S003	INTERCHANGE RECIPIENT	M		
	0010	Interchange recipient identification	M	+7600000	Receiver Party GLN
	0007	Identification code qualifier	С	:14	14 = EAN International
040	S004	DATE AND TIME OF PREPARATION	M		
	0017	Date	M	+220527	yyMMdd
	0019	Time	M	:1629	HHmm
050	0020	Interchange control reference	M	+19'	
060	S005	RECIPIENT'S REFERENCE/PASSWORD DETAILS	С		Not in use
070	0026	Application reference	С		Not in use
080	0029	Processing priority code	С		Not in use
090	0031	Acknowledgement request	С		Not in use
100	0032	Interchange agreement identifier	С		Not in use
110	0035	Test indicator	С	+1	1 = Test

### Example:

UNB+UNOC: 4+7601001000100:14+7613081000000:14+220527:1629+19++++0++1'

### 0010 | Segment | UNH | Message Header

A service segment starting and uniquely identifying a message. The message type code for the Despatch advice message is DESADV.

Pos	Segment/ Element	Description	Status	Example	Remarks
010	0062	MESSAGE REFERENCE NUMBER	M	+1	
020	S009	MESSAGE IDENTIFIER	M		
	0065	Message type	M	+ORDRSP	
	0052	Message version number	M	:D	
	0054	Message release number	M	:01B	
	0051	Controlling agency, coded	M	:UN	
	0057	Association assigned code	С	EAN005	
	•••		С		Not in use

#### Example

UNH+1+ORDRSP:D:01B:UN'

UNH+1+ORDRSP:D:01B:UN:EAN005'

#### 0020 | Segment | BGM | Beginning of message

A segment for unique identification of the Despatch Advice document, by means of its name and its number.

Pos	Segment/ Element	Description	Status	Example	Remarks
010	C002	DOCUMENT/MESSAGE NAME	С	BGM	
	1001	Document name code	С	+231	
		Supported: 231 = Order Respon			
	•••		С		Not in use
020	1004	Document identifier	C	+3794276'	Order Response id
030	1225	Message function, coded	С	+9	
		Supported: 9 = Original 4 = Changed			
040	4343	Response type, coded	С		Not in use

#### Example

BGM+231+3794276'

### 0030 | DTM | Date/time/period

A segment specifying general dates and, when relevant, times related to the whole message.

Pos	Segment/ Element	Description	Status	Example	Remarks
010	C507	DATE/TIME/PERIOD	М	DTM	
	2005	Date/time/period qualifier	M	+137	
		Supported: 137 = Document date 2 = Delivery Date requested			
	2380	Date/time/period	С	:20220217	
	2379	Date/time/period format qualifier	С	:102	
		Supported: 102 = CCYYMMDD 204 = CCYYMMDDHHMMSS			

### Example:

DTM+137:20220527162918:204'

DTM+137:20230228:102'

## **Segment Group 1**

### 0090 | Segment Group 1 | RFF-DTM

A group of segments for giving references and where necessary, their dates, relating to the whole message.

SG1 Summary				
Pos	Tag	Name		
0110	RFF	Reference		
0110	DTM	Date / time		

### 0100 | Segment | RFF | Reference

A segment to specify a reference by its number.

Pos	Segment/ Element	Description	Status	Example	Remarks
010	C506	REFERENCE	M	RFF	
	1153	Reference qualifier	M	+0N	
		Supported co			
		VN = Seller Re	ference		
	1154	Reference number	C	:1990833739'	Brack Alltron Order number
	•••				Not in use

### Example:

RFF+ON:1990833739' RFF+VN:3794276'

### 0110 | Segment | DTM | Date/time/period

A segment specifying general dates and, when relevant, times related to the whole message.

Pos	Segment/Elem ent	Description	Status	Example	Remarks
010	C507	DATE/TIME/PERIOD	M		
	2005	Date/time/period qualifier	M	+171	
		Supported: 171 = Reference date/time			
	2380	Date/time/period	С	:20230228	
	2379	Date/time/period format qualifier	С	:102	
		Supported codes: 102 = CCYYMMDD 204 = CCYYMMDDHHMMSS			

### Example:

DTM+171:20230228:102'

## **Segment Group 3**

### 0150 | Segment Group 3 | Parties

A group of segments identifying the parties with associated information.

SG2 Summary					
Pos	Tag	Name			
0120	NAD	Name and address			

### 0160 | Segment | NAD | Name and address

A segment identifying names and addresses of the parties and their functions relevant to the order. Identification of the seller and buyer parties is mandatory for the order message.

Pos	Segment/Elem ent	Description	Status	Example	Remarks		
010	3035	Party qualifier	М	+DP			
		BY = Buyer SU = Supplier DP = Delivery Party M					
020	C082	PARTY IDENTIFICATION DETAILS	С				
	3039	Party id. identification	M	+7613	Our GLN		
					Not in use		
030	C058	NAME AND ADDRESS	С	+	Not in use		
040	C080	PARTY NAME	С				
	3036	Party name	M	+BRACK.CH AG	Name 1		
	3036	Party name	С		Name 2		
					Not in use		
050	C059	STREET	С				
	3042	Street and number/p.o. box	M	:Rossgassmoos 10	Street name 1		
	3042	Street and number/p.o. box	С		Street name 2		
					Not in use		
060	3164	City name	С	+Willisau Competec			
070	C819	COUNTRY SUB-ENTITY DETAILS	С	+CH	Not in use		
080	3251	Postcode identification	С	+6131	PLZ		
090	3207	Country, coded	С		Not in use		

NAD+BY+123456::9'

NAD+SU+7609999068409::9'

NAD+DP+7613081000000++BRACK.CH AG+::Rossgassmoos 10+Willisau Competec+CH+6131'

## **Detail Section**

## **Segment Group 26**

### 0970 | Segment Group 26 | Lines

A group of segments providing details of the individual ordered items.

SG26 Summary			
Pos	Tag	Name	Mandatory
0980	LIN	Line item	M
0990	PIA	Additional product id	M
1000	IMD	Item description	Conditional
1020	QTY	Quantity	M
1050	DTM	Date	M
1270	SG30	Price Details	Conditional
1340	RFF	Reference	Conditional

### 0980 | Segment | LIN | Line item

A segment identifying the line item by the line number and configuration level, and additionally, identifying the product or service ordered.

Pos	Segment/Elem ent	Description	Status	Example	Remarks
010	1082	Line item number	M	+10	Must be unique in message
020	1229	Action request / notification description code	M	+5	
		Supported codes:  2 = deleted  3 = changed  4 = no action  5 = acc. no amendment  6 = acc. with amendment  7 = not accepted			

0980   Segment   LIN   Line item						
030	C212	ITEM NUMBER IDENTIFICATION	С			
	7140	Item identifier	С	+761300165313 2	EAN	
	7143 Item type identification code C:EN					
		Supported codes: EN = International Article Numbering Association (EAN) SRV = EAN.UCC Global Trade Item Nbr				
	•••				Not in use	
040	C829	SUB-LINE INFO	С		Not in use	
050	1222	Configuration level number	С		Not in use	
060	7083	Configuration operation code	С		Not in use	

LIN+10+5+7613001653132:EN'

### 0990 | Segment | PIA | Additional product id

A segment providing either additional identification to the product specified in the LIN segment.

Pos	Segment/Elem ent	Description	Status	Example	Remarks
010	4347	Product id. code qualifier	M	+1	
		Supported: 1 = additional identi	fication		
020	C212	ITEM NUMBER IDENTIFICATION	M		
	7140	Item number	С	+7277199	article number
	7143	Item number type, coded	С	:VN	
		Supported codes:  SA = Supplier's article nbr.  IN = Buyer's article nbr.  BP = Buyer's part nbr.  VN = Vendor's article nbr.  MF = Manufacturers Article nbr.			
					Not in use
030	C212	ITEM NUMBER IDENTIFICATION	С		Not in use
040	C212	ITEM NUMBER IDENTIFICATION	С		Not in use

0990   Segment   PIA   Additional product id					
050	C212	ITEM NUMBER IDENTIFICATION	С		Not in use
060	C212	ITEM NUMBER IDENTIFICATION	С		Not in use

PIA+1+991397:SA'

A segment for describing the product or service being ordered as well as product characteristic.

Pos	Segment/Elem ent	Description	Status	Example	Remarks	
010	7077	Description format code	С	+F		
		<b>Supported codes:</b> F = Free-Form	ı			
020	C272	ITEM CHARACTERISTIC	С			
	7081	Item description code	С	+8		
		Supported codes: 8 = Product				
				+	Not in use	
030	C273	ITEM DESCRIPTION	С			
			С	+::	Not in use	
	7008	Item description	С	:ALPINAMED MSM Curcuma	optional	
			С		Not in use	
040	•••		С		Not in use	

### Example:

IMD+F+8+:::ALPINAMED MSM Curcuma'

### 1020 | Segment | QTY | Quantity

A segment identifying the product quantities / ordered quantities.

Pos	Segment/Elem	Description	Status	Example	Remarks
	ent				

1020	Segment   QTY	Quantity			
010	C186	QUANTITY DETAILS	M		
	6063	Quantity type code qualifier M :21			
		Supported codes:  12 = Despatch Quantity  21 = Ordered Quantity  40 = Normal Delivery			
	6060	Quantity	M	10	
	6411	Measurement uit code	С	:PCE	Only PCE accepted

QTY+21:12:PCE' QTY+21:10'

### $0150 \mid Segment \mid DTM \mid Date/time/period$

A segment specifying date/time/period details relating to the line item only.

Pos	Segment/Elem ent	Description	Status	Example	Remarks
010	C507	DATE/TIME/PERIOD M			
	2005	Date/time/period qualifier M +2			
		Supported codes:  02 = Delivery requested  10 = Shipment requested  17 = Delivery estimated  35 = Delivery actual  69 = Delivery promised			
	2380	Date/time/period	С	:20230228	
	2379	Date/time/period format qualifier	С	:102	
		Supported: 102 = CCYYMMDD			

### Example:

DTM+2:20220527:102'

## **Segment Group 30**

### 1270 | Segment Group 30 | Price

A group of segments identifying the relevant pricing information for the goods or services ordered.

SG28 Summary				
Pos	Tag	Name		
1280	PRI	Price details		

### 1280 | Segment | PRI | Price details

A segment to specify the price type and amount.

Pos	Segment/Elem ent	Description	Status	Example	Remarks	
010	C509	PRICE INFORMATION	С			
	5125	Price code qualifier	M	+AAA		
		Supported: AAA= calculation net				
	5118	Price amount	С	1644		
	•••		С		Not in use	
020	5213	Sub-line price change, coded	С		Not in use	

### Example:

PRI+AAA:1644'

### 1290 | Segment | CUX | Currencies

A segment identifying the order currency. Only CHF is supported at the moment.

Pos	Segment/Elem ent	Description	Status	Example	Remarks	
010	C504	CURRENCY DETAILS	С			
	6347	Currency usage code qualifier	M	+2		
		Supported: 2 = Reference currency				
	6345	Currency, coded	С	:CHF		
		Supported: Only CHF				
	6343	Currency qualifier	С	:4		
		Supported codes: 4 = invoicing currency				
020					Not in use	

1290   Segment   CUX   Currencies				
030		Not in use		
040		Not in use		

CUX+2:CHF:4'

## **Segment Group 31**

### 1330 | Segment Group 31 | Reference

A group of segments giving references and where necessary, their dates, relating to the line item.

SG31 Summary					
Pos	Tag	Name			
1340	RFF	Reference			

### 1340 | Segment | RFF | Reference

A segment identifying the reference by its number and where appropriate a line number within a document..

Pos	Segment/Elem ent	Description	Status	Example	Remarks	
010	C506	REFERENCE	М			
	1153	Reference code qualifier	М	+ON		
		Supported: ON = Order Number Purchase				
	1154	Reference Identifier	С	:0038360362	Customer Order number	
	1156	Document Line identifier	С	:22	Customer line position	
	•••		С		Not in use	

#### Example:

RFF+ON:0038360362:22'

## **Summary Section**

### 2090 | Segment | UNS | Section control

A service segment placed at the start of the summary section to avoid segment collision.

Pos	Segment/Elem ent	Description	Status	Example	Remarks
010	0081	Section identification	M	+\$	
	<b>Supported:</b> S = Detail/summary section separation				

#### Example:

UNS+S'

#### 2160 | Segment | UNT | Message trailer

A service segment ending a message, giving the total number of segments in the message and the control reference number of the message.

Pos	Segment/Elem ent	Description	Status	Example	Remarks
010	0074	Number of segments in a message	M	+43	
020	0062	Message reference number	M	+1'	Order Id

#### Example:

UNT+43+1'

#### UNZ | Interchange trailer

To end and check the completeness of an interchange.

Pos	Segment/Elem ent	Description	Status	Example	Remarks
010	0036	Interchange control count	M	+1	
020	0020	Interchange control reference	M	+19'	

#### Example:

UNZ+1+19'

# **Message Example**

	UNA:+.? ' UNB+UNOC:4+7601001000100:14+7613081000000:14+220527:1629+19++++0++1'	
	UNH+1+ORDRSP:D:01B:UN' BGM+231+3794276'	
H E A	DTM+137:20220527162918:204'	SG 1
D E R	RFF+ON:1990833739' RFF+VN:3794276'	
	NAD+DP+7613081000000+BRACK.CH AG+BRACK.CH AG+::Rossgassmoos 10+Willisau Competec+CH+6131'	SG 3
D E A T A I L	LIN+10+5+7613001653132:EN' PIA+1+7277199:VN::92' IMD+F+8+:::ALPINAMED MSM Curcuma' QTY+21:12:PCE' QTY+40:12:PCE' DTM+2:20220527:102' DTM+10:20220531:102'	SG 26
	PRI+AAA:11.33' CUX+2:CHF:4'	SG 30
	RFF+ON:1990918371:17'	SG 31
	UNS+S' UNT+43+1' UNZ+1+19'	