Complex Systems and DevOps: Deliverable 2

Date: November 25, 2024

Course Details

Course Name: Complex Systems and DevOps **Course Code:** 62582 **Semester:** Fall 2024

Team Members

Name	Student Number
Christoffer Fink	*s205449*
Kasper Falch Skov	*s205429*
Johan Søgaard Jørgensen	*s224324*
Henrik Lynggaard Skindhøj	*s205464*
Kevin Wang Højgaard	*s195166*
Sebastian Halfdan Lauridsen	*s215769*

Link to GitHub Project

Table of Contents

4. Backend Development
    - Quarkus Framework Implementation
    - REST API Design with Siren Hypermedia
    - Database Integration
    - Business Logic Implementation
    - Security Implementation
        - JWT Authentication
        - Backend Security Measures
    - Testing Strategy
        - JUnit Implementation
        - REST-assured Testing
    - OpenAPI Documentation
5. Frontend Development
    - React Application Structure
    - TypeScript Integration
    - Vite Build Tool Implementation
    - State Management
    - Component Architecture
    - Security Features
        - Token Security Implementation
    - Package Management
6. DevOps Implementation
    - Version Control Practices
        - Git Workflow
        - GitHub Integration
    - Continuous Integration/Continuous Deployment
        - GitHub Actions Configuration
        - Build Server Setup
        - Testing Pipeline
    - Containerization
        - Docker Implementation
        - Container Registry
    - Cloud Deployment
        - Google Cloud Setup
        - Netlify Frontend Deployment
    - Monitoring and Maintenance
7. Conclusion
    - Project Outcomes
    - Future Improvements
    - Lessons Learned

---

1. Introduction

Project Scope and Objectives

Cloud Deployment

Google Cloud Setup

Netlify Frontend Deployment

Monitoring and Maintenance A key principle in DevOps is the ability to act based on metrics. To do this we use Micrometer metrics, a common monitoring facade which is vendor neutral, alike SLF4J is for logging. We use the Prometheus format as Quarkus provides a convenient library for combining these, `quarkus-micrometer-registry-prometheus`. To display and view these metrics we use Dashbuilder which allows easy visualization of the metric data via a YML format. Quarkus also has minimal config library for this, named `quarkus-dashbuilder`.

We have also looked into setting up a centralized logging system, but due to time constraints were unable to implement it in time for the writing of this report.

Another clear improvement is monitoring if our frontend server is up or overloaded. ### 7. Conclusion

Project Outcomes

Future Improvements

Lessons Learned