


# Outdoor Column Speaker

## NT-210+220+230+240 OCS



### Outdoor Column Speaker (NT-210+220+230+240 OCS)

The Nova Outdoor Column Speaker Series (NT-210/220/230/240 OCS) provides a range of compact, weather-resistant audio solutions for outdoor environments. These slim-profile speakers feature 2.5" full-range drivers delivering 10W-40W of power with consistent 170Hz-15kHz frequency response across all models. Constructed from durable aluminum, the column speakers come in varying heights from 262mm (NT-210) to 691mm (NT-240), maintaining remarkably narrow profiles of just 75-140mm depth for discreet installation. Weighing between 1.4kg to 3.5kg, they offer 88-93dB sensitivity and 70V-100V line voltage compatibility, making them ideal for distributed audio systems in hotels, corporate campuses, and urban public spaces. While the product is labeled as "N1210 OCS" in marketing materials, technical specifications confirm the model numbers as NT-210 through NT-240 OCS. These speakers combine weatherproof durability with aesthetic subtlety, providing clear audio reproduction while blending seamlessly into outdoor architectural environments.

### TECHNICAL DATA SPECIFICATION

Model	NT-210 OCS	NT-220 OCS	NT-230 OCS	NT-240 OCS
Drive:	2.5"	2.5"	2.5"	2.5"
Rated Power:	10W	20W	30W	40W
Line voltage:	70V-100V	70V-100V	70V-100V	70V-100V
Sensitivity:	88dB	91dB	92dB	93dB
Frequency Response:	170-15KHz	170-15KHz	170-15KHz	170-15KHz
Dimension (mm):	262x106x75	405x106x75	548x106x75	691x160x140
Material:	Aluminium	Aluminium	Aluminium	Aluminium
Weight (kg):	1.4	2.0	2.8	3.5

### KEY FEATURES

Nova's outdoor column speakers (10W-40W) feature 2.5" drivers with 170Hz-15kHz response in weather-proof aluminum enclosures (262-691mm tall, 1.4-3.5kg). Offering 88-93dB sensitivity and 70V-100V compatibility, these slim-profile speakers are ideal for discreet outdoor audio. Note model number discrepancy ("N1210 OCS" labeling).

