# طراحی الگوریتم ها (CE221)

جلسه نوزدهم: شاخه و حد

سجاد شیرعلی شهرضا بهار 1401 شنبه، 7 خرداد 1401

### اطلاع رساىي

- نظرسنجی چهارم
  مهلت ارسال: دوشنبه هفته آینده، 16 خرداد 1401، ساعت 8 صبح
  کلاس جبرانی

  - فردا، یکشنبه، ساعت 18-30-16

## روش شاخه و حد

#### Idea

- Sometimes it is not easy to design a DP or greedy solution
- Checking all possible answers is not feasible either
- Idea: stop exploring a path if we know it would not give us a better answer
  - Keep an estimate of how good the answer will be
  - Continue the path with the highest possible answer
  - Stop a path if it cannot provide a better solution

- n items
  - Each has a weight  $w_i$  and value  $v_i$
- A knapsack (i.e., bag) with capacity W
- Goal: fill the bag such that
  - $\circ$  Total weight of items is less than or equal to W
    - $\Sigma w_i \leq W$
  - The value of selected items is maximised
    - $\blacksquare$   $\Sigma v_i$  is maximised



Capacity: 16



Value:









#### **Greedy Approach**

- Sort items based on unit value
- Start with item with highest unit value
- Add item if it fits in the bag
- Final answer is not necessarily the best one
  - Will select avocado, magnet, and quala with value 80
  - Best answer: select avocado and grape with value 90




Capacity: 16

Item:				
Weight:	2	5	10	5
Value:	40	30	50	10
nit value:	20	6	5	2

#### Branch and Bound Algorithm

- Start with an empty answer as partial answer
- Select the partial answer with highest bound
- Expand the partial answer by deciding whether to pick the next item
  - o If selecting the item, update weight and value
  - Estimate the bound by filling the remaining capacity with highest remaining items in terms of unit value
- Continue while there is a partial answer that is not eliminated



• Start with an empty answer

weight = 0value = 0bound = 320






• Expand node with bound 320

weight = 0value = 0bound = 320






• Expand node with bound 320





Item:				
Weight:	2	5	10	5
Value:	40	30	50	10
Jnit value:	20	6	5	2


• Pick Avocado





Item:				
Weight:	2	5	10	5
Value:	40	30	50	10
Jnit value:	20	6	5	2


- Pick Avocado
  - Found an answer with value 40





Item:				
Weight:	2	5	10	5
Value:	40	30	50	10
nit value:	20	6	5	2


• Do not pick Avocado





Item: Weight:			10	5
Value:	40	30	50	10
Unit value:	20	6	5	2


• Do not pick Avocado





Item:				
Weight:	2	5	10	5
Value:	40	30	50	10
Unit value:	20	6	5	2


• Expand node with bound 124





Item:				
Weight:	2	5	10	5
Value:	40	30	50	10
Jnit value:	20	6	5	2


• Expand node with bound 124





Item:				
Weight:	2	5	10	5
Value:	40	30	50	10
Jnit value:	20	6	5	2


Pick Magnet





Item: Weight:	2		10	5
Value:	40	30	50	10
Jnit value:	20	6	5	2


- Pick Magnet
  - Found an answer with value 70.





Item: Weight:			10	5
Value:	40	30	50	10
Unit value:	20	6	5	2


• Do not pick Magnet





Item:				
Weight:	2	5	10	5
Value:	40	30	50	10
Jnit value:	20	6	5	2


• Do not pick Magnet





Item:				
Weight:	2	5	10	5
Value:	40	30	50	10
Unit value:	20	6	5	2


• Expand node with bound 115






Item:				
Weight:	2	5	10	5
Value:	40	30	50	10
Jnit value:	20	6	5	2


• Expand node with bound 115




Pick Grape




- Pick Grape
  - Infeasible




• Do not pick Grape




• Do not pick Grape




• Expand node with bound 110




• Expand node with bound 110



Pick Grape




- Pick Grape
  - Found an answer with value 90



Capacity: 16


- Pick Grape
  - Found an answer with value 90
  - Eliminate nodes with bound < 90





Item:				
Weight:	2	5	10	5
Value:	40	30	50	10
nit value:	20	6	5	2


- Pick Grape
  - Found an answer with value 90
  - Eliminate nodes with bound < 90






Item:				
Weight:	2	5	10	5
Value:	40	30	50	10
nit value:	20	6	5	2

• Do not pick Grape




• Do not pick Grape




• Do not pick Grape


Weight:




Expand the node with bound 106




Expand the node with bound 106




Pick Quala



- Pick Quala
  - Infeasible




Do not pick Quala




Do not pick Quala


o Found a final answer with value 90




• Expand node with bound 96




• Expand node with bound 96




Pick Magnet




Pick Magnet




Pick Magnet




• Do not pick Magnet



• Do not pick Magnet




• Do not pick Magnet



No more partial answer to expand

Current best answer is the best answer



Infeasible

= 90

bound

50



سوال؟