OVERVIEW PACKAGE CLASS TREE DEPRECATED INDEX HELP

PREV CLASS NEXT CLASS FRAMES NO FRAMES ALL CLASSES

SUMMARY: NESTED | FIELD | CONSTR | METHOD DETAIL: FIELD | CONSTR | METHOD

dachman.lucas.letsgoapp2

# Class LoginActivity

java.lang.Object
android.content.Context
android.content.ContextWrapper
android.view.ContextThemeWrapper
android.app.Activity
android.support.v4.app.SupportActivity
android.support.v4.app.FragmentActivity
android.support.v7.app.AppCompatActivity
dachman.lucas.letsgoapp2.LoginActivity

#### All Implemented Interfaces:

android.content.ComponentCallbacks, android.content.ComponentCallbacks2,
android.support.v4.app.ActivityCompat.OnRequestPermissionsResultCallback,
android.support.v4.app.ActivityCompatApi23.RequestPermissionsRequestCodeValidator,
android.support.v4.app.TaskStackBuilder.SupportParentable,
android.support.v7.app.ActionBarDrawerToggle.DelegateProvider, android.support.v7.app.AppCompatCallback,
android.view.KeyEvent.Callback, android.view.LayoutInflater.Factory, android.view.LayoutInflater.Factory2,
android.view.View.OnClickListener, android.view.View.OnCreateContextMenuListener, android.view.Window.Callback,
com.google.android.gms.common.api.GoogleApiClient.OnConnectionFailedListener

public class LoginActivity

extends android.support.v7.app.AppCompatActivity

 $implements\ com.google.android.gms.common.api.GoogleApiClient.OnConnectionFailedListener,\ android.view.View.OnClickListener$ 

Created by Jonathan

## **Nested Class Summary**

## Nested classes/interfaces inherited from class android.support.v4.app.SupportActivity

android.support.v4.app.SupportActivity.ExtraData

# Field Summary

## Fields inherited from class android.app.Activity

DEFAULT\_KEYS\_DIALER, DEFAULT\_KEYS\_DISABLE, DEFAULT\_KEYS\_SEARCH\_GLOBAL, DEFAULT\_KEYS\_SEARCH\_LOCAL, DEFAULT\_KEYS\_SHORTCUT, FOCUSED\_STATE\_SET, RESULT\_CANCELED, RESULT\_FIRST\_USER, RESULT\_OK

## Fields inherited from class android.content.Context

ACCESSIBILITY\_SERVICE, ACCOUNT\_SERVICE, ACTIVITY\_SERVICE, ALARM\_SERVICE, APP\_OPS\_SERVICE, APPWIDGET\_SERVICE, AUDIO\_SERVICE, BATTERY\_SERVICE, BIND\_ABOVE\_CLIENT, BIND\_ADJUST\_WITH\_ACTIVITY, BIND\_ALLOW\_OOM\_MANAGEMENT, BIND\_AUTO\_CREATE, BIND\_DEBUG\_UNBIND, BIND\_EXTERNAL\_SERVICE, BIND\_IMPORTANT, BIND\_NOT\_FOREGROUND, BIND\_WAIVE\_PRIORITY, BLUETOOTH\_SERVICE, CAMERA\_SERVICE, CAPTIONING\_SERVICE, CARRIER\_CONFIG\_SERVICE, CLIPBOARD\_SERVICE, CONNECTIVITY\_SERVICE, CONSUMER\_IR\_SERVICE, CONTEXT\_IGNORE\_SECURITY, CONTEXT\_INCLUDE\_CODE, CONTEXT\_RESTRICTED, DEVICE\_POLICY\_SERVICE, DISPLAY\_SERVICE, DOWNLOAD\_SERVICE, DROPBOX\_SERVICE, FINGERPRINT\_SERVICE, HARDWARE\_PROPERTIES\_SERVICE, INPUT\_METHOD\_SERVICE, INPUT\_SERVICE, JOB\_SCHEDULER\_SERVICE, KEYGUARD\_SERVICE, LAUNCHER\_APPS\_SERVICE, LAYOUT\_INFLATER\_SERVICE, LOCATION\_SERVICE, MEDIA\_PROJECTION\_SERVICE, MEDIA\_ROUTER\_SERVICE, MEDIA\_SESSION\_SERVICE, MIDI\_SERVICE, MODE\_APPEND, MODE\_ENABLE\_WRITE\_AHEAD\_LOGGING, MODE\_MULTI\_PROCESS, MODE\_NO\_LOCALIZED\_COLLATORS, MODE\_PRIVATE, MODE\_WORLD\_READABLE, MODE\_WORLD\_WRITEABLE, NETWORK\_STATS\_SERVICE, NFC\_SERVICE, NOTIFICATION\_SERVICE, NSD\_SERVICE, POWER\_SERVICE, PRINT\_SERVICE, RESTRICTIONS\_SERVICE, SEARCH\_SERVICE, SENSOR\_SERVICE, SHORTCUT\_SERVICE, STORAGE\_SERVICE, SYSTEM\_HEALTH\_SERVICE, TELECOM\_SERVICE, TELEPHONY\_SUBSCRIPTION\_SERVICE, TEXT\_SERVICES\_MANAGER\_SERVICE,

TV\_INPUT\_SERVICE, UI\_MODE\_SERVICE, USAGE\_STATS\_SERVICE, USB\_SERVICE, USER\_SERVICE, VIBRATOR\_SERVICE, WALLPAPER\_SERVICE, WIFI\_P2P\_SERVICE, WIFI\_SERVICE, WINDOW\_SERVICE

## Fields inherited from interface android.content.ComponentCallbacks2

TRIM\_MEMORY\_BACKGROUND, TRIM\_MEMORY\_COMPLETE, TRIM\_MEMORY\_MODERATE, TRIM\_MEMORY\_RUNNING\_CRITICAL, TRIM\_MEMORY\_RUNNING\_LOW, TRIM\_MEMORY\_RUNNING\_MODERATE, TRIM\_MEMORY\_UI\_HIDDEN

## **Constructor Summary**

#### Constructors

Constructor and Description

LoginActivity()

## **Method Summary**

All Methods Instance	e Methods Concrete Methods
Modifier and Type	Method and Description
void	<pre>onActivityResult(int requestCode, int resultCode, android.content.Intent data)</pre>
void	<pre>onClick(android.view.View v)</pre>
void	<pre>onClickTest(android.view.View v) Not used for final product, testing buttom</pre>
void	${\bf on Connection Failed} ({\tt com.google.android.gms.common.Connection Result}\ connection Result)$
protected void	<pre>onCreate(android.os.Bundle savedInstanceState)</pre>
void	onStart() If the user's cached credentials are valid, the OptionalPendingResult will be "done" and the GoogleSignInResult will be available instantly.

# Methods inherited from class android.support.v7.app.AppCompatActivity

addContentView, dispatchKeyEvent, findViewById, getDelegate, getDrawerToggleDelegate, getMenuInflater, getResources, getSupportActionBar, getSupportParentActivityIntent, invalidateOptionsMenu, onConfigurationChanged, onContentChanged, onCreateSupportNavigateUpTaskStack, onDestroy, onMenuItemSelected, onMenuOpened, onPanelClosed, onPostCreate, onPostResume, onPrepareSupportNavigateUpTaskStack, onSaveInstanceState, onStop, onSupportActionModeFinished, onSupportActionModeStarted, onSupportContentChanged, onSupportNavigateUp, onTitleChanged, onWindowStartingSupportActionMode, setContentView, setContentView, setContentView, setSupportActionBar, setSupportProgress, setSupportProgressBarIndeterminate, setSupportProgressBarIndeterminateVisibility, setSupportProgressBarVisibility, setTheme, startSupportActionMode, supportInvalidateOptionsMenu, supportNavigateUpTo, supportRequestWindowFeature, supportShouldUpRecreateTask

# Methods inherited from class android.support.v4.app.FragmentActivity

dump, getLastCustomNonConfigurationInstance, getSupportFragmentManager, getSupportLoaderManager, getSupportMediaController, onAttachFragment, onBackPressed, onCreatePanelMenu, onLowMemory, onMultiWindowModeChanged, onNewIntent, onPause, onPictureInPictureModeChanged, onPrepareOptionsPanel, onPreparePanel, onRequestPermissionsResult, onResume, onResumeFragments, onRetainCustomNonConfigurationInstance, onRetainNonConfigurationInstance, onStateNotSaved, setEnterSharedElementCallback, setExitSharedElementCallback, setSupportMediaController, startActivityForResult, startActivityFromFragment, startActivityFromFragment, startIntentSenderFromFragment, supportFinishAfterTransition, supportPostponeEnterTransition, supportStartPostponedEnterTransition, validateRequestPermissionsRequestCode

### Methods inherited from class android.support.v4.app.SupportActivity

 ${\tt getExtraData},\ {\tt putExtraData}$ 

### Methods inherited from class android.app.Activity

closeContextMenu, closeOptionsMenu, createPendingResult, dismissDialog, dismissKeyboardShortcutsHelper, dispatchGenericMotionEvent, dispatchKeyShortcutEvent, dispatchPopulateAccessibilityEvent, dispatchTouchEvent, dispatchTrackballEvent, enterPictureInPictureMode, finish, finishActivity, finishActivityFromChild, finishAffinity, finishAfterTransition, finishAndRemoveTask, finishFromChild, getActionBar, getApplication, getCallingActivity, getCallingPackage, getChangingConfigurations, getComponentName, getContentScene, getContentTransitionManager, getCurrentFocus, getFragmentManager, getIntent, getLastNonConfigurationInstance, getLayoutInflater, getLoaderManager, getLocalClassName, getMediaController, getParent, getParentActivityIntent, getPreferences, getReferrer, getRequestedOrientation, getSearchEvent, getSystemService, getTaskId, getTitle, getTitleColor, getVoiceInteractor, getVolumeControlStream, getWindow, getWindowManager, hasWindowFocus, isChangingConfigurations, isChild, isDestroyed, isFinishing, isImmersive, isInMultiWindowMode, is In Picture In Picture Mode, is Local Voice Interaction Supported, is Task Root, is Voice Interaction, and the picture of the Picture Interaction of theisVoiceInteractionRoot, managedQuery, moveTaskToBack, navigateUpTo, navigateUpToFromChild, onActionModeFinished, onActionModeStarted, onActivityReenter, onApplyThemeResource, onAttachedToWindow, onAttachFragment,  $on Child Title Changed, \ on Context Item Selected, \ on Context Menu Closed, \ on Create, \ on Create Context Menu, \ o$ onCreateDescription, onCreateDialog, onCreateDialog, onCreateNavigateUpTaskStack, onCreateOptionsMenu, onCreatePanelView, onCreateThumbnail, onDetachedFromWindow, onEnterAnimationComplete, onGenericMotionEvent, onKeyDown, onKeyLongPress, onKeyMultiple, onKeyShortcut, onKeyUp, onLocalVoiceInteractionStarted,  $on Local Voice Interaction Stopped, \ on Navigate Up, \ on Navigate Up From Child, \ on Options Item Selected, \ on Options Menu Closed, \ on Opti$ onPostCreate, onPrepareDialog, onPrepareDialog, onPrepareNavigateUpTaskStack, onPrepareOptionsMenu, onProvideAssistContent, onProvideAssistData, onProvideKeyboardShortcuts, onProvideReferrer, onRestart, onRestoreInstanceState, onRestoreInstanceState, onSaveInstanceState, onSearchRequested, onSearchRequested,  $on Touch Event, \ on Trackball Event, \ on Trim Memory, \ on User Interaction, \ on User Leave Hint, \ on Visible Behind Canceled, \ on User Leave Hint, \ on Visible Behind Canceled, \ on User Leave Hint, \ on Visible Behind Canceled, \ on Visi$  $on \verb|Window| Attributes Changed, on \verb|Window| Focus Changed, on \verb|Window| Starting| Action \verb|Mode|, on \verb|Window| Starting|, on \verb|Window|, on \verb|Window| Starting|, on \verb|Window|, on \verb$ openContextMenu, openOptionsMenu, overridePendingTransition, postponeEnterTransition, recreate, registerForContextMenu, releaseInstance, removeDialog, reportFullyDrawn, requestDragAndDropPermissions, requestPermissions, requestShowKeyboardShortcuts, requestVisibleBehind, requestWindowFeature, runOnUiThread, setActionBar, setContentTransitionManager, setDefaultKeyMode, setEnterSharedElementCallback, setExitSharedElementCallback, setFeatureDrawable, setFeatureDrawableAlpha, setFeatureDrawableResource, setFeatureDrawableUri, setFinishOnTouchOutside, setImmersive, setIntent, setMediaController, setProgress, setProgressBarIndeterminate, setProgressBarIndeterminateVisibility, setProgressBarVisibility, setRequestedOrientation, setResult, setResult, setSecondaryProgress, setTaskDescription, setTitle, setTitle, setTitleColor, setVisible, setVolumeControlStream, setVrModeEnabled, shouldShowRequestPermissionRationale, shouldUpRecreateTask, showAssist, showDialog, showDialog, showLockTaskEscapeMessage, startActionMode,  $start Action Mode, \ start Activities, \ start Activities, \ start Activity, \ start Activity, \ start Activity From Child, \ star$ start Activity From Child, start Activity From Fragment, start Activity From Fragment, start Activity If Needed, and the start Activity If N $start Activity If Needed, \ start Intent Sender, \ start Intent Sender From Child,$ startIntentSenderFromChild, startLocalVoiceInteraction, startLockTask, startManagingCursor, startNextMatchingActivity, startNextMatchingActivity, startPostponedEnterTransition, startSearch, stopLocalVoiceInteraction, stopLockTask, stopManagingCursor, takeKeyEvents, triggerSearch, unregisterForContextMenu

# Methods inherited from class android.view.ContextThemeWrapper

applyOverrideConfiguration, attachBaseContext, getAssets, getTheme

## Methods inherited from class android.content.ContextWrapper

bindService, checkCallingOrSelfPermission, checkCallingOrSelfUriPermission, checkCallingPermission, checkCallingUriPermission, checkPermission, checkSelfPermission, checkUriPermission, checkUriPermission, clearWallpaper, createConfigurationContext, createDeviceProtectedStorageContext, createDisplayContext, createPackageContext, databaseList, deleteDatabase, deleteFile, deleteSharedPreferences, enforceCallingOrSelfPermission, enforceCallingOrSelfUriPermission, enforceCallingPermission, enforceCallingUriPermission, enforcePermission, enforceUriPermission, enforceUriPermission, fileList, getApplicationContext, getApplicationInfo, getBaseContext, getCacheDir, getClassLoader, getCodeCacheDir, getContentResolver, getDatabasePath, getDataDir, getDir, getExternalCacheDir, getExternalCacheDirs, getExternalFilesDir, getExternalFilesDirs, getExternalMediaDirs, getFilesDir, getFileStreamPath, getMainLooper, getNoBackupFilesDir, getObbDir, getObbDirs, getPackageCodePath, getPackageManager, getPackageName, getPackageResourcePath, getSharedPreferences, getSystemServiceName, getWallpaper, getWallpaperDesiredMinimumHeight, getWallpaperDesiredMinimumWidth, grantUriPermission, isDeviceProtectedStorage, isRestricted, moveDatabaseFrom, moveSharedPreferencesFrom, openFileInput, openFileOutput, openOrCreateDatabase, openOrCreateDatabase, peekWallpaper, registerReceiver, registerReceiver, removeStickyBroadcast, removeStickyBroadcastAsUser, revokeUriPermission, sendBroadcast, sendBroadcast, sendBroadcastAsUser, sendBroadcastAsUser, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcastAsUser, sendStickyBroadcast,

sendStickyBroadcastAsUser, sendStickyOrderedBroadcast, sendStickyOrderedBroadcastAsUser, setWallpaper, setWallpaper, startInstrumentation, startService, stopService, unbindService, unregisterReceiver

### Methods inherited from class android.content.Context

getColor, getColorStateList, getDrawable, getString, getString, getSystemService, getText, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, registerComponentCallbacks, unregisterComponentCallbacks

## Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## **Constructor Detail**

### LoginActivity

public LoginActivity()

### Method Detail

#### onCreate

Overrides:

onCreate in class android.support.v7.app.AppCompatActivity

**Parameters** 

savedInstanceState - initializes and create the login activity through Google sign in API

#### onStart

public void onStart()

If the user's cached credentials are valid, the OptionalPendingResult will be "done" and the GoogleSignInResult will be available instantly. If the user has not previously signed in on this device or the sign-in has expired, this asynchronous branch will attempt to sign in the user silently. Cross-device single sign-on will occur in this branch.

#### Overrides

onStart in class android.support.v7.app.AppCompatActivity

# $on {\bf Activity Result}$

### Overrides:

onActivityResult in class android.support.v4.app.FragmentActivity

## Parameters:

requestCode -

resultCode -

 ${\tt data - Result\ returned\ from\ launching\ the\ Intent\ from\ GoogleSignInApi.getSignInIntent(...);}$ 

### onConnectionFailed

public void onConnectionFailed(com.google.android.gms.common.ConnectionResult connectionResult)

#### Specified by

 $on Connection Failed \ in \ interface \ com.google. and roid.gms. common. api. Google Api Client. On Connection Failed Listener \ com. api. Google Api Client. On Connection Failed Listener \ com. google. Api Client. On Connection Failed Listener \ com. google. Api Client. On Connection Failed Listener \ com. google. Api Client. On Connection Failed Listener \ com. google. Api Client. On Connection Failed \ co$ 

### Parameters:

connectionResult - An unresolvable error has occurred and Google APIs (including Sign-In) will not be available.

#### onClick

public void onClick(android.view.View v)

## Specified by:

onClick in interface android.view.View.OnClickListener

#### Parameters:

 $\nu$  - this gives functionality for the sign in buttom once user clicks it should take to app not using for final though, using Google sign in

## onClickTest

public void onClickTest(android.view.View v)

Not used for final product, testing buttom

### Parameters:

v -

OVERVIEW PACKAGE CLASS TREE DEPRECATED INDEX HELP

PREV CLASS NEXT CLASS FRAMES NO FRAMES ALL CLASSES

SUMMARY: NESTED | FIELD | CONSTR | METHOD DETAIL: FIELD | CONSTR | METHOD