

NexCore — Flutter Frontend Folder Tree


Full structure for G14-TECH Computer Shop mobile app Framework: Flutter 3.x | State: Riverpod | Navigation: go_router | HTTP: Dio


Stats

Type	Count
Total dart files	110
Pages (screens)	37
Widgets (components)	26
Providers (state)	19
Models / Repositories	28

Full Tree

```
computer_shop_app/
├── pubspec.yaml
│   Declares all packages: go_router, flutter_riverpod, dio,
│   cached_network_image, fl_chart, google_maps_flutter,
│   web_socket_channel, flutter_secure_storage, shimmer,
│   carousel_slider. Also registers fonts (Syne, DM Sans)
│   and asset folders.
├── analysis_options.yaml
│   Lint rules. Enables strict mode – forces null safety,
│   unused variable warnings, and consistent coding style.
├── lib/
│   ├── main.dart
│   │   Entry point. Calls runApp(). Creates ProviderScope
│   │   (Riverpod root) and passes in AppWidget.
│   ├── app.dart
│   │   Defines MaterialApp.router(). Wires up AppTheme and
│   │   GoRouter. Applies warm monochrome theme (#FAF9F7,
│   │   #1A1917) and Syne+DM Sans fonts globally.
│   ├── core/
│   │   ├── constants/
│   │   │   ├── app_colors.dart
│   │   │   │   All Color constants: kBackground (#FAF9F7),
│   │   │   │   kSurface (#F2F0ED), kDark (#1A1917),
│   │   │   │   kSecondaryText (#6B6760), kBorder (#D6D3CE).
```





```

— auth/
  — data/
    — auth_repository.dart
      [MODEL] login(email, password) → UserModel + token,
      register(name, email, phone, password) → UserModel.

  — domain/
    — user_model.dart
      [MODEL] userId, roleId, fullName, email, phone,
      avatarUrl, createdAt, isActive. fromJson() factory.
      Maps to users table.

  — presentation/
    — providers/
      — auth_provider.dart
        [PROVIDER] StateNotifierProvider. AuthState:
        loading/authenticated/unauthenticated/error.
        Methods: login(), register(), logout().
        Saves JWT to local_storage on success.

    — pages/
      — splash_page.dart ← BUILT ✓
        [PAGE] G14-TECH splash screen. Logo animation,
        pulsing ring, arc spinner, cycling loading
        messages. Navigates to /home or /login after
        sequence completes.

      — login_page.dart
        [PAGE] Email + password fields, show/hide toggle,
        Forgot Password link, Login button, Google Sign-in.

      — register_page.dart
        [PAGE] Full name, email, phone, password,
        confirm password. Auto-login after register.

    — widgets/
      — auth_form_field.dart
        [WIDGET] Styled TextFormField: 48px height,
        warm border, focus = 2px dark border.

— home/
  — data/
    — home_repository.dart
      [MODEL] getFeaturedProducts(), getActivePromotions(),
      getDeals(). Three separate API calls.

  — domain/
    — promotion_model.dart
      [MODEL] promotionId, title, description, promoType,
      startDate, endDate, bannerUrl, isActive.
      Maps to promotions table.


  — presentation/


```

```

├── providers/
│   └── home_provider.dart
│       [PROVIDER] AsyncNotifierProvider. Fetches featured
│       products, deals, and promotions in parallel on init.
├── pages/
│   └── home_page.dart
│       [PAGE] HeroBanner → FeaturedRigsSection →
│       HotDealsSection → PromotionBanner →
│       PCBuilderCTA → CommunityShowcase → Footer.
├── widgets/
│   ├── hero_banner.dart
│   │   [WIDGET] Full-height dark hero. Product image top
│   │   55%, headline "Build Your Legend.", two buttons:
│   │   Shop Now + Build a PC.
│   ├── featured_rigs_section.dart
│   │   [WIDGET] Horizontal snap-scroll row of ProductCards
│   │   (260px wide). Section label "FEATURED RIGS".
│   ├── deals_section.dart
│   │   [WIDGET] List of deal rows: 72x72px thumbnail +
│   │   name + original price struck + deal price.
│   └── promotion_banner.dart
│       [WIDGET] Full-width dark card: PROMOTION label,
│       Syne bold title, date range, View Deals button.
├── products/
│   ├── data/
│   │   └── products_repository.dart
│   │       [MODEL] getProducts(filters) → paginated list,
│   │       getProductById(id) → full ProductModel with
│   │       specs + benchmarks + reviews.
│   ├── domain/
│   │   ├── product_model.dart
│   │   │   [MODEL] productId, categoryId, brandId, name,
│   │   │   shortDescription, basePrice, dealPrice, thumbnailUrl,
│   │   │   isFeatured, isDeal, isActive. Maps to products table.
│   │   ├── product_spec_model.dart
│   │   │   [MODEL] specId, productId, specKey (CPU/GPU/RAM...),
│   │   │   specValue, unit. Used in specs_tab.dart.
│   │   ├── product_benchmark_model.dart
│   │   │   [MODEL] benchmarkId, productId, metricKey,
│   │   │   metricValue, barPercent. Used in benchmarks_tab.dart.
│   │   └── product_config_option_model.dart
│   │       [MODEL] optionId, productId, optionGroup (RAM/Storage),
│   │       optionLabel, priceDelta, isDefault.
│   │       Used in config_options_selector.dart.


```







```
└─ widgets/
  └─ component_slot_card.dart
    [WIDGET] 64px slot row: type icon + label + selected
    component name/price OR "Tap to choose". Dark left
    border accent when filled.
  └─ component_picker_sheet.dart
    [WIDGET] Screen B bottom sheet: search + brand pills +
    component list with Select button per row.
  └─ build_summary_bar.dart
    [WIDGET] Fixed bottom panel: "Total: $X,XXX" (Syne bold)
    + full-width Add to Cart button. Updates live.


└─ cart/
  └─ data/
    └─ cart_repository.dart
      [MODEL] getCart(), addItem(dto), updateItemQty(id, qty),
      removeItem(id), clearCart().
  └─ domain/
    └─ cart_model.dart
      [MODEL] cartId, userId, list of CartItemModel, subtotal,
      discountTotal, total. Maps to carts table.
    └─ cart_item_model.dart
      [MODEL] cartItemId, itemType (product|build),
      productId or buildId, selectedConfigJson, quantity,
      unitPrice. Maps to cart_items table.
  └─ presentation/
    └─ providers/
      └─ cart_provider.dart
        [PROVIDER] AsyncNotifierProvider. Fetches cart on init.
        Methods: addItem(), removeItem(), updateQty(),
        applyCoupon(code), checkout(). Coupon state stored here.
    └─ pages/
      └─ cart_page.dart
        [PAGE] Item list + qty controls + swipe-to-delete.
        Coupon field. Order summary. Checkout button.
      └─ checkout_page.dart
        [PAGE] 3-step: Contact → Mock Payment → Confirmation.
        Progress indicator at top. POST /orders on Step 2.
    └─ widgets/
      └─ cart_item_tile.dart
        [WIDGET] 72px thumbnail + name + config info +
        qty controls (- count +) + delete icon.
      └─ coupon_field.dart
        [WIDGET] Input + Apply button. Shows applied coupon
        as dismissible dark pill with discount amount.
```

removes.







```
├── staff/
│   ├── dashboard/
│   │   └── staff_dashboard_page.dart
│   │       [PAGE] Hamburger → slide-in drawer (avatar + branch name
│   │       + nav links). Stat 2x2 grid. Ticket queue preview.
│   │       Chat inbox preview.
│   ├── tickets/
│   │   ├── staff_ticket_queue_page.dart
│   │   │       [PAGE] Ticket queue for staff's branch only. Status
│   │   │       filter pills + search. FAB → Create Ticket.
│   │   ├── staff_ticket_detail_page.dart
│   │   │       [PAGE] Customer info card + issue + vertical timeline.
│   │   │       "Add Event" expands form: status dropdown + note textarea.
│   │   └── staff_create_ticket_page.dart
│   │       [PAGE] Create ticket for walk-in customer. Branch
│   │       pre-filled. Success shows ticket number inline.
│   ├── orders/
│   │   └── staff_orders_page.dart
│   │       [PAGE] Order list. Tap → bottom sheet with items +
│   │       customer phone (tap to call) + status update dropdown.
│   ├── inventory/
│   │   └── staff_inventory_page.dart
│   │       [PAGE] Inventory for staff's branch only. Summary chips.
│   │       Product rows with +-qty controls. Low stock accent border.
│   │       Batch save.
│   └── chat/
│       └── staff_chat_inbox_page.dart
│           [PAGE] Thread list with unread badges. Open/Closed filter.
│           Tap → full-screen chat. "Close Thread" in AppBar.
├── admin/
│   ├── dashboard/
│   │   └── admin_dashboard_page.dart
│   │       [PAGE] Drawer nav with all sections. KPI 2x2 grid
│   │       (Revenue, Orders Today, Open Tickets, Users).
│   │       Top Products list. Recent Orders. Low Stock alerts.
│   ├── products/
│   │   ├── admin_products_page.dart
│   │   │       [PAGE] Product list with search + filter chips.
│   │   │       Each row: thumbnail + name + badges + edit + delete.
│   │   └── admin_product_form_page.dart
│   │       [PAGE] Full-screen add/edit form. All product fields +
│   │       dynamic spec rows + benchmark rows + config option rows.
│   │       "Add Spec" button adds a new row.
│   └── components/
```

- └─ admin_components_page.dart
[PAGE] Component list filtered by type. Add/Edit full-screen form with dynamic spec rows.
- └─ brands_categories/
 - └─ admin_brands_categories_page.dart
[PAGE] Two-tab: Brands (logo + name) and Categories (icon + name + slug). Inline add/edit form per tab.
- └─ orders/
 - └─ admin_orders_page.dart
[PAGE] All orders across all users. KPI strip. Filter bottom sheet. Tap → detail bottom sheet with status update dropdown.
- └─ promotions/
 - └─ admin_promotions_page.dart
[PAGE] Promotion cards with banner, status filter, active toggle. Add/Edit: title, type, dates, linked products picker.
- └─ coupons/
 - └─ admin_coupons_page.dart
[PAGE] Coupon list: code monospace bold + discount type badge + dates + active toggle. Add/Edit with code Generate button + Percent|Fixed toggle.
- └─ inventory/
 - └─ admin_inventory_page.dart
[PAGE] Stock qty per product per branch. Summary chips (Total/In Stock/Low/Out). Batch save button.
- └─ tickets/
 - └─ admin_tickets_page.dart
[PAGE] All service tickets across ALL branches (no branch restriction unlike staff). Status filter + search.
- └─ chat/
 - └─ admin_chat_inbox_page.dart
[PAGE] All chat threads. Unread count badges. Open/Closed filter. Same chat UI as staff.
- └─ reviews/
 - └─ admin_reviews_page.dart
[PAGE] Review list: product + reviewer + use_case badge + stars + title + body preview + visible toggle. Long-press for bulk hide/show.
- └─ showcase/
 - └─ admin_showcase_page.dart
[PAGE] Grid/List toggle. Each cell: thumbnail + type badge + title + published toggle + edit/delete. URL + preview in add/edit form.

```
├── users/
│   └── admin_users_page.dart
│       [PAGE] User list: avatar initials + name + email + role
│           badge + active toggle. Edit bottom sheet: role dropdown
│               + active toggle + delete with confirmation.
└── branches/
    └── admin_branches_page.dart
        [PAGE] Branch cards: name + address + phone + hours +
            Service Center badge. Edit full-screen: name, address,
            lat/lng, phone, hours, service center toggle + map preview.
```

Key Packages Reference

Package	Purpose	Used in
go_router	Navigation + route guards	app_router.dart
flutter_riverpod	State management	All *_provider.dart files
dio	HTTP client + interceptors	api_client.dart
flutter_secure_storage	JWT token storage	local_storage.dart
cached_network_image	Image caching	product_card.dart, media_gallery.dart
shimmer	Loading placeholders	loading_shimmer.dart
carousel_slider	Product image gallery	media_gallery.dart
fl_chart	Benchmark charts	benchmarks_tab.dart
google_maps_flutter	Store locator map	store_locator_page.dart
web_socket_channel	Real-time chat	chat_repository.dart
intl	Date + currency formatting	formatters.dart

File Naming Convention

Type	Pattern	Example
Page	*_page.dart	product_detail_page.dart
Widget	*_widget.dart or descriptive	benchmark_bar.dart
Provider	*_provider.dart	cart_provider.dart
Model	*_model.dart	order_model.dart
Repository	*_repository.dart	products_repository.dart
Constants	app_*.dart	app_colors.dart

Build Order (Phase by Phase)

Phase 1 — Foundation

- `main.dart`, `app.dart`, `app_theme.dart`, `app_router.dart`
- `api_client.dart`, `api_endpoints.dart`, `local_storage.dart`
- All files in `core/constants/` and `core/utils/`

Phase 2 — Auth

- `user_model.dart`, `auth_repository.dart`, `auth_provider.dart`
- `splash_page.dart` ← already built ✓
- `login_page.dart`, `register_page.dart`, `auth_form_field.dart`

Phase 3 — Core Catalog

- All files in `features/products/`
- All files in `features/home/`
- Shared widgets: `product_card.dart`, `loading_shimmer.dart`, `empty_state.dart`

Phase 4 — Shopping Flow

- All files in `features/cart/`
- All files in `features/orders/`
- All files in `features/pc_builder/`
- All files in `features/favorites/`

Phase 5 — Account Features

- `features/profile/`, `features/service/`, `features/chat/`
- `features/compare/`, `features/store_locator/`, `features/showcase/`

Phase 6 — Staff + Admin

- All files in `features/staff/`
- All files in `features/admin/`

Total: ~110 Dart files across 37 screens, 26 widgets, 19 providers