ARTISAN

```
(Laravel Framework 5.4.8)

Usage:
  command [options] [arguments]

Options:
   -h,  --help             Display this help message
   -q,  --quiet            Do not output any message
   -V,  --version          Display this application version
        --ansi             Force ANSI output
        --no-ansi          Disable ANSI output
   -n,  --no-interaction   Do not ask any interactive question
        --env[=ENV]        The environment the command should
                           run under
   -v|vv|vvv, --verbose    Increase the verbosity of messages:
                           1 for normal output, 2 for more
                           verbose output and 3 for debug


Available commands:
   clear-compiled          Remove the compiled class file
   down                    Put the application into maintenance
                           mode

   env                     Display the current framework
                           environment

   help                    Displays help for a command
   inspire                 Display an inspiring quote
   list                    Lists commands
   migrate                 Run the database migrations
   optimize                Optimize the framework for better
                           performance

   serve                   Serve the application on the PHP
                           development server

   up                      Bring the application out of
                           maintenance mode

  app
   app:name                Set the application namespace
  auth
   auth:clear-resets       Flush expired password reset tokens
```

```
cache
  cache:clear              Flush the application cache
  cache:forget             Remove an item from the cache
  cache:table              Create a migration for the cache
                           database table

config
  config:cache             Create a cache file for faster
                           configuration loading

  config:clear             Remove the configuration cache file
datatables
  datatables:make          Create a new DataTable service
                           class.

  datatables:scope         Create a new DataTable Scope class.
db
  db:seed                  Seed the database with records
debugbar
  debugbar:clear           Clear the Debugbar Storage
event
  event:generate           Generate the missing events and
                           listeners based on registration

ide-helper
  ide-helper:generate      Generate a new IDE Helper file.
  ide-helper:meta          Generate metadata for PhpStorm
  ide-helper:models        Generate autocompletion for models
key
  key:generate             Set the application key
make
  make:auth                Scaffold basic login and
                           registration views and routes

  make:command             Create a new Artisan command
  make:controller          Create a new controller class
  make:event               Create a new event class
  make:job                 Create a new job class
  make:listener            Create a new event listener class
  make:mail                Create a new email class
  make:middleware          Create a new middleware class
  make:migration           Create a new migration file
  make:model               Create a new Eloquent model class
  make:notification        Create a new notification class
  make:policy              Create a new policy class
  make:provider         Create a new service provider class
  make:request          Create a new form request class
  make:seeder           Create a new seeder class
  make:test             Create a new test class
migrate
  migrate:install       Create the migration repository
  migrate:refresh       Reset and re-run all migrations
  migrate:reset         Rollback all database migrations
  migrate:rollback      Rollback the last database migration
  migrate:status        Show the status of each migration
notifications
  notifications:table   Create a migration for the
                        notifications table

queue
  queue:failed          List all of the failed queue jobs
  queue:failed-table    Create a migration for the failed
                        queue jobs database table

  queue:flush           Flush all of the failed queue jobs
  queue:forget          Delete a failed queue job
  queue:listen          Listen to a given queue
  queue:restart         Restart queue worker daemons after
                        their current job

  queue:retry           Retry a failed queue job
  queue:table           Create a migration for the queue
                        jobs database table

  queue:work            Start processing jobs on the queue
                        as a daemon
```

```
route
  route:cache           Create a route cache file for faster
                        route registration

  route:clear           Remove the route cache file
   route:list           List all registered routes
 schedule
  schedule:run          Run the scheduled commands
session
  session:table         Create a migration for the session
                        database table

 storage
  storage:link          Create a symbolic link from "public/
                        storage" to "storage/app/
                        public"

 vendor
  vendor:publish        Publish any publishable assets from
                        vendor packages

 view
  view:clear            Clear all compiled view files
```