



WCAG 2.1 Level AA Success Criteria

COMPLIANCE AUDIT

For conductionnl.github.io/woo-website-noordwijk | Verdict: Compliant

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **conductionnl.github.io/woo-website-noordwijk** as of Thu Nov 09 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments(for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI**, **design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score	
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	6	0	100%	

Successful Elements

<button class="utrecht-button utrecht-button--submit FiltersTemplate-modu
le--button--c8824" type="submit" aria-label="Zoeken" ><svg aria-hidden="t
rue" focusable="false" data-prefix="fas" data-icon="magnifying-glass" cla
ss="svg-inline--fa fa-magnifyin...</pre>

<button class="utrecht-button utrecht-button--primary-action ResultsDispl
aySwitch-module--button--75fc8" type="button" aria-label="Tegelweergave"
><svg aria-hidden="true" focusable="false" data-prefix="fas" data-icon="g
rip-vertical" class="svg-inline...</pre>

<button class="utrecht-button utrecht-button--secondary-action ResultsDis
playSwitch-module--button--75fc8" type="button" aria-label="Tabelweergav
e" ><svg aria-hidden="true" focusable="false" data-prefix="fas" data-icon
="table" class="svg-inline--fa f...</pre>

<a class=" " tabindex="-1" role="button" aria-disabled="true" aria-label
="Vorige pagina" rel="prev" ><button class="utrecht-button Pagination-mod
ule--button--4297e" type="button" tabindex="-1"><svg aria-hidden="true" f
ocusable="false" data-prefix="fa...</pre>

1

<a class=" " tabindex="-1" role="button" aria-disabled="true" aria-label
="Volgende pagina" rel="next" ><button class="utrecht-button Pagination-m
odule--button--4297e" type="button" tabindex="-1"><svg aria-hidden="true"
focusable="false" data-prefix="...</pre>

Successful Elements

<button class="utrecht-button utrecht-button--submit FiltersTemplate-modu
le--button--c8824" type="submit" aria-label="Zoeken" ><svg aria-hidden="t
rue" focusable="false" data-prefix="fas" data-icon="magnifying-glass" cla
ss="svg-inline--fa fa-magnifyin...</pre>

<button class="utrecht-button utrecht-button--primary-action ResultsDispl
aySwitch-module--button--75fc8" type="button" aria-label="Tegelweergave"
><svg aria-hidden="true" focusable="false" data-prefix="fas" data-icon="g
rip-vertical" class="svg-inline...</pre>

<button class="utrecht-button utrecht-button--secondary-action ResultsDis
playSwitch-module--button--75fc8" type="button" aria-label="Tabelweergav
e" ><svg aria-hidden="true" focusable="false" data-prefix="fas" data-icon
="table" class="svg-inline--fa f...</pre>

<a class=" " tabindex="-1" role="button" aria-disabled="true" aria-label
="Vorige pagina" rel="prev" ><button class="utrecht-button Pagination-mod
ule--button--4297e" type="button" tabindex="-1"><svg aria-hidden="true" f
ocusable="false" data-prefix="fa...</pre>

1

<a class=" " tabindex="-1" role="button" aria-disabled="true" aria-label
="Volgende pagina" rel="next" ><button class="utrecht-button Pagination-m
odule--button--4297e" type="button" tabindex="-1"><svg aria-hidden="true"
focusable="false" data-prefix="...</pre>

Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes 7 0

100%

Successful Elements

<a href="https://www.noordwijk.nl/contact/locaties/" class="utrecht-link
utrecht-link--html-a FooterTemplate-module--link--0ded0" target="_blank"
tabindex="0" aria-label="Adres, Opent een nieuw venster" ><svg aria-hidde
n="true" focusable="false" data...</pre>

<a href="https://www.noordwijk.nl/contact/" class="utrecht-link utrecht-l
ink--html-a FooterTemplate-module--link--0ded0" target="_blank" tabindex
="0" aria-label="Contact, Opent een nieuw venster" ><svg aria-hidden="tru
e" focusable="false" data-prefix...</pre>

<a href="https://www.noordwijk.nl/" class="utrecht-link utrecht-link--htm
l-a FooterTemplate-module--link--0ded0" target="_blank" tabindex="0" aria
-label="Website, Opent een nieuw venster" ><svg aria-hidden="true" focusa
ble="false" data-prefix="fas" d...</pre>

<a href="https://www.noordwijk.nl/" class="utrecht-link utrecht-link--htm
l-a FooterTemplate-module--link--0ded0" target="_blank" tabindex="0" aria
-label="Privacy, Opent een nieuw venster" ><svg aria-hidden="true" focusa
ble="false" data-prefix="fas" d...</pre>

<a href="https://github.com/ConductionNL/woo-website-template" class="utr
echt-link utrecht-link--html-a FooterTemplate-module--withLoveLink--c6f5
5" target="_blank" aria-label="Link naar github repository, Opent een nie
uw venster" ><span aria-hidden="...</pre>

<a href="https://github.com/ConductionNL/woo-website-template/graphs/cont ributors" class="utrecht-link utrecht-link--html-a FooterTemplate-module--withLoveLink--c6f55" target="_blank" aria-label="Link naar github bijdra gers pagina, Opent een nieuw ve...

<a href="https://conduction.nl" class="utrecht-link utrecht-link--html-a
FooterTemplate-module--withLoveLink--c6f55" target="_blank" aria-label="L
ink naar conduction website, Opent een nieuw venster" ><span class="Foote
rTemplate-module--withLoveCondu...</pre>

4 Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.

Yes

7

(

100%

<a href="https://www.noordwijk.nl/contact/locaties/" class="utrecht-link
utrecht-link--html-a FooterTemplate-module--link--0ded0" target="_blank"
tabindex="0" aria-label="Adres, Opent een nieuw venster" ><svg aria-hidde
n="true" focusable="false" data...</pre>

<a href="https://www.noordwijk.nl/contact/" class="utrecht-link utrecht-link--html-a FooterTemplate-module--link--0ded0" target="_blank" tabindex
="0" aria-label="Contact, Opent een nieuw venster" ><svg aria-hidden="tru
e" focusable="false" data-prefix...</pre>

<a href="https://www.noordwijk.nl/" class="utrecht-link utrecht-link--htm
l-a FooterTemplate-module--link--0ded0" target="_blank" tabindex="0" aria
-label="Website, Opent een nieuw venster" ><svg aria-hidden="true" focusa
ble="false" data-prefix="fas" d...</pre>

<a href="https://www.noordwijk.nl/" class="utrecht-link utrecht-link--htm
l-a FooterTemplate-module--link--0ded0" target="_blank" tabindex="0" aria
-label="Privacy, Opent een nieuw venster" ><svg aria-hidden="true" focusa
ble="false" data-prefix="fas" d...</pre>

<a href="https://github.com/ConductionNL/woo-website-template" class="utr
echt-link utrecht-link--html-a FooterTemplate-module--withLoveLink--c6f5
5" target="_blank" aria-label="Link naar github repository, Opent een nie
uw venster"_><span aria-hidden="...</pre>

<a href="https://github.com/ConductionNL/woo-website-template/graphs/cont ributors" class="utrecht-link utrecht-link--html-a FooterTemplate-module--withLoveLink--c6f55" target="_blank" aria-label="Link naar github bijdra gers pagina, Opent een nieuw ve...

<a href="https://conduction.nl" class="utrecht-link utrecht-link--html-a
FooterTemplate-module--withLoveLink--c6f55" target="_blank" aria-label="L
ink naar conduction website, Opent een nieuw venster" ><span class="Foote
rTemplate-module--withLoveCondu...</pre>

An H1 title provides information to blindusers using screen-readers of what the main topic of the page is and each page should have exactly one H1 title. Yes

Pass

100%

<h1 class="utrecht-heading-1 JumbotronTemplate-module--title--fb795">Woo-publicaties van Gemeente Noordwijk</h1>

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	8	0	100%
7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	Pass	-	100%
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "O".	Yes	Pass	-	100%
10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
12	Every page should include hidden links that by clicking on them (either using keyboard	Yes	Pass	-	100%

landmarks such as main content, menu or footer

Successful Elements

<a href="#filters" tabindex="-1" class="utrecht-skip-link utrecht-skip-li
nk--visible-on-focus" >Ga naar de filters

<a href="#mainContent" tabindex="0" class="utrecht-skip-link utrecht-skip
-link--visible-on-focus" >Ga naar de hoofdinhoud

13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	O	-
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	No	0	0	-
16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	O	-
17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the	No	0	0	-

18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	No	0	0	-
19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	3	0	100%
	<pre>Successful Elements <svg ble="false" class="css-8mmkc 0.481 1.576 0l3.908 3.747 3. 36 0.445 0.408 1.197 0 1.615</pre></th><th>g" height="20" width="20"><path d<br="">908-3.747c0</path></svg></pre>	="M4.516 7.548	3c0.436-0.	446 1.043-	
21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are	No	0	0	-

24 Form fields should either include an "arialabel" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.). Yes 4

0

100%

Successful Elements

<input placeholder="Zoeken.." name="_search" aria-label="Voer zoekopdrach
t in" type="text" class="utrecht-textbox utrecht-textbox--html-input" dir
="auto" value="">

<input autocapitalize="none" autocomplete="off" autocorrect="off" id="rea
ct-select-2-input" spellcheck="false" tabindex="0" type="text" aria-autoc
omplete="list" aria-expanded="false" aria-haspopup="true" aria-label="Sel
ecteer jaar" role="combobox" a...</pre>

<input autocapitalize="none" autocomplete="off" autocorrect="off" id="rea
ct-select-3-input" spellcheck="false" tabindex="0" type="text" aria-autoc
omplete="list" aria-expanded="false" aria-haspopup="true" aria-label="Sel
ecteer categorie" role="combob...</pre>

<input autocapitalize="none" autocomplete="off" autocorrect="off" id="rea
ct-select-4-input" spellcheck="false" tabindex="0" type="text" aria-autoc
omplete="list" aria-expanded="false" aria-haspopup="true" aria-label="Sel
ecteer resultaten limiet" role...</pre>

25 Form elements cannot have the same ID, or else their corresponding label will provide false information.

No

0

0

26 Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.

No

0

0

27 The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change

the state of the state of the

No

0

0

28 aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or

Yes

2

0

100%

Successful Elements

an "aria-label" attribute.

<input autocapitalize="none" autocomplete="off" autocorrect="off" id="rea
ct-select-2-input" spellcheck="false" tabindex="0" type="text" aria-autoc
omplete="list" aria-expanded="false" aria-haspopup="true" aria-label="Sel
ecteer jaar" role="combobox" a...</pre>

<input autocapitalize="none" autocomplete="off" autocorrect="off" id="rea
ct-select-3-input" spellcheck="false" tabindex="0" type="text" aria-autoc
omplete="list" aria-expanded="false" aria-haspopup="true" aria-label="Sel
ecteer categorie" role="combob...</pre>

29 All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.

Yes

Pass

_

100%

Successful Elements

<form class="FiltersTemplate-module--form--ee9e5"><input placeholder="Zoe
ken.." name="_search" aria-label="Voer zoekopdracht in" type="text" class
="utrecht-textbox utrecht-textbox--html-input" dir="auto" value=""><div c
lass="select-module--select--64...</pre>

30 Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers. Nο

C

(

31 The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current

Yes

Pass

100%

Successful Elements

<title>Woo | Gemeente Noordwijk | Home</title>

32 The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.

Yes Pass

100%

Successful Elements

<html lang="nl-NL" data-react-helmet="lang"><head><meta charset="utf-8"><
meta http-equiv="x-ua-compatible" content="ie=edge"><meta name="viewport"
content="width=device-width, initial-scale=1, shrink-to-fit=no"><meta nam
e="generator" content="Gatsby ...</pre>

Yes

33 The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.

Pass

100%

Successful Elements

<meta name="viewport" content="width=device-width, initial-scale=1, shrin
k-to-fit=no">

34 Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.

Yes

2

1

67%

Successful Elements

<footer class="utrecht-page-footer FooterTemplate-module--footer--6414a">
<div class="FooterTemplate-module--container--00873"><div class="FooterTemplate-module--contentGrid--e389e"><section><h2 class="utrecht-heading-2 FooterTemplate-module--dynamicS...</pre>

Failed Elements

<div aria-label="Jumbotron tegel" role="contentinfo" class="JumbotronTemp
late-module--card--cde1d CardWrapper-module--container--a75aa"><h1 class
="utrecht-heading-1 JumbotronTemplate-module--title--fb795">Woo-publicati
es van Gemeente Noordwijk</h1><p...</pre>

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	38	2	95%

Successful Elements

<div class="HeaderTemplate-module--languageSelectContainer--9c336"><span
class="HeaderTemplate-module--languageSelect--17168 HeaderTemplate-module
--languageSelectDisabled--65e3c" tabindex="0" aria-label="Vertaal pagina
naar het Nederlands">NL ...

<span class="HeaderTemplate-module--languageSelect--17168 HeaderTemplatemodule--languageSelectDisabled--65e3c" tabindex="0" aria-label="Vertaal p
agina naar het Nederlands">NL

<span class="HeaderTemplate-module--languageSelect--17168" tabindex="0" a
ria-label="Translate page to English">EN

<h1 class="utrecht-heading-1 JumbotronTemplate-module--title--fb795">Woopublicaties van Gemeente Noordwijk</h1>

1">Op deze pagina vindt u de Woo-publicaties van Gemeente Noordwijk

<div class=" css-1ko9zbn-placeholder" id="react-select-2-placeholder">Jaa r</div>

<div class=" css-1ko9zbn-placeholder" id="react-select-3-placeholder">Cat egorie</div>

<button class="utrecht-button utrecht-button--primary-action ResultsDispl</pre> aySwitch-module--button--75fc8" type="button" aria-label="Tegelweergave" ><svg aria-hidden="true" focusable="false" data-prefix="fas" data-icon="g</pre> rip-vertical" class="svg-inline...

<button class="utrecht-button utrecht-button--secondary-action ResultsDis"</pre> playSwitch-module--button--75fc8" type="button" aria-label="Tabelweergav e" ><svg aria-hidden="true" focusable="false" data-prefix="fas" data-icon ="table" class="svg-inline--fa f...

<div class="undefined CardHeader-module--date--20865">18-10-2023</div>

Failed Elements

<button class="utrecht-button utrecht-button--submit FiltersTemplate-modu"</pre> le--button--c8824" type="submit" aria-label="Zoeken" ><svg aria-hidden="t rue" focusable="false" data-prefix="fas" data-icon="magnifying-glass" cla ss="svg-inline--fa fa-magnifyin...

1

38 Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".

No 0 0

46 Breadcrumbs main element should include

Νo

0

0

47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0	-
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0	-