

```

import React from 'react'

const App = () => {
  const fruits = ["Apple", "Banana", "Mango"];
  const fruitItems = [
    {id: 1, name: "Apple"},
    {id: 2, name: "Banana"},
    {id: 3, name: "Mango"}
  ];

  return (
    <div>
      <div className='without-key'>
        <h1>Fuits Without Key</h1>
        <ul>
          {fruits.map((fruit) => (
            <li>{fruit}</li>
          ))}
        </ul>
      </div>

      <div className="with-key">
        <h1>Fruits With key - has uniqueness because id ia linked to each
items in the array</h1>
        <ul>
          {fruitItems.map((fruitItem) => (
            <li key={fruitItem.id}>{fruitItem.name}</li>
          ))}
        </ul>

        <p>Fruit with id = 2: {fruitItems[2].name}</p>
      </div>
    </div>
  )
}

export default App

```

```

import { useState } from "react";

function App() {
  // State for input
  const [fruitName, setFruitName] = useState("");

```

```

// State for list
const [fruits, setFruits] = useState([
  { id: 1, name: "Apple" },
  { id: 2, name: "Banana" },
  { id: 3, name: "Mango" },
]);

// Add a new fruit
const handleAdd = () => {
  if (!fruitName.trim()) return; // ignore empty input

  const newFruit = {
    id: Date.now(), // simple unique id
    name: fruitName,
  };

  // IMPORTANT: spread old array + new item
  setFruits([...fruits, newFruit]);
  setFruitName("");
};

// Delete a fruit by id
const handleDelete = (id) => {
  setFruits(fruits.filter((fruit) => fruit.id !== id));
};

return (
  <div style={{ padding: "1rem" }}>
    <h1>Fruit List</h1>

    <div style={{ marginBottom: "1rem" }}>
      <input
        value={fruitName}
        onChange={(e) => setFruitName(e.target.value)}
        placeholder="Enter fruit name"
      />
      <button onClick={handleAdd}>Add</button>
    </div>

    <ul>
      {fruits.map((fruit) => (
        <li key={fruit.id}>
          {fruit.name}{" "}
          <button onClick={() => handleDelete(fruit.id)}>Delete</button>
        </li>
      ))}
    </ul>
  </div>

```

```
);  
}  
  
export default App;
```