# Connect Media Bulk SMS API Documentation

All requests are submitted through the POST Method

## Base URL:

# http://www.connectmedia.co.ke/user-board/?api

# **Information about Parameters:**

PARAMETERS	
username	Your Login Username of ConnectMedia.co.ke (Required).
password	Your Login Username of ConnectMedia.co.ke (Required).
to	Recipient Mobile Number – Include the Country Code onto the Mobile Number (Required).
sender	Sender ID for the message (Use ConectMedia, as default Sender ID)
action	send For sending message balance For Viewing user balance history For retrieving sent messages history
message	The Message For Recipient (Required).

## **Return Response and their Meanings:**

API returns the response in a JSON encoded Array with two indexes JSON Array[code]= Code of the return (as per below table) JSON Array[message]=Respective message against the code.

RETURN VALUES	
100	Invalid Login details
101	No enough balance to send message
103	No action defined
200	Shows the balance of the user
201	Message Sent Successfully!
202	Message History Retrieved Successfully

## **Examples of Successful Output Response:**

#### Sending message:

{"code":"201"," Message Sent Successfully!"}

Note: 201 is response code and Message Sent Successfully! Is the system alert Message

#### **Balance:**

{"code":"200","1"}

Note: 200 is response code and 1 is the balance of the desired account

### **History:**

{"0":{"message\_id":"1","message\_text":"test message 1","message\_date":"2016-06-11
06:00:27"},"1":{"message\_id":"2","message\_text":"test message 2","message\_date":"2016-06-11
15:03:49"},"code":"202"}

Note: 202 is response code and index 0 upto n shows array of the message id (system id for message), message text which was sent and date when it was sent.

### **SAMPLE PHP Script:**

```
<?php
$username = 'username';
$password = 'password';
$sender = 'ConectMedia';
$action = 'xxxxxxxx';
$to = '254xxxxxxxxx';
$message = "Test SMS from ConnectMedia.co.ke";
$url = "http://www.connectmedia.co.ke/user-board/?api";
$post = [
       'action' => "$action",
       'to' => "$to",
       'username' => "$username",
       'password' => "$password",
       'sender' => "$sender",
       'message' => urlencode("$message"),
];
$ch = curl_init("$url");
curl setopt($ch, CURLOPT RETURNTRANSFER, true);
curl_setopt($ch, CURLOPT_POSTFIELDS, $post);
$response = curl_exec($ch);
curl_close($ch);
$jsonarray[]=array();
$jsonarray=json_decode($response, true);
echo "Return code is: $jsonarray[code]";
echo "Return message is: $jsonarray[message]";
?>
```