



Relationship Lens · Test Guide

One page, four tests: live Salesforce read, in-page AI case creation, lifecycle by chat, reverse proof.

Goal: prove live read and write-back between Claude and Salesforce in about 5 minutes. You need a [claude.ai](#) or Cowork workspace with the **sObject** Salesforce connector enabled, and your Salesforce org open in a second browser tab.

Setup, once (2 minutes)

In Claude, add the marketplace and install the plugin:

```
/plugin marketplace add https://github.com/Connectry-io/relationship-lens
/plugin install relationship-lens@relationship-lens
```

Test 1 · Read the relationship

Type: **"Open the Hartwell Precision relationship"** (any account name works, fuzzy match).

Claude reads the account through the connector and opens a glass page filled with the live book: key facts, pipeline, cases. On first open [claude.ai](#) asks to let the page use the sObject connector. **Click Allow** - that pop-up is part of the story: the page acts with your credentials, scoped to two tools.

Test 2 · Create a case inside the page

In the page, click **New case** and describe it in plain words, e.g. *"Client reports the borrowing base upload keeps failing since Friday, blocking the month-end certificate."* Click **Draft case** (AI writes the subject and sets priority), then **Create in Salesforce**.

The new row lands with a violet wash and the counters tick. Click the row: it opens the case directly in Lightning. Refresh your Salesforce tab: the case is there, linked to the account.

Test 3 · Manage it from chat

Type: **"Close the test case"** (also works: "set it to high priority", "escalate it", "put it on hold", "reopen it"). Confirm the one-line summary. The org updates, the page republishes, and the closed row greys out.

Test 4 · Reverse proof

Create or edit a case in the Salesforce UI, then click **Refresh** in the page's top bar. The change appears in the lens. Both directions, live, no integration project.

If something's off

The connector's display name must be exactly `sObject` - if your workspace named it differently, just say so when opening a relationship and Claude adjusts. The demo sandbox occasionally times out: ask again, reads retry automatically. A timed-out create is never retried blind - Claude re-reads the org first, so no duplicates.

Website with a live demo: connectry-io.github.io/relationship-lens · Repo: github.com/Connectry-io/relationship-lens